

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

PRICES NET F. O. B. SHIPPING POINT

CANADA UNLEACHED HARD-WOOD ASHES (ANDORRA BRAND)

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada, are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500 lbs. for new lawns.

50-lb.bag 100-lb.bag 200-lb.bbl. Ton (10 bbls.) Cars. 15 to 20 tons \$1 00 \$1 50 \$2 50 \$20 00 At special prices.

PREPARED LIME

Where soils, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitro-

gen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to run through a drill. Use 500 lbs. per acre.

100-lb. bag Ton Cars, 12 to 25 tons \$12 00 \$1 25 \$10 per ton.

POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% actual potash, equal to 8% of sulphate of potash, the prepared lime being used as a filler, and makes a valuable top-dresser for lawn, pasture, or grass lands. Apply at the rate of 500 lbs. per acre.

Ton 100-lb. bag Cars, 12 to 25 tons \$1 50 \$14 00 \$12 00 per ton

PEAT

We have on hand a stock of carefully selected peat, suitable for potting or planting Rhododendrons and shrubs that need such soil. Sack of about 100 lbs., 75 cents. In sacks, \$13.50 per ton.

PURE GROUND BONE

A brand of excellent quality. Analysis on request.

200-lb. bag Ton Cars, 15 to 30 tons \$3 50 \$32 00 Special price.

Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SHIPPING SEASON opens about March 1 in the spring and August 15 in

the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

TERMS AND CONDITIONS

ORDERS.-All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of shipment.

STOCK SELECTED by customers at the Nurseries will be charged ac-

cording to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively.

PACKING .- All goods are thoroughly packed, thus avoiding risk, if de-

layed in transit. Packing charges are made at actual cost.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

condition.

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

bill and present your claim through him promptly.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no quarantee of the life of stock.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to

their responsibility.

Address all orders to

ANDORRA NURSERIES


WM. WARNER HARPER, Prop.

Local and Long Distance Telephone

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address CHESTNUT HILL, PHILADELPHIA

Cable Address "ANDORRA," PHILADELPHIA



Nursery Entrance and Office.


EVERGREEN TREES

| Each | 10 |
|---|--------------|
| ABIES balsamea. Balsam Fir. 3 to 4 ft | |
| 4 to 5 ft | |
| 5 to 7 ft | |
| Canadensis. See Tsuga Canadensis. | |
| concolor. White Fig. $2\frac{1}{2}$ to 3 ft | |
| $\frac{3\frac{1}{2}}{10}$ to 4 ft | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $4\frac{1}{2}$ to 5 ft | |
| 5 to 6 ft | **** |
| 6 to 10 ft | |
| nobilis, var. glauca. Noble Silver Fir. 4 to 4½ ft 5 00 | or season of |
| $4\frac{1}{2}$ to 5 ft 6 00 | |
| 5 to 7 ft | |
| Nordmanniana. Nordmann's Fir. 3 ft | |
| $3 \text{ to } 3\frac{1}{2} \text{ ft.}$ | \$42 50 |
| $3\frac{1}{2}$ to 4^{2} ft | 57 50 |
| 4 to $4\frac{1}{2}$ ft. Specimens $+$ 7 50 | 70 00 |
| $4\frac{1}{2}$ to 5 ft. Specimens $+$.10 00 | 85 00 |
| 5 to $5\frac{1}{2}$ ft. Specimens | Maria Inc. |
| 6 to 12 ft. Fine specimens. Prices on application. | |
| pectinata. European Silver Fir. | |
| 6 to 7 ft | |
| 7 to 8 ft | |
| 8 to 10 ft | |
| BIOTA orientalis. Oriental Arborvitæ. 5 to 6 ft 3 00 | 27 50 |
| 6 to 7 ft 4 00 | 37 50 |
| | 55 00 |
| 6 to 7 ft. Very heavy | 65 00 |
| 8 to 10 ft. Very broad and heavy\$8.50 to 12 50 | |
| | |

| Each | 10 |
|--|--|
| BIOTA orientalis, var. aurea nana. 15 to 18 in\$1 75 | \$15 00 |
| 18 to 20 in | 17 50 |
| 20 to 24 in. 2 75 24 to 30 in. 3 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 24 to 30 m 5 50 | 32 30 |
| orientalis, var. aurea pyramidalis. | |
| 4 to 5 ft | |
| orientalis, var. compacta. Compact Chinese Arbor- | |
| vitæ. 3 to 3½ ft | 05 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{35}{45} \frac{00}{00}$ |
| 4 to 5 ft | 70 00 |
| orientalis, var. conspicua. 3 to $3\frac{1}{2}$ ft | 32 50 |
| 4 to 4½ ft | 37 50 |
| 5 to 6 ft | =0.00 |
| 6 to 7 ft | 70 00 |
| | |
| orientalis, var. elegantissima. Rollinson's Golden Arborvitæ. 3 to 3½ ft | |
| 3½ to 4 ft | |
| 4 to 5 ft | 47 50 |
| 5 to 8 ft | |
| orientalis, var. filiformis; syn., Japonica. Thread- branched Arborvitæ. 3 to 3½ ft | 32 50 |
| branched Arborvitæ. 3 to $3\frac{1}{2}$ ft | 52 50 |
| orientalis, var. semperaurescens. Ever-golden Arbor- | |
| vitæ. 4 to 5 ft | |
| 5 to 7 ft | |
| CEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar- | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{27}{37} \frac{50}{50}$ |
| 5 to 6 ft | 31 30 |
| 8 to 10 ft\$10 to 15 00 | |
| CEPHALOTAXUS Fortunei. Fortune's Yew. 4 to 4½ ft 3 50 | |
| 5 to 6 ft. Very broad and heavy 5 00 | |
| 6 to 7 ft | 00 50 |
| CRYPTOMERIA Japonica. 2½ to 3 ft | 22 50 |
| 3 to $3\frac{1}{2}$ ft | $\begin{array}{ccc} 27 & 50 \\ 32 & 50 \end{array}$ |
| $3\frac{1}{2}$ to 4 ft 4 00 | 37 50 |
| 5 to 6 ft | 47 50 |
| ILEX opaca. American Holly. $2\frac{1}{2}$ to 3 ft | 32 59 |
| 3 to 4 ft | |
| 4 to 5 ft | |
| JUNIPERUS Canadensis. Spreading Canadian Juniper— 12 to 15 in. spreadper 100, \$601 00 | 9 00 |
| 15 to 18 in. spread 1 50 | 12 50 |
| 18 to 24 in. spread | 17 50 |
| 24 to 30 in. spread 3 50 | 32 50 |
| Canadensis, var. aurea; syn., Douglasi. Douglas' Golden Juniper. 12 to 15 in. spread 1 00 | 0.50 |
| Golden Juniper. 12 to 15 in. spread 1 00 15 to 18 in. spread 1 50 | $\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$ |
| 18 to 24 in. spread. Heavy | 15 00 |
| | |

| | MILDORALI HOROERIES | |
|-------------------|---|-----------------|
| | Each | 10 |
| JUNIPERUS | Chinensis. Chinese Juniper. 3 ft\$2 00 | \$17 50 |
| 247 71 | 3½ to 4 ft | 32 50 |
| | $4\frac{1}{2}$ to 5 ft | 37 50 |
| | 5 to 6 ft | 45 00 |
| | 6 to 8 ft | 20 00 |
| | Chinensis, var. argentea marginata. A grand | |
| | hardy variety. $2\frac{1}{2}$ to 3 ft | 32 50 |
| | $3\frac{1}{2}$ to 4 ft | 42 50 |
| | 4 to $4\frac{1}{2}$ ft | 47 50 |
| | 5 to 6 ft A 66 to 7 50 | |
| | 7 to 8 ft. Specimens \$10 to 15 00 Chinensis, var. aurea. Golden Chinese Juniper— | |
| | Chinensis, var. aurea. Golden Chinese Juniper— | |
| | 4 to 5 ft | |
| | 5 to 6 ft | |
| | Chinensis, var. Pfitzeriana. 18 to 20 in 2 00 | 17 50 |
| | 22 to 24 in 2 50 | 20 00 |
| | 24 to 30 in. 350 Chinensis, var. femina Reevesii. 3 to $3\frac{1}{2}$ ft. 300 | 32 50 |
| | Chinensis, var. femina Reevesii. 3 to $3\frac{1}{2}$ ft 3 00 | 27 50 |
| | 5 to 6 ft 5 00 | 47 50 |
| | communis. Common Upright Juniper- | |
| | 3 to $3\frac{1}{2}$ ft | |
| | 4½ to 5 ft | |
| | communis, var. oblonga. 6 to 8 ft\$5 to 7.50 | |
| | communis, var. Suecica. Swedish Juniper- | |
| - March 1918 1919 | $2\frac{1}{2}$ to 3 ft | 15 00 |
| | excelsa stricta. 4 to 6 ft | |
| | Fortunei. 6 to 8 ft | |
| | Japonica, var. aurea. Golden Japan Juniper- | |
| | $1\frac{1}{2}$ to 2 ft | 13 50 |
| | 2^2 to $2\frac{1}{2}$ ft | 22 50 |
| | $\overline{2}_{\overline{2}}$ to $\overline{3}$ ft | 32 50 |
| | 3° to $3\frac{1}{2}$ ft | |
| | $3\frac{1}{2}$ to 4° ft | 47 50 |
| | 4 to $4\frac{1}{2}$ ft | 55 00 |
| | 5 to $5\frac{7}{2}$ ft | |
| | Japonica, var. nana aurea. Dwarf, 10 to 12 in. | |
| | x 15 to 18 in. broad | 15 00 |
| | recurva, var. squamata. Scaly-leaved — | |
| | 8 to 10 in. x 10 to 12 in. spread | 13 50 |
| | 8 to 10 in. x 15 to 18 in. spread | 17 50 |
| | rigida. 9 to 12 ft\$10 to 25 00 | |
| | Sabina. Savin Juniper. 12 to 15 in 1 00 | 9 00 |
| | $2 \text{ to } 2\frac{1}{2} \text{ ft}$ | 22 50 |
| | $\frac{1}{3}$ to $\frac{3}{2}$ ft $\frac{1}{3}$ 50 | 32 50 |
| | Sabina, var. aurea variegata. Savin's Golden | |
| | Juniper. 1½ to 2 ft | |
| | 2 to $2\frac{1}{2}$ ft | |
| | Sabina, var. tamariscifolia. 10 to 12 in. x 12 to | |
| | 15 in. spread 1 25 | 10 00 |
| | 12 to 15 in, x 15 to 18 in, spread 1 75 | 15 00 |
| | Virginiana. Red, or Virginia Cedar. 3 to 3½ | |
| | ft | $\frac{22}{50}$ |
| | $3\frac{1}{2}$ to 4 ft | 32 50 |
| | $\frac{4\frac{1}{2}}{2}$ to 5 ft | 37 50 |
| | 5 to 6 ft | 47 50 |
| | 7 to 8 ft. Specimens | |

| HINIDA | Each P. O. C. | 997 50 |
|----------|---|--|
| JUNIPE | ERUS Virginiana, alba spicta. +3 to 4 ft\$3 00 Virginiana, var. Cannartii. 2½ to 3 ft | \$27 50 22 50 |
| | Virginiana, var. glauca. Blue Virginia Cedar— | 22 30 |
| | 3 to 3½ ft | 27 50 |
| | 4 to $4\frac{1}{2}$ ft 3 50 | 32 50 |
| | 5 to 6 ft 4 00 | 37 50 |
| | 7 to 8 ft | |
| | Virginiana, var. Kosteri. Spreading- | 40 50 |
| | 12 to 15 in | 13 50 17 50 |
| | 2 to 2½ ft | $\frac{11}{22} \frac{50}{50}$ |
| | Virginiana, var. Leei elegantissima. Golden Vir- | 22 00 |
| | ginian Cedar— | |
| | 3 to 3\(\frac{1}{2}\) ft. Extra heavy | 22 50 |
| | $4\frac{1}{2}$ to 5 ft. Extra heavy | 32 50 |
| | 5 to 7 ft. Extra heavy + .\$4 to 6 00 8 to 9 ft + .\$7.50 to 10 00 | |
| | 8 to 9 ft | 22 50 |
| | Virginiana, var. pendula. 3 to 3½ ft. +. 2 50 4 to 4½ ft. 3 50 | $\frac{22}{32} \frac{50}{50}$ |
| | 5 to 6 ft | 47 50 |
| 10 Share | Virginiana, var. Schotti. 3 to 3½ ft | 22 50 |
| | 4 to 5 ft 4 00 | 37 50 |
| | 5 to 6 ft 5 00 | 47 50 |
| | 7 to 8 ft | |
| PICEA | alba. White Spruce. $2\frac{1}{2}$ to 3 ft | 17 50 |
| | 3 to 3½ ft | 20 00 |
| | 4 to 5 ft | 30 00 |
| | 6 to 7 ft | |
| | 6 to 7 ft | |
| | Alcockiana. Alcock's Spruce. $2\frac{1}{2}$ to 3 ft | |
| | 5 to 8 ft. Specimens\$4 to 15 00 | |
| | Engelmanni. Engelmann's Spruce— | |
| | 4 to 7 ft | 10 50 |
| | excelsa. Norway Spruce. 3 to $3\frac{1}{2}$ ft | $\frac{12}{17} \frac{50}{50}$ |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 17 & 50 \\ 27 & 50 \end{array}$ |
| | 5 to 6 ft. Specimens | 45 00 |
| | 5 to 6 ft. Specimens | 60 00 |
| | 9 to 12 ft\$10 to 25 00 | |
| | excelsa, var. aurea. Golden Norway Spruce- | |
| | 2 to $2\frac{1}{2}$ ft | |
| | excelsa, var. inverta. Weeping Norway Spruce- | |
| | 5 to 6 ft | |
| | orientalis. Eastern Spruce. 2 to $2\frac{1}{2}$ ft | 22 50 |
| | 3 to $3\frac{1}{2}$ ft | 32 50 |
| | $3\frac{1}{2}$ to 4 ft. Specimens | 45 00 |
| | $4\frac{1}{2}$ to 5 ft. Specimens | |
| | 6 to 9 ft. Specimens | 200 |
| | pinsapo. Spanish Fir. 3½ to 4 ft | 32 50 |
| | 4 to 5 ft+\$4 to 7 50 | 00.50 |
| | polita. Tiger's Tail Spruce. $2\frac{1}{2}$ ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | 9 to 12 ft | 02 00 |
| | ω το | |



| PICEA pungens. Colorado Spruce. 4 to 5 ft |
|--|
| 5 to 6 ft |
| 7 to 10 ft. |
| pungens, var. glauca. Blue Colorado Spruce— 2½ to 3 ft. Selected color ↓ 3 50 3 to 3½ ft. Selected color ↓ \$5 to 7 50 3½ to 4 ft. Selected color ↓ \$7.50 to 10 00 5 to 10 ft. Selected color ↓ \$12.50 to 35 00 pungens, var. Kosteriana. Koster's Blue Colorado Spruce. ½ to 2 ft. 2 50 22 50 2 to 2½ ft ↓ 3 50 32 50 2½ to 3 ft. Specimens ↓ \$5 to 7 50 3 to 3½ ft. Specimens ↓ \$7.50 to 10 00 3⅓ to 4 ft. Specimens ↓ \$10 to 12 50 |
| 2½ to 3 ft. Selected color |
| 3 to 3½ ft. Selected color |
| 3½ to 4 ft. Selected color \$7.50 to 10 00 pungens, var. Kosteriana. Koster's Blue Colorado Spruce. 1½ to 2 ft 2 50 2 to 2½ ft \$3 50 2½ to 3 ft. Specimens \$5 to 7 50 3 to 3½ ft. Specimens \$7.50 to 10 00 3½ to 4 ft. Specimens \$10 to 12 50 |
| pungens, var. Kosteriana. Koster's Blue Colorado Spruce. 1½ to 2 ft |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $3 \text{ to } 3\frac{1}{2} \text{ ft. Specimens} \dots +$7.50 \text{ to } 10 00$ $3\frac{1}{2} \text{ to } 4 \text{ ft. Specimens} \dots +$10 \text{ to } 12 50$ |
| 3½ to 4 ft. Specimens |
| |
| 4 to 5 ft. Specimens+. \$12.50 to 15 00 |
| 6 to 10 ft. Grand specimens |
| pungens, var. pendula. Weeping Blue Colorado Spruce— |
| 3 to 4 ft. Specimens |
| 4 to $4\frac{1}{2}$ ft. Specimens |
| PINUS Austriaca. Austrian Pine. 2 to $2\frac{1}{2}$ ft |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 4½ to 5 ft |
| 5 to 8 ft\$6 to 12 50 |
| Cembra. Swiss Stone Pine. 2 to 2½ ft 2 50 22 50 |
| $2\frac{1}{2}$ to 3 ft |
| 3 to $3\frac{1}{2}$ ft 3 50 32 50 |
| $\frac{3\frac{1}{2} \text{ to } 4 \text{ ft.}}{4 \text{ to } 4\frac{1}{2} \text{ ft}}$ $\frac{4 \text{ 00}}{5 \text{ 00}}$ $\frac{37 \text{ 50}}{47 \text{ 50}}$ |
| 5 to 7 ft 50 4 7 50 47 50 |

| | Each | 10 |
|---|---|---|
| PINUS excelsa. Bhotan Pine. 24 to 3 ft | \$2 50 | \$22 50 |
| 3 to 4½ ft | 3 00 | 27 50 |
| 6 to 7 ft | $\frac{5}{10}$ | 47 50 |
| | | 07 50 |
| Koraiensis. Corean Pine. 3 to $3\frac{1}{2}$ ft | | 27 50 |
| Mughus. Dwarf Mountain Pine, 10 to 12 in | 1 00 | $\frac{9}{12} \frac{00}{50}$ |
| 15 to 18 in | $\frac{1}{2} \frac{90}{00}$ | $\frac{12}{17} \frac{50}{50}$ |
| 18 in | 2 50 | |
| 24 in | | |
| ponderosa. Bull Pine. 5 to 6 ft | $\frac{3}{10} \frac{50}{100}$ | 32 50 |
| 7 to 10 ft | | |
| rigida. Pitch Pine. 10 to 12 ft\$10 to 1 | 15 00 | |
| Strobus. White Pine. 8 to 10 inper 100, \$20 1½ to 2 ft | 75 | 6 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{c} 75 \\ 1 \ 00 \end{array}$ | $\frac{6}{8} \frac{00}{00}$ |
| $\frac{2}{2}$ to $\frac{3}{2}$ ft | 1 25 | 10 00 |
| 3 to $3\frac{1}{2}$ ft 4 +per 100, \$110 J | 1 50 | 12 50 |
| 3½ to 4 ft | $\frac{2}{2} \frac{00}{50}$ | 17 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | $\frac{20}{27} \frac{00}{50}$ |
| 5 to 6 ft | 0 00 | $\frac{51}{32} \frac{60}{00}$ |
| 6 to 7 ft | 5 00 | |
| 7 to 9 ft\$7.50 to 1 | 15 00 | |
| The finest and best rooted stock in this country. | 9 00 | 40 50 |
| sylvestris. Scotch Pine. 3 to $3\frac{1}{2}$ ft. $3\frac{1}{4}$ to 4 ft. $3\frac{1}{4}$ | 2 00 3 00 | $\begin{array}{ccc} 18 & 50 \\ 27 & 50 \end{array}$ |
| 4 to 5 ft | 3 50 | $\frac{21}{32} \frac{50}{50}$ |
| Tanyosho. Japanese Table Pine- | | |
| 15 to 18 in | 2 00 | 18 50 |
| 18 to 24 in | 3 50 | 32 50 |
| PODOCARPUS Japonica. Japanese Yew. 15 to 18 in | 1 50 | |
| PSEUDOTSUGA Douglasi. Douglas' Spruce. 2½ to 3 ft | 2 00 | 18 50 |
| 3 to 31 ft | 2.50 | 22 50 |
| 5 to 6 ft\$4 to 7 to 10 ft\$7.50 to 1 | 5 00 | |
| PETINOCHORA estation IV. | 10 00 | |
| RETINOSPORA ericoides. Heath-like Japan Cypress— 15 to 18 in | 75 | 6 00 |
| 1½ to 2 ft | 1 00 | 8 50 |
| 2 to $2\frac{1}{2}$ ft | 1 50 | 13 50 |
| $\frac{3}{21}$ to $\frac{3\frac{7}{2}}{4}$ ft | $\frac{2}{3} \frac{00}{00}$ | $\begin{array}{ccc} 17 & 50 \\ 27 & 50 \end{array}$ |
| • | 5 00 | 21 30 |
| filifera. Thread-branched Japan Cypress— $1\frac{1}{2}$ to 2 ft. | 1 50 | 13 50 |
| $2\frac{1}{9}$ to 3 ft | 3 50 | $\frac{13}{32} \frac{50}{50}$ |
| 3 to $3\frac{1}{2}$ ft | | 37 50 |
| $3\frac{1}{2}$ to 4 ft. Specimens | $\frac{7}{2} = \frac{50}{50}$ | |
| 5 to 6 ft. Specimens | 25 00 | |
| filifera, var. aurea. Golden Thread-branched | 3 00 | |
| Japan Cypress, 10 to 12 in | 1 50 | 13 50 |
| 12 to 15 in | 2 00 | 18 50 |
| 18 to 20 in | 2 50 | 22 50 |

| 10 | ANDORKA NURSERIES | |
|-------------|--|---|
| DETINOCHORA | Each Control of the C | 10 |
| RETINUSPURA | leptoclada. Thuya-like Japan Cypress- | |
| | $3\frac{1}{2}$ to 4 ft\$2 50 | |
| | 4 to $4\frac{1}{2}$ ft | *** |
| • | $\frac{4}{2}$ to $\frac{5}{2}$ ft 3 50 | \$32 50 |
| | 5 to 6 ft | -35/00 |
| | lycopodioides. Club-moss Japan Cypress- | |
| | 2½ ft | |
| | 3 to 4 ft | |
| | 4 to 5 ft | |
| | obtusa. Obtuse-leaved Japan Cypress— | |
| | $1\frac{1}{2}$ to 2 ft | 18 50 |
| | 2 to $2\frac{1}{2}$ ft, | -22 - 50 |
| | 3 to 4 ft | 32 50 |
| | $4\frac{1}{2}$ to 5 ft | 37 50 |
| | 6 to 8 ft | |
| | obtusa, var. compacta. Compact Obtuse- | |
| | leaved Japan Cypress. 18 to 24 in 2 00 | 18 50 |
| | 5 to $5\frac{1}{2}$ ft\$5 to 7 50 | |
| | obtusa, var. gracilis. Graceful Obtuse-leaved | |
| | Japan Cypress. 15 to 18 in 2 00 | |
| | obtusa, var. magnifica. 3 to $3\frac{1}{2}$ ft | |
| | obtusa, var. nana. Dwarf Obtuse-leaved Japan | |
| | Cypress. 1 ft | 10.00 |
| | $1\frac{1}{2}$ ft | 22 50 |
| | 2 ft | 27 50 |
| | $2\frac{1}{2}$ ft | 37 50 |
| | 3 ft | |
| | 3⅓ ft | |
| | 4 to 6 ft. Specimens+\$15 to 20 00 | |
| | obtusa, var. nana aurea. Dwarf Golden | |
| | Obtuse-leaved Japan Cypress— | 22 50 |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$ |
| | | $\frac{21}{32} \frac{50}{50}$ |
| | $2\frac{1}{2}$ ft | 52 50 |
| | 4 to 6 ft | |
| | pisifera. Pea-fruited Japan Cypress. $2\frac{1}{2}$ to 3 ft. 2 50 | 22 50 |
| | 4 to 5 ft | $\frac{22}{32} \frac{50}{50}$ |
| | $\frac{1}{5}$ to $\frac{5}{2}$ ft | 37 50 |
| | 6 to 10 ft. Specimens + \$7.50 to 25 00 | 0. 00 |
| | pisifera, var. aurea. Golden Pea-fruited Japan | |
| | Cypress. 2 to $2\frac{1}{2}$ ft 2 00 | 17 50 |
| | $2\frac{1}{2}$ to 3 ft | 22 50 |
| | $\frac{3}{3}$ to $\frac{3}{2}$ ft $\frac{3}{3}$ 00 | $\frac{27}{27}$ 50 |
| | $3\frac{1}{2}$ to 4^{2} ft | 32 50 |
| | 4° to $4\frac{1}{2}$ ft | 37 50 |
| | 5 to 6 ft. Specimens | |
| | 5 to 6 ft. Specimens \$5 to 7 50 7 to 14 ft. Specimens \$10 to 35 00 | |
| | plumosa. Plume-like Japan Cypress— | |
| | $1\frac{1}{7}$ to 2 ft | 13 50 |
| | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 17 50 |
| | $\frac{2_1}{2_2}$ to $\frac{3}{2}$ ft | $\frac{22}{50}$ |
| | 3 to 3\frac{1}{2} ft 3 00 | 27 50 |
| | $3\frac{1}{2}$ to 4 ft. Specimens | -32/50 |
| | 4 to 5 ft | 37 50 |
| | 6 to 10 ft. Specimens | |

| | Each | 10 |
|-----------------------------|---|--|
| RETINOSPORA | plumosa, var. argentea. 2 to $2\frac{1}{2}$ ft\$1 50 | \$12 50 |
| | 2½ to 3 ft. , 2 50 3 to 4 ft. , 3 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | 4 to 5 ft | $\frac{37}{50}$ |
| | 5 to 7 ft\$5 to 7 50 | |
| | plumosa, var. aurea. Golden Plume-like | |
| | Japan Cypress— | 8 50 |
| | 2^2 to $2\frac{1}{2}$ ft. Bushy | 17 50 |
| | 21 to 3 ft Rushy 2 50 | $\frac{22}{27} \frac{50}{50}$ |
| | 3 to 3½ ft. Bushy 3 00 | $\frac{27}{29}$ 50 |
| | 3½ to 4 ft. Specimens | $\frac{32}{37} \frac{50}{50}$ |
| | 5 to 12 ft. Specimens+\$5 to 35 00 | 0 |
| | This variety is one of the best for | |
| | general planting. Its habit and coloring are excellent, it stands shearing readily | |
| | and its hardiness is unquestioned, | |
| | plumosa, var. flavescens. 12 to 15 in | 8 50 |
| | 4 to 5 ft | |
| | plumosa, var. sulphurea. $1\frac{1}{2}$ to 2 ft 1 75 | 15 00 |
| | 2 to 2½ ft | |
| | $\frac{3_1}{4}$ to $\frac{4}{5}$ ft. Very heavy 6 00 4 to 5 ft. Very heavy \$7.50 to 10 00 | |
| | squarrosa. Squarrose-leaved Japan Cypress— | |
| | $\frac{2}{2}$ to $\frac{21}{3}$ ft | 22 - 50 |
| | $2\frac{1}{2}$ to 3 ft | 27 50 |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 30 00 |
| | $4\frac{1}{2}$ to 5 ft. Specimens\$6 to 7 50 | |
| | 6 to 14 ft. Heavy specimens\$10 to 75 00 | |
| | This is excellent stock; exceptionally broad, bushy and low-branched, | |
| SCIADOPITYS | | 20 50 |
| SCIADUFITTS | 2½ to 3 ft | $\frac{32}{45} \frac{50}{00}$ |
| | $3\frac{1}{2}$ to 4 ft | 72 50 |
| | 4½ to 5 ft | |
| TAVIIC become | 6 to 7 ft | |
| | . English Yew. 2 to $2\frac{1}{2}$ ft 2 00 to 3 ft | |
| $\overline{3}^{2}$ | to $3\frac{1}{2}$ ft | |
| $\frac{3^{\frac{1}{2}}}{1}$ | to 4 ft. Specimens | |
| | to $4\frac{1}{2}$ ft. Specimens | 00 50 |
| Daccata 91 | , var. adpressa. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ $+ 250$ to 3 ft. $+ 350$ | $\begin{array}{cccc} 22 & 50 \\ 32 & 50 \end{array}$ |
| baccata | , var. Dovastoni. Dovaston's Yew— | 02 00 |
| 2 | to 2⅓ ft ◆ 2.75 | |
| $\frac{2\frac{1}{2}}{2}$ | to 3 ft+ 3 50 | |
| | to 4 ft | |
| Daccata | , var. Dovastoni aurea . Dovaston's Golden Yew. 5 to 7 ft. Specimens | |
| baccata | , var. elegantissima. Elegant English Yew— | |
| 31 | to 4 ft | |
| 4 | to 6 ft | |
| | | |

| | Each | 10 |
|---|--|--------------|
| TAXUS baccata, var. erecta. Erect English Yew— 2 to 2½ ft | ÷\$2 50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | → 3 50 | \$32,50 |
| | | |
| baccata, var. erecta aurea. Erect Golden Eng Yew. 2 to $2\frac{1}{2}$ ft | lish ★ 2 50 | |
| $2\frac{1}{2}$ to 3 ft | ♦ 3 50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | ♦ 4 00 ♦ 6 00 | |
| baccata, var. fastigiata. Irish Yew. $2\frac{1}{2}$ ft | | 22 50 |
| 3 ft | ♦ 3 50 | 82 50 |
| $3\frac{1}{2}$ ft | + 7 50 | 60 00 |
| | | |
| baccata, var. fastigiata aurea. Golden Irish Ye | | |
| $2rac{1}{2}$ ft | ♦ 3 50 | |
| $3\frac{1}{2}$ to 4 ft | to 15 00 | |
| baccata, var. gracilis pendula. $3 \text{ to } 3\frac{1}{2} \text{ ft.}$ | | |
| 4 to 5 ft. \$7.50 | + 5 00 | |
| 5 to 6 ft | to 10 00 to 20 00 | |
| | | |
| baccata, var. repandens. Spreading English Ye 10 to 12 in | + 1 50 | |
| 12 to 15 in | | |
| baccata, var. Washingtoni aurea. Washington's Gol English Yew. 2½ ft | den ★ 3 50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | to 7 50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | to-10 00 ★15 00 | |
| Canadensis (Canadian Yew). 15 to 18 in | | 17 50 |
| Canadensis, var. aurea. Golden Canadian Ye | | 1. 00 |
| 9 to 91 ft | ↓ 3.50 | 32 50 |
| 3 ft. + \$ 3½ to 5 ft. + \$10 | 6 to 7 50 to 20 00 | |
| | | 13 50 |
| cuspidata. Abrupt-leaved Japan Yew. 12 to 15 in $1\frac{1}{2}$ ft | 🕶 Z . UU . | 19 90 |
| 2 ft | ♦ 3 00 | |
| cuspidata, var. brevifolia. 12 to 15 in | $\begin{array}{c} + \dots & 2 & 00 \\ + \dots & 2 & 50 \end{array}$ | 18 50 |
| $egin{array}{c} rac{1rac{1}{2}}{2} & 	ext{ft.} \ 2 & 	ext{ft.} \ \end{array}$ | $\stackrel{\checkmark}{\cancel{}}$ $\stackrel{?}{\cancel{}}$ $\stackrel{?}{\cancel{}}$ $\stackrel{?}{\cancel{}}$ $\stackrel{?}{\cancel{}}$ $\stackrel{?}{\cancel{}}$ | |
| | | |
| cuspidata, var. capitata. $1rac{1}{2}$ ft | ♦ 5 00 | |
| THUJOPSIS borealis; syn., Cupressus Nutkænsis. Yellow | or 5 00 | 45 00 |
| Sitka Cypress. 4 to $4\frac{1}{2}$ ft 5 to $5\frac{1}{2}$ ft | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 70 00 |
| borealis, var. latifolia glauca. Glaucous Si | tka | |
| Cynrose 31 to 4 ft | 3 50. | 32 50 |
| 4 to 4½ ft. Specimens | to \$7.50 | 45 00 |
| - O to 1 IV Specimens | | |

| ГНИЧА | occidentalis. American Arborvitæ— Each | 10 |
|-------|---|--|
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | \$7 00 8 50 |
| | 3 to 3½ ft | 10 00 |
| | $\frac{3_{\frac{1}{2}}}{4}$ to $\frac{4}{1}$ ft. Very heavy | $\begin{array}{ccc} 12 & 50 \\ 19 & 00 \end{array}$ |
| | $4\frac{1}{2}$ to 5 ft. Very heavy | 22 - 50 |
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccc} 27 & 50 \\ 32 & 50 \end{array}$ |
| | 6 to 7 ft. Very heavy 4 00 | 37 50 |
| | 7 to 8 ft. Very heavy | 47 50 |
| | 8 to 9 ft. Specimens | |
| | occidentalis, var. aurea. George Peabody's Arborvitæ- | |
| | $\frac{2\frac{1}{2}}{10}$ to 3 ft | $\begin{array}{ccc} 12 & 50 \\ 20 & 00 \end{array}$ |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 32 50 |
| | 5 to 6 ft | 42 50 |
| | 7 to 12 ft. Specimens | |
| | 2½ to 3 ft | 16 50 |
| | 3 to 3½ ft ◆ . 2.50 | 22 50 |
| | occidentalis, var. Douglasi. 2 to $2\frac{1}{2}$ ft | 18 50 |
| | occidentalis, var. erecta viridis. $3\frac{1}{2}$ to 4 ft | |
| | occidentalis, var. globosa. Globe Arborvitæ— | |
| | 2 ft | $\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$ |
| | 2½ ft | 22 50 |
| | 2 ft+1 50 | |
| | $2\frac{1}{2}$ ft. Very heavy | 22 50 |
| | 3 ft. Very heavy | |
| | 4 to 5 ft | |
| | occidentalis, var. pyramidalis. Pyramidal Arborvitæ- | |
| | 6 to 8 ft | |
| | 3 to 4½ ft | |
| | occidentalis, var. Rosenthalis. 2 to $2\frac{1}{2}$ ft | |
| | $3\frac{1}{2}$ to 4 ft | |
| | occidentalis, var. Vervæneana. Vervæne's Arborvitæ— 3½ to 4 ft | 32 50 |
| | $4\frac{1}{2}$ to 5 ft | -37 - 50 |
| | 5 to 6 ft | $\frac{42}{57} \frac{50}{50}$ |
| | 7 to 8 ft. Heavy specimens + \$7.50 to 12 50 | 91 90 |
| | 9 to 10 ft. Heavy specimens\$15 to 20 00 | |
| | occidentalis, var. Wareana. Siberian Arborvitæ— 2 to 2½ ft. Heavy | 13 50 |
| 1 | $2\frac{1}{2}$ to 3 ft. Very bushy | 22 50 |
| | 3 to 3½ ft. Very bushy | 32 50 |
| | 5 ft. Very bushy 5 00 | |
| | 5 to 5\frac{1}{2} ft. Very bushy | 70.00 |
| | 5½ to 6 ft. Very bushy | |

| THUYA occidentalis, var. Wareana aurea. $2\frac{1}{2}$ ft. | $0 \$22 50 \\ 0 28 00$ |
|--|---|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| TSUGA Canadensis. Hemlock. $1\frac{1}{2}$ to 2 ft. $+$. per 100, \$50 73 | $\frac{6}{5}$ 6.00 |
| 9 to 91 ft | 0 = =0 |
| $\frac{2\frac{1}{2}}{100}$ to $\frac{3}{100}$ ft. $\frac{1}{100}$ + per 100, \$100 1 50 | 0 - 12.50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{5}{0}$ $\frac{15}{19}$ $\frac{00}{50}$ |
| 7 · · · per 100, \$150 · · · 2 · · | 10 M |
| 4½ to 5° ft. / STOCK \ | $0 \overline{27} \overline{50}$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| 9g 10 0 1t. \ / | |
| 7 to 12 ft. Heavy specimens | |
| Canadensis, var. Sargenti pendula. Weeping Hemlock— | , |
| 3 to 4 ft. Specimens | 0 |
| Caroliniana. Southern Hemlock.— | |
| 4 to 6 ft. Specimens | |
| Hookeriana. Alpine Hemlock. 4 to $4\frac{1}{2}$ ft | |
| Sieholdi. Japanese Hemlock. 2 to $2\frac{1}{2}$ ft | |
| 3 to $3\frac{1}{2}$ ft | |
| 4 to 5 ft | |
| 5 to 6 ft | J |



Showing Fibrous Roots of Hemlock.



A Block of Box Bush and Evergreens.

EVERGREEN SHRUBS

| ANDROMEDA Catesbæi. See Leucothoë. Each | 10 |
|---|-------------------------------|
| floribunda. 12 in. Broad and heavy\$1 50 | \$13 50 |
| 12 to 15 in. Broad and heavy | 16 00 |
| 12 to 15 in. Broad and heavy | |
| 15 to 18 in. Broad and heavy | 18 50 |
| Japonica. 12 to 15 in $\cdot \cdot \cdot$ | 10 00 |
| 15 to 18 in | 12 50 |
| 18 to 20 in | 18 50 |
| 24 to 30 in | |
| AZALEA amœna. 12 to 15 in | 8 50 |
| 15 to 18 in. Bushy 1 50 | 12 50 |
| $1\frac{1}{2}$ ft. Bushy | 17 50 |
| $2\frac{1}{2}$ ft. Specimens | 11 50 |
| | |
| anæna, var. Hinondigiro. Bright carmine— | F F0 |
| 10 to 12 in | $\frac{7}{10}$ 50 |
| 12 to 15 in | 13 50 |
| 15 to 18 in | 18 50 |
| 18 to 20 in | 22 - 50 |
| Indica alba. Pure white. 18 to 20 in | $\frac{22}{27} \frac{50}{50}$ |
| 20 to 22 in | 27 50 |
| 22 to 24 in 4 00 | 37 50 |
| BUXUS Japonica; syn., Fortunei Japanese Box- | |
| 3½ to 4 ft | |
| 4 to 5 ft | |
| Japonica, var. aurea. Golden Japanese Box— | |
| | 9 00 |
| | |
| 15 to 18 in (50 | 12 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 15 00 |
| 2 ft, (DI LCIAL) 2 50 | 22 50 |
| $2\frac{1}{2}$ ft | 32 50 |
| Japonica, var. rotundifolla. Round-leaved- | |
| 2½ to 3 ft. Very broad and bushy | |
| 4 to 5 ft. Bush shape | |
| | |

| Each | 10 |
|---|-------------------------------|
| BUXUS Japonica, var. rotundifolia glauca. $1\frac{1}{2}$ ft | |
| sempervirens. Andorra-grown. | |
| 1 ft ner 100 \$30 50 | \$4 00 |
| 1 ft. Extra bushyper 100, \$40 75 | 6 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 10 00 |
| 2 ft. Extra bushy | 16 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{27}{40} \frac{50}{00}$ |
| 3 ft. Extra bushy. Specimens + . 6 00 | 55 00 |
| $3\frac{1}{2}$ ft. Extra bushy. Specimens 6 00 1 to $4\frac{1}{2}$ ft. Extra bushy. Specimens | 99 00 |
| 5 to $6\frac{1}{2}$ ft. Extra bushy | |
| sempervirens. Pyramids. Andorra-grown— | |
| Sempervirens. Pyramids. Andorra-grown— 2½ ft. Extra bushy. Specimens | 30 00 |
| 3 ft. Extra bushy. Specimens | 40 00 |
| 3½ It. Extra bushy. Specimens | 55 00 |
| 4 to 4½ ft. Extra bushy. Specimens. \$7.50 to 10 00 5 to 7 ft. Extra bushy. Specimens. \$12.50 to 25 00 | |
| semmerwirens "Clobe chancel" | |
| sempervirens. "Globe-shaped"— 12 in. x 12 in | 16 50 |
| 15 in. x 15 in | 18 50 |
| | |
| sempervirens. Standards. Andorra-grown— $\frac{1}{2}$ ft. stems, 10 to 12 in. heads | 16 50 |
| 2 ft. stems, 12 to 15 in. heads 2 00 2 ft. stems, 18 to 20 in. heads 4 00 | 18 50 |
| 2 ft, stems, 18 to 20 in, heads | 37 50 |
| 2 ft. stems, 22 to 26 in. heads | |
| sempervirens, var. angustifolia. 2 ft | 16 50 |
| sempervirens, var. arborescens. Tall Tree Box— | 10 00 |
| 2 to $2\frac{1}{2}$ ft | 22 50 |
| $2\frac{1}{2}$ to 3 ft | 32 50 |
| $\frac{3}{41}$ to $\frac{31}{2}$ ft | 47 50 |
| $4\frac{1}{2}$ to 5 ft | |
| sempervirens, var. argentea marginata. Silver-tipped Box. $1\frac{1}{2}$ to 2 ft | 13 50 |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 1\frac{1}{2} \text{ 50}$ | $\frac{13}{22}.50$ |
| sempervirens, var. Handsworthi. 3 to $3\frac{1}{2}$ ft | 37 50 |
| sempervirens, var. Handsworthi. 3 to $3\frac{1}{2}$ ft | 42 50 |
| sempervirens, var. myrtifolia. Myrtle Leaf— | |
| 2 ft | 16 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 32 50 |
| sempervirens, var. salicifolia. 2 ft | 16 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 27 50 |
| 2 to 21 ft | 00 |
| sempervirens, var. suffruticosa. Dwarf Box Edging- | |
| 3 to 4 in | 75 |
| 4 to 5 in + per 100, \$10.00; per 1,000, \$60 25 | 1 50 |
| sempervirens, var. suffruticosa. Dwarf Box Edging— 3 to 4 in+per 100, \$5.00; per 1,000, \$40 4 to 5 in+per 100, \$10.00; per 1,000, \$60 5 to 6 in+per 100, \$12.50; per 1,000, \$90 CHAM EDABHAE Selection of the selec | 2 00 |
| CHAMÆDAPHNE calyculata. Leather Leaf— 1½ to 2 ftper 100, \$60 1 00 | 8 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 50 |
| COTONEASTER buxifolia. 12 in | 6 00 |
| 15 to 18 in 1 00 | 8 50 |
| horizontalis. 1 ft | 6 00 |
| microphylla. 1 ft 75 | 6 00 |
| | |

| Each | 10 |
|---|---|
| CRATÆGUS Pyracantha, var. Lelandi. Leland's Evergreen | \$7 50 |
| Thorn. 2 ft | 6 00 |
| DAPHNE Cneorum. 3-year | 0 00 |
| Japonica. Japan Euonymus. 14 ft | |
| Japonica, var. argentea. Silver-leaved— | 6 00 |
| 15 to 18 in | 6 00 |
| ILEX crenata. Japanese Holly. 1 ftper 100, \$60 1 00 | 8 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{12}{17} \frac{50}{50}$ |
| 2½ ft | 32 50 |
| crenata, var. buxifolia. Box-leaved- | |
| 2½ ft | |
| 3½ to 5 ft. Specimens | |
| crenata, var. Fortunei. Fortune's Holly- | |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $3\frac{1}{2}$ to 4 ft | |
| 4 to 5 ft | |
| crenata, var. latifolia. Broad-leaved Japanese Holly— 3 to 3½ ft | |
| $3\frac{1}{2}$ to 4 ft | |
| 4 ft\$4 to 7 50 | |
| crenata, var. microphylla. Small-leaved Japanese Holly— 12 to 15 in. Bushy | 8 50 |
| 15 to 18 in. Bushy | 10 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 15 & 00 \\ 22 & 50 \end{array}$ |
| 3 to $3\frac{7}{2}$ ft. Heavy specimens\$3.50 to 5 00 | |
| 4 to $5\frac{1}{2}$ ft. Heavy specimens\$7.50 to 12 00 | |
| KALMIA latifolia. Mountain Laurel— 1½ ft. Heavy clumps | 12 50 |
| 2 ft. Heavy clumps | 17 50 |
| $2\frac{1}{2}$ ft. Heavy clumps | $\begin{array}{ccc} 22 & 50 \\ 28 & 50 \end{array}$ |
| 3 to $3\frac{1}{2}$ ft. Heavy clumps | 32 50 |
| $3\frac{1}{2}$ to 4 ft. Heavy clumps | 47 50 |
| LAURELS. See Cerasus Laurocerasus. | |
| LEUCOTHOE Catesbæi. Drooping Andromeda— 12 to 15 in. Clumps | 8 50 |
| 15 to 18 in. Clumps ★per 100, \$75 1 50 | 12 50 |
| | 15 00 |
| MAHONIA Aquifolium. Holly-leaved— 18 to 24 in | 9 00 |
| 24 to 30 inper 100, \$115 1 50 | 13 50 |
| Japonica. Japanese Mahonia— | 19 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 12 & 50 \\ 18 & 50 \end{array}$ |
| $2\frac{1}{2}$ to 3 ft, 3 50 | 32 50 |
| OSMANTHUS ilicifolia. 3 to 5 ft\$2.50 to 5 00 | |



Rhododendrons at Andorra.

RHODODENDRONS

HYBRID VARIETIES — ANDORRA-GROWN

Our fall offering of Rhododendrons consists of many thousand plants, in fifty varieties, and in a range of sizes from one to five feet. These are acclimated—Andorra-grown stock—in the hardiest varieties. They are grown in open, unsheltered ground, with northern exposure, and the windswept hills of Andorra are not kind to anything of a tender nature, so that you may depend upon Andorra-grown Rhododendrons being of the hardiest, and supplied with excellent balls of fibrous roots.

RHODODENDRONS, Catawbiense Hybrids Assorted. Our selec-

| A |
|---|
| N |
| D |
| 0 |
| R |
| R |
| Ą |
| Ġ |
| R |
| |

| S, Catawbiense Hybrids Assorted. Our selec- | |
|--|--------------|
| tion of varieties— | |
| 15 to 18 in | \$10 00 |
| $1\frac{1}{2}$ to 2 ft | 13 50 |
| 2^2 to $2\frac{1}{2}$ ft | 17 50 |
| | 11 00 |
| A large stock of standard varieties, | |
| fine, heavy plants, 3 to 5 ft. | |
| Abraham Lincoln. Rosy crimson- | |
| $1\frac{1}{2}$ to 2 ft | 15 00 |
| Album elegans. White— | |
| $1\frac{1}{2}$ to 2 ft | 15 00 |
| $\hat{2}^2$ to $\hat{2}^1_2$ ft | 20 00 |
| 3 to 5 ft. Specimens\$3,50 to 10 00 | 20 00 |
| | |
| Album grandiflorum. White— | 4= 00 |
| $\frac{1}{2}$ to $\frac{2}{2}$ ft | 15 00 |
| 2 to $2\frac{1}{2}$ ft | 20 00 |
| Alex. Dancer. Light scarlet— | |
| 2 to $2\frac{1}{2}$ ft | 22 50 |
| Anna Parsons. Red. $1\frac{1}{2}$ to 2 ft 1.75 | 15 00 |
| Atrosanguineum. Dark scarlet- | 49 00 |
| 2 to $2\frac{1}{2}$ ft | 22 50 |
| 11 +0 9 ft | 17 50 |
| 1½ to 2 ft | |
| Blandyanum. Rosy crimson. 1½ to 2 ft., 1 75 | 15 00 |
| 2 to $2\frac{1}{2}$ ft | 20 00 |
| $2\frac{1}{2}$ to 3 ft,\$3.50 to 7.50 | |
| 3 to 4 ft. Specimens\$5 to 15 00 | |
| | |

RHO

| | PRICE LIST FOR FALL OF 1912 | 19 |
|--------------|---|---|
| | Each | 10 |
| ODODENDRONS, | Boule de Neige. White. 18 to 20 in\$2 00 | \$18 50 |
| | 20 to 24 in | 22 50 |
| | 24 to 28 in | $\frac{32}{15} \frac{50}{00}$ |
| | 2 ft | 17 50 |
| | $2\frac{1}{2}$ to 3 ft\$3.50 to 5 00 | |
| | Caractacus. Purplish crimson- | 4= 00 |
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$ |
| | 24 to 3 ft Specimens \$3.50 to 7.50 | 20 00 |
| | Charles Bagley. Bright red. 1½ to 2 ft 2 00 | 17 50 |
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 22 50 |
| | Charles Dickens. Scarlet. $1\frac{1}{2}$ ft | 17 50 |
| | 4 It | $\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$ |
| A | 2½ ft | 22 50 |
| NT. | Delicatissimum. White, 1½ to 2 ft 1 75 | $\frac{22}{15} \frac{30}{00}$ |
| N | 2 ft 2 25 | 20 00 |
| D | $2\frac{1}{2}$ ft | 15 00 |
| | 18 to 20 in | 20 00 |
| 0. | 20 to 24 in | 22 50 |
| R | $2\frac{1}{2}$ to 3 ft\$3.50 to 7 50 General Grant. Red. $1\frac{1}{2}$ ft | 17 50 |
| K | 2 ft | 22 50 |
| R | $2\frac{1}{2}$ ft | 32 50 |
| | Giganteum Rosy orimson 11 to 2 ft 1 75 | $\frac{15}{20} \frac{00}{00}$ |
| A | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{20}{22} \frac{50}{50}$ |
| 1 | Herbert Parsons. Lilac. 18 in 1 75 | 15 00 |
| | H. W. Sargent. Scarlet. 1½ ft 2 00 2 ft 2 50 | $\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$ |
| G | 2 ft. 2 50 H. H. Hunnewell. Dark crimson, 18 in. 2 00 2 ft. 2 50 | 17 50 |
| R | 2 ft 2 50 | 22 50 |
| | J. Marshall Brooks. Scarlet. $1\frac{1}{2}$ to 2 ft 1 75 John Spencer. Rose. 2 ft | $\begin{array}{ccc} 15 & 00 \\ 13 & 50 \end{array}$ |
| 0 | John Spencer. Rose. 2 ft. 1 50 $2\frac{1}{2}$ ft. 2 00 | $\frac{15}{17} \frac{50}{50}$ |
| **7 | 3 ft | 32 50 |
| W | Kettledrum. Deep red. 18 in. 2 50 24 in. 3 00 | $\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$ |
| N | 24 in | 15 00 |
| • • | $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 25$ | 20 00 |
| | Lady Clermont Rosy searlet 2 to 24 ft 2 25 | 20 00 |
| | Lady Gray Egerton. Bluish white. $1\frac{1}{2}$ ft. 2 50 Luciferum. Clear white. $1\frac{1}{7}$ to 2 ft 2 00 | $\begin{array}{ccc} 22 & 50 \\ 17 & 50 \end{array}$ |
| | $2\frac{1}{2}$ to 4 ft\$2.50 to 10 00 | 1, 00 |
| | Lady Gray Egerton. Bluish white. $1\frac{1}{2}$ ft. 2 50 Luciferum. Clear white. $1\frac{1}{2}$ to 2 ft 2 00 $2\frac{1}{2}$ to 4 ft \$2.50 to 10 00 Mad. Carvalbo. White. 2 to $2\frac{1}{2}$ ft 2 25 | 20 00 |
| | Mad. Masson. White. 2 ft | 20 00 |
| | Mrs. H. Ingersoll. Deep rose-lilac— 18 in 2 50 | 22 50 |
| | Mrs. Jno. Clutton. White. $1\frac{1}{2}$ ft 1 50 | 13 50 |
| | 2 ft 1 75 | 15 00 |
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 22 & 50 \\ 15 & 00 \end{array}$ |
| | 2 ft | $\frac{13}{17} \frac{60}{50}$ |
| | | |

| DUODODENDONO | Each | \$17 50 |
|------------------|---|--|
| KHUDUDENDKUNS, | Old Port. Plum. 1½ ft. \$2 00 2 ft. 2 50 | 22 50 |
| | Parson's gleriosum. Blush. 2 ft. 1 50 2½ to 3 ft. 3 00 | $\frac{12}{27} \frac{50}{50}$ |
| | 3½ to 4 ft | |
| | $1\frac{1}{2}$ ft | $\begin{array}{c} 17 & 50 \\ 22 & 50 \end{array}$ |
| | 2½ to 3 ft | |
| A | 2 ft 2 50 | $\begin{array}{c} 17 & 50 \\ 22 & 50 \end{array}$ |
| N | 2½ to 3 ft. \$3.50 to 5.00 purpureum crispum. Purple, crimped— | |
| ·D | $1\frac{1}{2}$ ft. 1 50 purpureum elegans. Purple. $1\frac{1}{2}$ to 2 ft. 2 00 | $\begin{array}{c} 13 & 50 \\ 17 & 50 \end{array}$ |
| 0 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 32 50 |
| 0 : | nurnureum grandiflorum. Purnle— | 15 50 |
| \mathbf{R} (1) | roseum elegans. Good rose. $1\frac{1}{2}$ ft | 17 50 13 50 |
| \mathbf{R} | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $-17 50 \\ 32 50$ |
| Ä | 3 to 5 ft. Specimens\$7.50 to 25 00 | 17 50 |
| | roseum superbum. (Tear rose. 2 ft 2 00 2½ ft 3 50 | 32 50 |
| G | 3 to $3\frac{1}{2}$ ft | 22 50 |
| R | 2 ft 3 00 | 28 50 |
| | | |
| | NATIVE VARIETIES—ANDORRA-GROWN | |
| 0 | Each | 10 \$10 00 |
| | Each Catawhiense. 14 to 2 ftper 100, \$\$0\$1 25 | \$10 00 16 50 |
| O W | Catawbiense. 1½ to 2 ftper 100, \$S0, \$1 25 2 ftper 100, \$115, 1 75 2½ ftper 100, \$175, 2 25 3 to 5 ft. Specimens\$5 to 20 00 | \$10 00 |
| 0 | Catawbiense. 1½ to 2 ftper 100, \$80, \$1 25 2 ftper 100, \$115, 1 75 2½ ftper 100, \$115, 1 75 3 to 5 ft. Specimens\$5 to 20 00 maximum. Great Laurel—2 to 2½ ft25 | \$10 00 16 50 20 00 |
| O W | | \$10 00 16 50 20 00 |
| O W | | \$10 00 16 50 20 00 17 50 25 00 37 50 47 50 |
| O W | | \$10 00 16 50 20 00 17 50 25 00 37 50 |
| O W | | \$10 00 16 50 20 00 17 50 25 00 37 50 47 50 |
| O W N | Catawbiense. 1½ to 2 ft per 100, \$SO. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens . \$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft 2 00 2½ to 3 ft 3 50 3 to 3½ ft 4 00 3½ to 4 ft 5 00 4 to 5 ft 7 50 maximum. Collected plants by the carload at special prices. | \$10 00 16 50 20 00 17 50 25 00 37 50 47 50 60 00 |
| O W N | Each Catawbiense. 1½ to 2 ftper 100, \$S0. \$1 25 2 ftper 100, \$115. 1 75 2½ ftper 100, \$175. 2 25 3 to 5 ft. Specimens\$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft 2 00 2½ to 3 ft 3 50 3 to 3½ ft 4 00 4 to 5 ft 5 00 4 to 5 ft 7 50 maximum. Collected plants by the carload at special prices. ARF VARIETIES—ANDORRA-GROWN | \$10 00 16 50 20 00 17 50 25 00 37 50 47 50 60 00 |
| O W N | Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$115. 1 75 3 to 5 ft. Specimens . \$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft 2 00 2½ to 3 ft 3 50 3 to 3½ ft 4 00 3½ to 4 ft 5 00 4 to 5 ft 7 50 maximum. Collected plants by the carload at special prices. ARF VARIETIES—ANDORRA-GROWN Hirsutum. 12 to 15 in \$1 50 imbringers 15 to 18 in \$2 50 | \$10 00 16 50 20 00 17 50 25 00 37 50 47 50 60 00 |
| O W N | Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$115. 1 75 3 to 5 ft. Specimens . \$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft 2 00 2½ to 3 ft 3 50 3 to 3½ ft 4 00 3½ to 4 ft 5 00 4 to 5 ft 7 50 maximum. Collected plants by the carload at special prices. ARF VARIETIES—ANDORRA-GROWN Hirsutum. 12 to 15 in \$1 50 imbringers 15 to 18 in \$2 50 | \$10 00 16 50 20 00 17 50 25 00 37 50 47 50 60 00 |
| O W N | Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens . \$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft 2 00 2½ to 3 ft 3 50 3 to 3½ ft 4 00 3½ to 4 ft 5 00 4 to 5 ft 7 50 maximum. Collected plants by the carload at special prices. ARF VARIETIES—ANDORRA-GROWN Hirsutum. 12 to 15 in | \$10 00 16 50 20 00 17 50 25 00 37 50 47 50 47 50 23 50 23 50 20 00 17 50 20 00 17 50 20 00 13 50 |
| O W N | Catawbiense. 1½ to 2 ft per 100, \$S0. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens . \$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft 2 00 2½ to 3 ft 3 50 3 to 3½ ft 4 00 4 to 5 ft 5 00 4 to 5 ft 7 50 maximum. Collected plants by the carload at special prices. ARF VARIETIES—ANDORRA-GROWN Hirsutum. 12 to 15 in | \$10 00 16 50 20 00 17 50 25 00 37 50 47 50 60 00 \$13 50 20 00 17 50 20 00 13 50 20 00 13 50 20 00 |
| O W N | Catawbiense. 1½ to 2 ftper 100, \$S0. \$1 25 2 ftper 100, \$115. 1 25 2 ftper 100, \$115. 1 25 2 ftper 100, \$115. 2 25 3 to 5 ft. Specimens\$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft2 00 2½ to 3 ft3 50 3 to 3½ ft4 00 3½ to 4 ft5 00 4 to 5 ft7 50 maximum. Collected plants by the carload at special prices. ARF VARIETIES—ANDORRA-GROWN Hirsutum. 12 to 15 in | \$10 00 16 50 20 00 17 50 25 00 37 50 47 50 60 00 \$13 50 23 50 20 00 17 50 20 00 13 50 20 00 |



Specimen Norway Maples in Wide Rows.

DECIDUOUS TREES

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches, where they round off to form the top; diameter of stem, or caliper, is taken 6 inches above the ground above the collar.

| ground above the contar, | | |
|---|--------|-----|
| Each | 10 | 100 |
| ACER campestris. European Cork Maple. 5 to 6 ft. \$1 00 | \$8 50 | |
| 7 to 8 ft. Bushy | 12 50 | |
| 8 to 10 ft. Bushy 1 75 | 15 00 | |
| colchicum, var. rubrum. Red Colchicum Maple- | | |
| 14 to 16 ft.; 3 to 6 in. cal. \$3.50 to 15 00 | | |
| dasycarpum. Silver Maple- | | |
| 8 to 10 ft | 6.00 | |
| 10 to 12 ft.; 1 to $1\frac{1}{2}$ in | 8 50 | |
| 4 to 6 in. Specimens\$5 to 25 00 | 1.270 | |
| A rapid grower for immediate effects. | 1 5.00 | |
| dasycarpum, var. Wierii laciniatum. Wier's | | |
| Cut-leaved Silver Maple— | | |
| 7 to 9 ft. Very Stocky | 13 50 | |
| Negundo. Ash-leaved Maple— | | |
| 6 to 7 ft | 5 00 | |
| 10 to 12 ft.; 2 to $2\frac{1}{2}$ in. Bushy 1 50 | 10 00 | |
| 12 to 14 ft.; 3 to 4 in\$3.50 to 5 00 | | |
| Pennsylvanicum. 5 to 6 ft | | |
| | | |

| CED | nlatanaidas | Namuan Manla | Ea | ch 10 | | 100 |
|-----|----------------------|---|---|---------------------------------|----------|--|
| UEN | 8 to 10 | Norway Maple—ft.: 1 to 1½ in. | \$1 | 00 \$9 | | \$85 00 |
| | 8 to 10 | ft.; 1 to $1\frac{1}{4}$ in, ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. ft.; $1\frac{3}{4}$ to 2 in. ft.; 2 to $2\frac{1}{4}$ in. | | 50 13 | | 115 00 |
| | 10 to 12 | ft.; $\frac{13}{4}$ to $\frac{2}{1}$ in. | | 75 16 | | $140 \ 00 \ 165 \ 00$ |
| | 12 ft. ; 2 | $\frac{1}{4}$ to $2\frac{1}{2}$ in | | 50 22 | | 200 00 |
| | 12 to 14 | $\frac{1}{4}$ to $\frac{2}{2}$ in ft.; $\frac{2}{2}$ to $\frac{2}{3}$ in. | | 50 30 | 00 | |
| | 12 to 14 14 to 16 | ft.; $2\frac{3}{4}$ to 3 in. ft.; $3\frac{1}{4}$ to $3\frac{1}{2}$ in. | | 50 42 | 50 50 | |
| | 14 to 16 | ft.; 3½ to 3¾ in. | 6 | 00 - 50 | 00 | |
| | 14 to 16 | ft.; $3\frac{3}{4}$ to 4 in. | | 50 60 | 00 | |
| | 14 to 16 14 to 20 | ft.; $5\frac{1}{2}$ to 7 in. | \$10 to 20\$25 to 50 | 00 | | |
| | nlatannidae v | or nurnures Sahr | rodlon's Dumlo | | | |
| | Map | ft.; $1\frac{3}{4}$ to 2 in. ft.; $2\frac{1}{4}$ to 2 in. ft.; $2\frac{1}{4}$ to $2\frac{3}{4}$ in. ft.; $2\frac{1}{4}$ to 3 in. ft.; $3\frac{1}{4}$ to 4 in. | $l^{\frac{1}{2}}$ in | 75 15 | 00 . | |
| | 8 to 10 10 to 12 | ft.; $1\frac{1}{4}$ to 2 in. | | 50 22 50 | 90 | |
| | 12 to 14 | ft.; $2\frac{3}{4}$ to 3^{+} in. | 4 | 00 | | |
| | 14 to 16 | ft.; $3\frac{1}{2}$ to 4 in. ft.; 5 to 10 in. | \$6 to 10 | 00 | | |
| | | | | 00 | | |
| | Pur | var. Reitenbachi. ple Maple— | Keitenbach's | | | |
| | 8 to 10 | ft.; 2 to $2\frac{1}{4}$ in. ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. | 2 | 50 | | |
| | | | | 90 | | |
| | pseudo-platan | ius. European Syc | amore Maple— | 50 19 | 50 | |
| | 10 to 12 | ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. ft.; 2 to $2\frac{1}{2}$ in. ft.; $2\frac{1}{2}$ to 3 in. | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{12}{00}$ $\frac{17}{17}$ | 50 50 | |
| | 12 to 14 | ft.; $2\frac{1}{2}$ to 3 in. ft. Specimens. | | 50 22 | 50 | |
| | | | | 00 | | |
| | mor | ius, var. purpurea. e Maple— | | | | |
| | 8 to 10 | ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. | 2 | 00 17 | 50 | |
| | 10 to 12 | ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. ft.; 2 to $2\frac{1}{2}$ in. ft.; 3 to 6 in. | \$7.50 to 35 | 50 22 | 50 | |
| | Bro | pad-headed specime | en trees. | 00 | | |
| | rubrum. Red | d or Scarlet Mapl | e— | | | |
| | 8 to 10 | ft.; $1\frac{3}{4}$ to 2 in. | 1 | 50 12 | 50 50 | |
| | 10 to 12 12 to 14 | ft.; $1\frac{3}{4}$ to 2 in. ft.; 2 to $2\frac{1}{4}$ in. ft.; $2\frac{1}{2}$ to $3\frac{1}{2}$ in. | \$2.50 to 5 | 00 17 | 90 | |
| | canoharinum | Sugar Manle | | | | |
| | 10 to 12 | ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. | | 50 13 | | 125 00 |
| | 10 to 12 | ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. | $\frac{2}{9}$ | 00 17 | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | 12 to 14 | ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. | | $\frac{50}{50}$ $\frac{22}{32}$ | 50 | 275 00 |
| | 12 to 14 | Sugar Maple— ft.; 1¼ to 1½ in. ft.; 1½ to 1½ in. ft.; 1½ to 2¼ in. ft.; 2½ to 2¾ in. ft.; 2½ to 3 in. ft.; 3 to 3¼ in. ft.; 3 to 5½ in. | 5 | 00 45 | 00 | |
| | 14 to 16 | ft.; 3 to $3\frac{1}{4}$ in. ft.; $3\frac{1}{2}$ to 5 in. | \$5 to 7 | 50 00 | | |
| | | | | | 00 | 35 00 |
| | Tataricum v | lountain Maple. : ar. Ginnala. Tart | arian Maple | | 00 | 99 00 |
| | 3 to 4 ft | Bushy | TATE) ···· | 75 6 | 50 | 35 00 |
| | 4 to 5 ft | t. Bushy { F | | $\frac{00}{25}$ 10 | 00 | $\frac{50}{75} \frac{00}{00}$ |
| 46 | | iant of the fall | | | - | |
| 385 | THUST DITT | mun or the fall | COLOTING LICCO. | | | |

Most brilliant of the fall coloring trees. Superb for mass planting.

JAPANESE MAPLE

| Each | 10 | 100 |
|--|---|---|
| ACER polymorphum. 3 to 6 ft. Heavy. \$2.50 to \$5 00 | 10 | 200 |
| polymorphum, var. atropurpureum. Blood- | | |
| leaved Japan Manle 11 ft + 1 50 | \$13 50 | |
| 2 ft. \$\display 2 00 2\frac{1}{2}\$ ft. \$\display 2 00 2\frac{1}{2}\$ ft. \$\display 3 50 3 to 5 ft. Specimens. Bushy and well \$\frac{2}{3}\$ to 5 ft. Specimens. Bushy and well \$\frac{2}{3}\$ to 5 to 15 00 | 18 00 | |
| $\frac{2\frac{1}{2}}{2}$ ft. 3 50 | 32 50 | |
| 3 to 5 ft. Specimens. Bushy and well | | |
| Turnished | | |
| polymorphum, var. atropurpureum dissectum. Weeping Cut-leaf Blood-leaved— | | |
| 1½ ft | 22 50 | |
| 2 to $2\frac{1}{2}$ ft. Specimens | | |
| 1½ ft | | |
| and broad heads\$15 to 25 00 polymorphum, var. atropurpureum nigrum— | | |
| 5 to 8 ft. Specimens\$20 to 35 00 | | |
| | | |
| polymorphum, var. aureum. Golden Japan Maple. 1½ to 2 ft | 22 50 | |
| 2 to 3 ft • • • • • • • • • • • • • • • • • • | | |
| polymorphum, var. dissectum. Cut-leaf Weeping Japan Maple. 1½ ft 2 50 2 to 2½ ft | | |
| ing Japan Maple. $1\frac{1}{2}$ ft 250 | 22 50 | |
| 2 to 2½ ft | | |
| polymorphum, var. scopendifolium rubrum. | | |
| 3 to 5 ft,\$3.50 to 15 00 | | |
| · · · · · · · · · · · · · · · · · · · | | |
| ### ################################## | 15 00 | \$135 00 |
| 8 to 10 ft.; $2\frac{1}{2}$ in | $\begin{array}{ccc} 15 & 00 \\ 22 & 50 \end{array}$ | 200 00 |
| 10 to 16 ft.; 3 to 7 in\$5 to 35 00 | | |
| Hippocastanum, var. alba flore pleno. | | |
| Double White-flowered Horse-Chest- nut. 8 to 9 ft.; 13/4 to 2 in 2 00 | 18 50 | 175.00 |
| 9 to 10 ft.; $2\frac{1}{2}$ in | 25 00 | $\begin{array}{c} 175 & 00 \\ 225 & 00 \end{array}$ |
| 9 to 10 ft.; 2½ in | | |
| Hippocastanum, var. Bujotii— | | |
| 10 to 12 ft.; 3 to $3\frac{1}{2}$ in | | |
| flowered Horse-chestnut— | | |
| 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3 00 | 27 50 | |
| 10 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 50 | 32 50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | |
| | | |
| AlLANTHUS glandulosa. Ailanthus, or Tree of Heaven— | | |
| 8 to 10 ft · 1½ to 2 in 1 00 | 8 50 | 50 00 |
| 8 to 10 ft.; $1\frac{1}{2}$ to 2 in 1 00 10 to 12 ft.; 2 to $2\frac{1}{2}$ in 1 25 | 10 00 | 65 00 |
| ALNUS glutinosa. European, or Black Alder— 8 to 10 ft.; $1\frac{1}{2}$ to 2 in. 1000 10 to 12 ft.; 2 to $2\frac{1}{2}$ in. 1500 incana. 10 to 12 ft.; 2 to $2\frac{1}{2}$ in. 1500 incana, var. laciniata. 8 to 9 ft. 1500 | | |
| 8 to 10 ft.; $1\frac{1}{2}$ to 2 in 1 00 | 5 00 | 35 00 |
| 10 to 12 ft.; 2 to $2\frac{1}{2}$ in | 12 50 | 75 00 |
| incana, 10 to 12 ft.; 2 to $2\frac{1}{2}$ in | 10 00 | 75 00 |
| AMELANCHIER Canadensis. Shad Bush— | 12 50 | |
| 2 to 3 ft | 3 50 | 25 00 |
| 2 00 0 10 11111111111111111111111111111 | 5 50 | 20 00 |

| Each | 10 | 100 |
|--|-----------------------------|---------|
| ANDROMEDA. See Oxydendron. | | |
| ARALIA. Chinese Angelica Tree— | | |
| elata, var. foliis argentea marginata. 8 to 10 ft\$1 50 | | |
| Japonica. 4 to 5 ft | \$4 00 | |
| 5 to 6 ft | 6 00 | |
| 10 to 12 ft 2 50 | | |
| pentaphylla. See Acanthopanax spinosa— spinosa. 3 to 4 ft | 4 00 | |
| BETULA alba. European White Weeping Birch— | 1 00 | |
| 6' to 8 ft | | |
| 8 to 10 ft | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | |
| alba, var. laciniata pendula. Weeping Cut- | | |
| leaved White Birch, 6 to 7 ft 1 50 | | |
| lenta. Sweet Birch. 6 to 7 ft. 1 00 8 to 10 ft. 1 50 | 12 50 | |
| lutea. Yellow Birch— | . 12 00 | |
| 8 ft.: 2 in 1 50 | 12 50 | |
| 12 to 14 ft.; $2\frac{1}{2}$ to 3 in | 15 00 | |
| papyrifera. Paper, or Canoe Birch— 7 to 8 ft 1 25 | | |
| nigra: syn ruhra. Red Birch. 7 to 8 ft 1 00 | 8 50 | |
| 8 to 10 ft | 13 - 50 | \$85 00 |
| | 22 50 | 150 00 |
| BROUSSONETIA papyrifera. Paper Mulberry— 8 to 10 ft | 12 50 | |
| CARAGANA. (Siberian Pea Tree.) Standards in | . 12 50 | |
| varieties. 4 to 5 ft | 20 00 | |
| CARPINUS Americana; syn., Caroliniana. American | | |
| Hornbeam— | 13 50 | |
| 6 to 7 ft. Bushy 2 00 7 to 9 ft. Bushy 2 50 | 20 00 | |
| 9 to 10 ft. Bushy 3 50 | 27 50 | 150 00 |
| Betulus. European Hornbeam— 5 to 6 ft. Bushy | 13 50 | |
| 6 to 7 ft. Bushy 2 00 | $18 \ 50$ | |
| 6 to 7 ft. Bushy 2 00 8 to 10 ft. Bushy 3 50 | 30 00 | 150 00 |
| CARYA alba. (Hickory.) $1\frac{1}{2}$ to 2 ft 75 | 5 00 | |
| tomentosa. $2\frac{1}{2}$ to 3 ft. 75 4 to 5 ft. 1 00 | $\frac{5}{7} \frac{00}{50}$ | |
| CASTANEA Japonica. Japan Chestnut. 4 to 5 ft 1 00 | 7 50 | |
| vesca. Spanish Chestnut. 4 to 5 ft 1 00 | 7 50 | |
| CATALPA bignonioides. 14 to 16 ft.; $3\frac{1}{2}$ in 3 50 | | |
| Bungei. Bunge's Catalpa. Standards— 7 ft | | |
| speciosa. Western Catalpa. 8 to 10 ft 1 00 | 8. 50 | |
| CEDRELA Sinensis. Chinese Cedrela— | 0. 00 | |
| 8 to 10 ft | | |
| | | |

| ` Each | 10 . | 100 |
|--|-----------------------------|------------|
| | \$10 00 | \$75 00 |
| OELTIS occidentalis. Nettle Tree. 7 to 8 ft. 1 25 9 to 10 ft. 1 50 | 12 50 | 90 00 |
| 10 to 12 ft 2 00 | 17 50 | |
| CERASUS Padus. European Bird Cherry— | 0.50 | |
| 6 to 8 ft | 6 50 | |
| 14 to 16 ft 2 00 | | |
| Avium, var. alba plena. Double White- | | |
| flowering Cherry. 6 to 7 ft 1 50 | 13 50 | |
| Avium, var. rosea plena. Double Pink- | 10 70 | |
| flowering Cherry. 4 to 5 ft 1 50 Avium, var. rosea pendula. Pink Weeping | 13 50 | |
| Japan Cherry. 4 to 5 ft 2 50 | | |
| Sieboldi, var. rubra plena. 3½ to 4 ft 1 50 | | |
| CERCIS Canadensis. Red Bud, American Judas- | | |
| 2 to 3 ft | 3 00 | $20 \ 00$ |
| 3 to 4 ft 50 | 4 00 | |
| 4 to 5 ft | $\frac{6}{7} \frac{60}{50}$ | |
| 5 to 6 tt | 10 00 | |
| Japonica. See Shrubs. | 10 00 | |
| | 8 50 | |
| CERCIDIPHYLLUM Japonicum. $3\frac{1}{2}$ to 4 ft | $12^{\circ} 50^{\circ}$ | 100 00 |
| 7 to 8 ft 2 00 | - 17 50 | 200 |
| 8 to 9 ft 2 50 | 22 - 50 | |
| CLADRASTIS tinctoria (Virgilia lutea). Yellow | | |
| Wood. 6 to 8 ft 1 50 | 13 50 | 100 00 |
| 8 to 10 ft | 17 50 | 150 00 |
| 10 to 14 ft\$2.50 to 3 50 CORNUS. See, also, Shrubs. | | |
| CORNUS. See, also, Shrubs. florida. White Dogwood— | | |
| $3\frac{1}{2}$ to 4 ft.; very fine 1 00 | 7 50 | |
| 4 to 5 ft.; very fine 1 25 | 10 00 | 60 00 |
| 5 to 6 ft.; very fine 1 50 | 12 50 | 75 00 |
| 6 to 7 ft.; very fine 1 75 | 15 00 | $100 \ 00$ |
| 7 to 8 ft.; very fine | $\frac{22}{50}$ | |
| 8 to 10 ft.; very fine | 27 50 | |
| Dogwood. $2\frac{1}{2}$ to 3 ft 1.75 | 15 00 | |
| 3 to 4 ft | 20 00 | |
| 4 to 5 ft. Bushy 3 00 | | |
| 5 to 6 ft. Bushy | | |
| One of the most beautiful of | | |
| ornamental trees. florida, var. pendula. Weeping Dog- | | |
| wood— | | |
| 7 to 10 ft Rare \$5 to 10 00 | | |
| CRATÆGUS Carrieri. 4 to 5 ft | 7 50 | |
| 5 to 6 ft 1 25 | 10 00 | |
| 6 to 7 ft 1 50 | 12 50 | |
| 7 to 8 ft | 22 50 | |
| 4 to 5 ft | | |
| cordata. Washington Thorn | | |
| 3 to 4 ft 1 00 | 8 50 | |
| 4 to 5 ft 1 50 | 12 50 | |
| 5 to 6 ft, 2 50 | 22 - 50 | |

| CRATÆGUS Crus-galli. Cockspur Thorn— Each | 10 | 100 |
|--|---|---------|
| 2 to 3 ft\$0 50 | \$4 00 | \$35 00 |
| 2 to 0 ft, | | |
| 3 to 4 ft | 6 00 | 50 00 |
| 4 t0 0 1t, | 8 50 | |
| mollis. Scarlet Haw. 7 to 8 ft 3 50 Oxyacantha. English Hawthorn— | | |
| Oxyacantha. English Hawthorn— | | |
| 4 to 6 ft | 8 50 | |
| Oxyacantha, var. alba flore pleno. | | |
| Double White Hawthorn— | | |
| 4 to 5 ft 1 00 | 8 50 | |
| 5 to 6 ft 1 50 | 12 50 | |
| Oxyacantha, var. coccinea flore pleno. | | |
| Paul's Double Scarlet— | | |
| 4 to 5 ft 1 00 | 9 00 | |
| 9 ft Standard 9 50 | 30 00 | |
| 8 ft. Standards 3 50 10 ft. Standards 5 00 | 90 00 | |
| 10 It. Standards 5 00 | | |
| 12 to 14 ft. Standards 7 50 Oxyacantha, var. rosea flore pleno. | | |
| uxyacantna, var. rosea flore pieno. | | |
| Double Pink Hawthorn— | | |
| 4 to 5 ft | | |
| 4 to 5 ft | | |
| Chain— | | |
| | | |
| 7 to 8 ft. Specimen\$3.50 to 7 50 DIOSPYROS Virginica. Persimmon. $1\frac{1}{2}$ to 2 ft 50 | 4 00 | |
| FAGUS ferruginea. American Beech— | 2 00 | |
| 3 ft 1 50 | 13 50 | |
| 4 ft 2 00 | 18 50 | |
| sylvatica. European Beech. 3 to 4 ft 1 50 | 12 50 | |
| Sylvatica. European Deech, 5 to 4 it 1 50 | $\frac{12}{17} \frac{50}{50}$ | |
| 4 to 5 ft | | |
| 5 to 6 ft | $\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$ | |
| 6 to 7 ft 3 50 | 52 50 | |
| 7 to 8 ft\$3.50 to 7 50 | | |
| 9 to 12 ft. Specimens\$10 to 15 00 | | |
| sylvatica, var. asplenifolia. Fern-like Beech— | | |
| 3 to 4 ft 1 50 | | |
| 4 to 5 ft 2 50 | | |
| 4 to 5 ft | | |
| 4 to 5 ft 3 50 | | |
| 6 to 7 ft 5 00 | | |
| 14 to 16 ft. Specimens\$25 to 50 00 | | |
| All recently transplanted. | | |
| sylvatica, var nurnurea. Purnle Beech- | | |
| sylvatica, var. purpurea. Purple Beech— 4 to 5 ft | 12 50 | |
| 5 4 6 64 9 50 | $\frac{12}{22} \frac{50}{50}$ | |
| 6 to 7 ft 3 50 | $\frac{55}{50}$ | |
| 7 to 8 ft \$5 to 7 50 | 02 90 | |
| 0 to 10 ft | | |
| 11 4 10 6 010 10 10 10 10 10 10 10 10 10 10 10 10 | | |
| 11 10 12 11 | | |
| 5 to 6 ft. 22 0 6 to 7 ft. 350 7 to 8 ft\$5 to 7 50 9 to 10 ft\$7.50 to 10 00 11 to 12 ft\$10 to 25 00 12 to 18 ft. Specimens \$15 to 75 00 sylvatica, var. purpuea pendula. Weeping | | |
| sylvatica, var. purpurpea pendula. Weeping | | |
| | | |
| $5\frac{1}{2}$ to 6 ft | | |
| 5½ to 6 ft | | |
| 6 to 7 ft 3 bD | | |
| 7 to 8 ft\$5 to \$7.50 | | |
| 7 to 8 ft\$5 to \$7.50 sylvatica, var. Riversi. Rivers' Blood-leaved | | |
| Beech. 3 to 4 ft 2 50 | | |
| Beech. 3 to 4 ft 2 50 7 to 8 ft | | |
| 8 to 12 ft\$7.50 to 15 00 | | |
| | | |



An Avenue of Sweet Gums (Liquidambar), at Andorra.

| Each | 10 | 100 |
|---|---|----------|
| FRAXINUS Americana. White Ash. 8 to 10 ft\$1 25 | | |
| 10 to 12 ft.; $1\frac{1}{2}$ to 2 in 1 50 | 12 50 | \$100 00 |
| 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2 50 14 to 16 ft.; $2\frac{3}{4}$ to 3 in 3 00 | $\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$ | |
| 14 to 16 ft.; 3 to 4 in\$4 to 5 00 | 21 30 | |
| excelsior. European Ash— | | |
| 6 to 8 ft 1 00 | | |
| 8 to 10 ft 1 50 | | |
| viridis. Green Ash. 6 to 8 ft | 4 00 | 30 00 |
| GLEDITSCHIA aquatica. Water Locust. 7 to 8 ft 1 00 | 8 50 | |
| 8 to 10 ft 1 50 | 12 50 | |
| triacanthos. Honey Locust— | | |
| 7 to 8 ft 1 00 | 8 50 | |
| 8 to 10 ft 1 25 | 10 00 | |
| 10 to 12 ft 1 50 | 12 50 | |
| GLYPTOSTROBUS. See Taxodium. | | |
| GYMNOCLADUS Canadensis. Kentucky Coffee Tree | A.2. | |
| 8 to 10 ft 1 50 | 12 50 | |
| 10 to 12 ft 2 00 | 17 50 | |
| 12 to 14 ft 2 50 | | |
| JUGLANS nigra. Black Walnut. 4 to 5 ft 1 00 | 7 50 | |
| regia. English Walnut— | | |
| $\frac{8 \text{ to } 10 \text{ ft.}}{10 \text{ ft.}}$; $\frac{1\frac{1}{2}}{2}$ to $\frac{1}{2}$ in $\frac{2}{2}$ 50 | | |
| 10 to 12 ft.; $2^{\frac{1}{2}}$ to $2^{\frac{1}{2}}$ in 3 50 | | |
| KŒLREUTERIA paniculata. Varnish Tree— | 10 50 | |
| 6 to 8 ft 2 00 8 to 10 ft | 18 50 | |
| 8 to 10 ft 3 00 10 to 12 ft. Heavy \$4 to 5 00 | | |
| 20 10 12 11. 11(11) | | |

| E | ach | 10 | 100 |
|--|-----------------|-------------------------------|------------------|
| LARIX European Larch. 6 to 8 ft\$1 | 25° | \$10.00 | |
| 8 to 10 ft | -50 | 13 50 | \$85 00 |
| 10 to 12 ft | 50 | 22/50 | |
| 10 to 12 ft | 50 | 12 50 | |
| 14 to 16 ft 3 | -00 | 27 - 50 | |
| LIQUIDAMBAR. Sweet Gum. 6 to 7 ft. Fine 1 | 50 | 12 - 50 | 85 00 |
| 7 to 8 ft.: $2\frac{1}{7}$ in. Fine | | $\frac{12}{22} \frac{50}{50}$ | , , , , , |
| 7 to 8 ft.; $2\frac{1}{2}$ in. Fine $+$. 2 8 to 9 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. Fine $+$. 3 | 50 | $\frac{55}{32}$ 50 | |
| 10 to 12 ft.; $3^{\frac{1}{2}}$ to $3^{\frac{1}{2}}$ in 4 | | 02 0.0 | |
| | | 0 | 60.00 |
| LIRIODENDRON Tulipifera. Tulip Tree. 7 to 8 ft 1 | 00 50 | $\frac{7}{10} \frac{50}{00}$ | 60 09 |
| | | $\frac{10}{16} \frac{10}{50}$ | -90.00 -150.00 |
| 10 to 12 ft | 10 | 10 90 | 190 00 |
| MAGNOLIA. Native Sorts— | | | |
| acuminata. Cucumber Tree- | 00 | = =0 | |
| 5 to 6 ft | . 00 | 7 50 | |
| glauca. Sweet or Swamp Magnolia— | F0 | | |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$ | . 90 | | |
| grandiflora. Evergreen Magnolia— 2 to 2½ ft | 50 | | |
| 2 to $2\frac{1}{2}$ ft | 90 | | |
| 2½ to 3 ft | 50 | | |
| | 00 | | |
| | $\frac{25}{25}$ | 9 00 | |
| 8 to 10 ft | | 12 50 | 100 00 |
| 10 to 12 ft | : 00 | 12 - 10 | 100 00 |
| Chinese Sorts— | 00 | | |
| alba superba. White— | | | |
| $3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 2$ | 50 | | |
| Alexandriana. 4 to 5 ft | 50 | | |
| 5 to 6 ft | 50 | | |
| 8 to 10 ft+10 | | | |
| conspicua. White— | | | |
| $3\frac{1}{2}$ to 4 ft | 50 | | |
| 5 +0 R f+ ★ 5 | $-\Omega\Omega$ | 45 00 | |
| 7 to 8 ft | -00 | | |
| 7 to 8 ft. \$7.50 to 10 Kohus. 2 to 2½ ft. \$1.50 to 10 | 50 | / | |
| 5 U U UG.65 | : 50 | | |
| Lennei Hybrid. Lenne's Magnolia— | | | |
| $3\frac{1}{2}$ to 4 ft | 50 | | |
| 5 to 6 ft | 50 | | |
| 7 to 9 ft. Specimens | - 00 | | |
| Norbertlana Hybrid. Norbert's Magnolia- | | | |
| 3 to 4 ft | 50 | | |
| 5 to 6 ft | 50 | | |
| purpurea; syn., obovata. Purple Magnolia | | | |
| 4 to 5 ft | 50 | | |
| 5 to 6 ft | 50 | | |
| Soulangeana Hybrid. Soulange's Magnolia 3 to 4 ft | | | |
| 3 to 4 ft | 90 | | |
| speciosa. 42 to 5 ft | 00 | | |
| Magnalia 11 64 A 1 | 50 | 13 50 | |
| Magnolia. $1\frac{1}{2}$ ft | 50 | $\frac{13}{22} \frac{30}{50}$ | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 50 | $\frac{32}{32} = 50$ | |
| $3 t_0 3 t_1 t_2 $ | 50 | 3 | |
| 4 to 7 ft | 00 | | |
| 1 (0 1 10, | .,,,, | | |



An Avenue of "Andorra-grown" Oriental Planes. (See page 30).

| MORUS alba. White Mulberry. 5 to 6 ft | 00 | 10 \$6 00 32 50 |
|---|--|---------------------------------|
| NEGUNDO. See Acer. | .)() | 00 iii |
| NEGONDO. See Acer. | | |
| NYSSA sylvatica. Sour Gum. 3 to 4 ft | 50 | $\frac{9}{13} \frac{00}{50}$ |
| OYVDENDRUM arharoums and Andrewada arhanas S | | |
| 5 to 6 ft | 00 50 00 50 50 50 50 | 9 00 13 50 18 50 22 50 |
| PARROTIA Persica. Persian Iron Tree. 4 to 5 ft. 1 5 to 6 ft. 2 6 to 7 ft. 3 | 50 2 50 3 50 | 13 50 22 50 32 50 |
| PAULOWNIA Imperialis. Empress Tree. 2½ to 3 ft 1 | . 50 | 13 50 |
| PERSICA vulgaris, var. alba plena. Double White-flowering Peach. 4 to 5 ft | 00 | 7 50 |
| vulgaris, var. sanguinea plena. Double Red-flowering Peach. 4 to 5 ft | 00 | 7 50 |

| Each | 10 | 100 |
|--|--|-------------------------------|
| PLATANUS occidentalis. American Buttonwood— | \$8 50 | |
| 8 to 10 ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| orientalis Oriental Plane or European | | AFO 00 |
| Buttonwood. 6 to 8 ft. 1 00 8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 1 25 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{1}{3}$ in. 1 50 10 to 12 ft.; $1\frac{1}{2}$ to 2 in. 1 75 10 to 12 ft.; 2 to $2\frac{1}{4}$ in. 2 50 12 to 14 ft.; $2\frac{1}{2}$ to 3 in. 3 50 | $\begin{array}{ccc} 7 & 50 \\ 10 & 00 \end{array}$ | \$50 00 85 00 |
| 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 50 | 12 50 | 115 00 |
| 10 to 12 ft.; $1\frac{3}{4}$ to 2 in 1 75 | 16 00 | 150 00 |
| 10 to 12 it.; 2 to $2\frac{1}{4}$ in 2 50 12 to 14 ft : $2\frac{1}{4}$ to 3 in \rightarrow 3 50 | $\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$ | $\frac{200 \ 00}{300 \ 00}$ |
| 14 ft.; 3 to 4 in. Specimens.\$5 to 10 00 | 02 00 | 500 00 |
| POPULUS alba, var. Bolleana. Bolle's Poplar— | | |
| 10 to 12 ft | $\begin{array}{ccc} 16 & 50 \\ 22 & 50 \end{array}$ | |
| | 22 50 | |
| monilifera; syn., Carolinensis. Carolina Poplar. 8 to 10 ft 1 00 | 7 50 | 60 00 |
| 10 to 12 ft | 10 00 | 100.00 |
| 12 to 14 ft 1 75 nigra, var. fastigiata. Lombardy Poplar— | 15 00 | 100 00 |
| 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 25 | 10 00 | 90 00 |
| 12 to 14 ft.; 2 to $2\frac{1}{4}$ in 1 50 12 to 14 ft.; $2\frac{1}{2}$ in 2 50 | 13 50 | 125 00 |
| 12 to 14 ft.; $2\frac{1}{2}$ in 2 50 14 to 16 ft.; 3 to $3\frac{1}{4}$ in 3 50 | $\begin{array}{ccc} 18 & 50 \\ 32 & 50 \end{array}$ | -150 00 $-300 00$ |
| PRUNUS. See, also, Cerasus. | 02 00 | 000 00 |
| Pissardii. Purple Plum. 4 to 5 ft ★ 1 00 | 8 50 | |
| triloha. Flowering Plum. 2 to $2\frac{1}{2}$ ft 50 | $\frac{3}{3} \frac{50}{00}$ | 25 00 |
| PTELEA trifoliata. Hop Tree. 5 to 6 ft. 35 6 to 7 ft. 50 | $\frac{5}{4} \frac{00}{50}$ | $\frac{25}{35} \frac{00}{00}$ |
| PTEROSTYRAX hispidum (Halesia hispida). | 1 30 | |
| 10 to 12 ft 1 50 | $12 \ 50$ | |
| PYRUS. See, also, Shrubs. | | |
| baccata. Siberian Flowering Crab Apple— 5 to 6 ft | 12 50 | |
| coronaria. Sweet-scented Crab— | | |
| $2\frac{1}{2}$ to 3 ft | $\begin{array}{ccc} 7 & 50 \\ 12 & 50 \end{array}$ | |
| floribunda. Flowering Crab. 5 to 6 ft \$\displays 1 50 floribunda, var. atrosanguinea. 5 to 6 ft 1 50 | $\frac{12}{12} \frac{50}{50}$ | |
| lænsis, var Bechtel, Bechtel's Double- | 12 00 | |
| flowering Crab. $3\frac{1}{2}$ to 4 ft \updownarrow . 1 75 Parkmani; syn., Halliana. Parkman's Crab. | 16 50 | |
| Parkmani; syn., Halliana. Parkman's Crab— | | |
| 3 to $3\frac{1}{2}$ ft | | |
| 5 to 6 ft | 12 50 | |
| Toringo (Dwarf Crab). 5 to 6 ft 1 50 | 12 50 | |
| QUERCUS alba. White Oak. 6 to 7 ft | 16 00 | |
| 8 to 10 ft.; 2^4 to $2^{\frac{1}{4}}$ in | $\frac{22}{50}$ | |
| QUERCUS alba. White Oak. 6 to 7 ft. 1 50 7 to 8 ft.; 1¾ to 2 in. 1 75 8 to 10 ft.; 2 to 2¼ in. 2 50 10 to 1¼ ft.; 2½ to 3 in. \$3.50 to 5 00 | | |
| bicolor. Swamp White Oak— | 22 50 | |
| 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{1}{3}$ in | $\frac{5}{2}$ $\frac{5}{50}$ | |
| 8 to 9 ft.; 1\frac{3}{4} to 2 in 2 50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{3}{4} in 3 50 12 to 14 ft.; 3 to 3\frac{1}{2} in 5 to 7 50 12 to 16 ft.; 3\frac{1}{4} to 5 in 10 to 15 00 | | |
| 12 to 16 ft.; 3 ² / ₄ to 5 in\$10 to 15 00 | | |
| Cerris. Turkey Oak— 6 to 8 ft.; $2\frac{1}{2}$ to $3\frac{1}{2}$ in,\$3.50 to 5 00 | | |
| 0 10 0 11., 22 10 02 11 | | |

| QUERCUS coccinea. Scarlet Oak. 6 to 7 ft | 50 8 00 50 | $egin{array}{ccc} 10 \\ 13 & 5 \\ 18 & 5 \\ 22 & 5 \end{array}$ | 0 | |
|--|------------------|---|-------------|--|
| 9 to 10 ft.; 2^4 to 2^1 in | 00 | 27 5 | 0 | |
| | 00 | | | |
| | 50 | | | |
| 7 to 8 ft.; 1½ to 1¾ in, Low-branched 2 8 to 9 ft.; 1¼ to 2 in, Low-branched 2 9 to 10 ft.; 2 to 2¼ in, Low-branched 3 | $\frac{50}{25}$ | 13 5 17 5 22 5 30 0 | 0 0 0 | |
| 10 to 12 ft.; 2\frac{3}{4} to 3 in. Low-branched 3 12 to 14 ft.; 3\frac{4}{4} to 3\frac{1}{2} in. \ldots \square\$5.00 to 7 Excellent for street planting. | 50 50 | 32 5 | o O | |
| Extra heavy specimens. $3\frac{1}{2}$ to $4\frac{1}{2}$ in., well-rooted and good tops. \$10.00 to 25 | 00 | | | |
| pedunculata, var. Concordia. Golden Oak- | | | | |
| 8 to 10 ft\$3.50 to 5 | $\frac{00}{25}$ | | | |
| 8 to 10 ft | 50 | | | |
| 10 to 12 ft.; $1\frac{1}{4}$ to 2 in | 00 50 00 | 18 5 22 5 | | |
| Robur. English Oak— 8 to 10 ft · 2 to 24 in | 50 | 12 5 | 60 | |
| 8 to 10 ft.; 2 to $2\frac{1}{4}$ in | 50 50 00 | $\frac{20}{32} \frac{0}{5}$ | 0 | |
| Robur, var. fastigiata. Pyramidal English | 50 | | | |
| Oak. 10 to 12 ft | | | | |
| rubra. Red Oak. 7 to 8 ft | 50 00 50 | 13 5 17 5 22 5 | 50 | |
| 14 to 16 ft.; 3\frac{1}{4} to 4 in\\$10 to 25 | 00 | | | |
| velutina, var tinctoria. Black Oak | 25 | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 75 | 15 0 18 5 22 5 | 5 <u>0</u> | |
| RHUS glabra. Smooth Sumac. 4 to 5 ft | 50 | 4 0 | | |
| 5 to 6 ft | $\frac{75}{00}$ | $\begin{array}{c} 6 & 0 \\ 8 & 5 \end{array}$ | | |
| glabra, var. laciniata. Cut-leaved Sumac- | | - ^ | 40.00 | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{75}{00}$ | $\frac{5}{7} \frac{0}{5}$ | | |
| | 75 | $\begin{array}{c} 4 & 0 \\ 8 & 5 \end{array}$ | | |
| 0.00 11 | | 0 0 | | |

| Each | .10 | 100 |
|---|---|-------------------------------|
| RHUS typhina. Staghorn Sumac. 3 to 3½ ft\$0 35 | \$3 00 | \$25 00 |
| 5 to 6 ft | 4 00 | |
| 6 to 8 ft | 8 50 | |
| typhina, var. laciniata. (Cut-leaved)— | 4.00 | 97 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 4 00 | 35 00 |
| ROBINIA Pseudacacia. Black Locust. 6 to 8 ft 75 8 to 10 ft. 1 00 | $-6.00 \\ 8.50$ | 50 00 60 00 |
| | 0 00 | 00 00 |
| SALISBURIA adiantifolia. Ginkgo, or Maidenhair Tree. 7 to 8 ft 1 25 | 10.00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 50 | |
| 10 to 12 ft.; 2 to $2\frac{1}{4}$ in 1 75 | 16 50 | 150 00 |
| $12 \text{ to } 14 \text{ ft.}; 2\frac{1}{4} \text{ to } 2\frac{1}{2} \text{ in. } \dots 250$ | 22 50 | |
| 12 to 14 ft.; $2\frac{1}{2}$ in 3 00 | 27 50 | |
| SALIX alba. White Willow. 6 to 8 ft | $\begin{array}{c} 6 & 50 \\ 12 & 50 \end{array}$ | |
| 10 to 12 ft | .8 50 | |
| 10 to 12 ft | 12 50 | |
| 12 to 14 ft | 12 00 | |
| caprea. Pussy Willow. 7 to 8 ft 1 00 | 7 50 | |
| 8 to 10 ft 1 50 | $12 \ 50$ | 60 00 |
| incana. Rosemary Willow. 4 to 5 ft 50 | 4 50 | 35 - 00 |
| 5 to 6 ft 1 00 | 6 50 | 50 00 |
| lutea. Golden Willow. 6 to 7 ft 1 00 | 6 50 | 40 00 |
| lutea, var. pendula. Golden Weeping— | 10.00 | ~~ oo |
| 7 to 8 ft | 10 00 | 75 00 |
| pentandra. Laurel Leaf Willow. 6 to 7 ft 1 00 | $\begin{array}{c} 7 & 50 \\ 12 & 50 \end{array}$ | $\frac{50}{75} \frac{00}{00}$ |
| 7 to 8 ft | 12 00 | 15 00 |
| Willow. 8 to 10 ft 1 50 | 10 00 | |
| Wentworth. 10 to 12 ft | 12 50 | |
| 12 to 14 ft | $17 \ 50$ | |
| SASSAFRAS officinale (Sassafras). 5 to 6 ft 1 00 | 5 00 | |
| SOPHORA Japonica, var. pendula. Weeping | | |
| Sophora. 6 to 8 ft. \$3.50 to 7 50 | | |
| SORBUS Americana. American Mountain Ash- | | |
| 7 to 8 ft, 1 50 | | |
| aucuparia. European Mountain Ash- | | |
| 7 to 8 ft, 1 50 | 10 00 | |
| 10 to 12 ft 2 00 | 12 50 | |
| aucuparia, var. quercifolia. Oak-leaved Mountain Ash, 6 to 7 ft 1 50 | | |
| | | |
| TAXODIUM distichum. Deciduous Cypress— 3 to 4 ft | 8 50 | |
| 5 to 6 ft | 12 50 | |
| TILIA Americana. American Linden or Bass- | | |
| wood- | | |
| 7 to 9 ft.; $1\frac{1}{2}$ to 2 in $\frac{1}{2}$ 50 | $\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$ | 100 00 |
| 8 to 10 ft.; 2 to $2\frac{1}{2}$ in | $\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$ | $150 00 \\ 175 00$ |
| 10 to 12 ft.; $2\frac{1}{2}$ to 3 ft | 22 00 | 210 00 |
| 8 to 10 ft.; 2 to $2\frac{1}{4}$ in 2 00 10 to 12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 2 50 10 to 12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in | | |

| | Each | 10 |
|--|--------------------------------|-------------------------------|
| TilliA argentea; syn., tomentosa. Silver-leaved Linden- | | |
| 8 to 10 ft.; 2 to $2\frac{1}{4}$ in | \$2 50 | \$22 50 |
| 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in | 3 50 | 32.50 |
| 10 to 12 ft.; 2\(\frac{1}{4}\) to 3 in. Specimens \$\sum_{12}\$ to 14 ft.; 3\(\frac{1}{4}\) to 4 in. Specimens\(\sum_{6}\) to | 5 00 | 40:00 |
| 12 to 14 ft.; 31 to 4 m. Specimens\$6 to | 10 00 | |
| platyphyllos. Large-leaved Linden- | | |
| 7 to 8 ft.; 1 ³ / ₄ to 2 in | 1. 50 | . 12 50 |
| | 1 00 | - 12 00 |
| vulgaris; syn., Europæa. European Linden— | | 40 80 |
| 8 to 10 ft.; 2 to $2\frac{1}{4}$ in per 100, \$150 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in per 100, \$200 | $\frac{1}{2}$ | 16 50 |
| 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in per 100, \$200 | $\frac{2}{10}$ $\frac{50}{00}$ | $22 \ 50$ |
| 12 to 16 ft.; 3 to 4 in. Specimens\$4 to | 10 00 | |
| vulgaris, var. pyramidalis laciniata. Pyramidal Cut- | | |
| leaf. 12 to 14 ft.; 3 in | | 32 50 |
| | 0 00 | . 02 00 |
| ULMUS Americana. American Elm- | | |
| 8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ inper 100, \$90 | | 10,00 |
| 10 to 12 ft.; $1\frac{1}{2}$ to 2 inper 100, \$125 | . 1 50 | 13 50 |
| 12 to 14 ft.; 2 to 21 inper 100, \$160 | 2.00 | 17 - 50 |
| 12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ inper 100, \$200 | 2.50 | 22 - 50 |
| 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in | 3 00 | 27 - 50 |
| 12 to 14 ft.; $2\frac{3}{4}$ to 3 in | $\frac{3}{3} \frac{50}{30}$ | 32 50 |
| 14 to 15 ft.; 3 to 6 in. Specimens\$5 to | 25 00 | |
| campestris. English Elm. 8 to 10 ft.; 2 to 24 in | 1 50 | 13 50 |
| 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in | 2 75 | $\frac{15}{25} \frac{50}{00}$ |
| 12 to 14 ft.; $2\frac{1}{4}$ to 3 in | 2 50 | $\frac{25}{32} \frac{60}{50}$ |
| Specimens, 3 to 4 in | 10 00 | 9 90 |
| Type time to a to a time to the time to | 20 00 | |
| campestris, var. latifolia; syn., major. Broad-leaved | | |
| English Elm- | | |
| 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in | 2.75 | |
| 12 to 14 ft.; $2\frac{3}{4}$ to 3 in | $\frac{3}{50}$ | |
| 16 to 18 ft.; 3 to 5 in\$5 to | 15 00 | |
| campestris, var. Wheatley's (Cornish) Elm- | | |
| 12 to 14 ft | 2 50 | 22 50 |
| 14 to 16 ft | | $\frac{22}{32} \frac{50}{50}$ |
| | | 3 2 30 |
| scabra; syn., Dampieri; fastigiate form— | 0 50 | 50 M6 |
| 12 to 14 ft.; 3 in | 3 50 | $32 \ 50$ |
| scabra, var. Huntingdoni. Huntingdon Elm- | | |
| 12 to 14 ft.; 3 to 3¼ in | 3 50 | 32 50 |
| 14 to 16 ft.; $3\frac{1}{4}$ to $3\frac{1}{2}$ in | 4 50 | 42 50 |
| 14 to 16 ft.; $3\frac{1}{2}$ to 5 in | 15 00 | |
| cookes you nandula Campanilama Tila | | |
| scabra, var. pendula. Camperdown Elm— 6 ft. | 1.50 | |
| 6 ft | 1 90 | |
| scabra, var. purpurea. Purple Wych Elm- | | |
| 10 to 12 ft.; 2 to 2½ in | 2 00 | 17 50 |
| 12 to 14 ft.; 3 to $3\frac{1}{2}$ in | 3 50 | $32 \ 50$ |



Partial View of Nursery Grounds from Top of Main Nursery.

AZALEAS, ANDORRA-GROWN

| AZALEAS, ANDURKA-GROWN | | | |
|------------------------|--|--------------------|------------|
| | Each | 10 | 100 |
| AZALEA | arborescens. Fragrant White Azalea- | | |
| | 12 to 15 in. Bushy clumps\$1 00 | \$9.00 | \$80.00 |
| | 15 to 18 in. Bushy clumps 1 50 | 13 50 | 125 00 |
| | $1\frac{1}{2}$ to 2 ft. Bushy clumps 2 00 | 18 50 | 150 00 |
| | 2° to $2\frac{1}{2}$ ft. Bushy clumps 2 50 | 22 50 | 175 00 |
| | $2\frac{1}{2}$ to 3 ft. Bushy clumps 3 50 | 30 00 | 250 00 |
| | calendulacea. Flame Azalea. 12 to 15 in 1 00 | 9 00 | 80 00 |
| | 15 to 18 in. Bushy clumps 1 50 | 13 50 | 125 00 |
| | 18 to 24 in. Bushy clumps 1 75 | 15 00 | 135 00 |
| | 2 to $2\frac{1}{2}$ ft. Bushy clumps 2 50 | 22 50 | 200 00 |
| | $2\frac{1}{2}$ to 3 ft. Bushy clumps.\$3.50 to 5 00 | | |
| | Canadensis (Rhodora). 1 ft. Bushy 1 00 | 8 50 | 75 00 |
| | $1\frac{1}{2}$ to 2 ft. Bushy | 13 50 | 110 00 |
| | mollis. $1\frac{1}{2}$ ft. Named sorts | 10 00 | 90 00 |
| | 2 ft. Bushy. Named sorts 1 50 | 13 50 | 125 00 |
| | $2\frac{1}{2}$ ft. Bushy. Named sorts 2 00 | 17 50 | |
| | nudiflora. 12 to 15 in | 9 00 | |
| | 15 to 18 in. Clumps 1 50 | 13 50 | 115 00 |
| | $\frac{1}{2}$ ft. Bushy clumps | 15 00 | 125 00 |
| | 2 ft. Bushy clumps 2 50 | 20 00 | 175 00 |
| | Pontica (Ghent). $1\frac{1}{2}$ ft. Named sorts 1 25 | 19 00 | 90 00 |
| | 2 ft. Bushy. Named sorts 1 50 | 12 50 | 120 00 |
| | $2\frac{1}{2}$ to 3 ft. Bushy | $22 \ 50$ | |
| | 5 to 3½ ft. Bushy\$2.50 to 3 50 | | |
| | Vaseyi. Southern Azalea. 12 to 15 in 1 00 | 9 00 | |
| | 15 to 18 in | 13 50 | |
| | $\frac{11}{2}$ ft. Bushy clumps | 18 50 | 150 00 |
| | 2 ft. Bushy clumps 2 50 | $22 \ 50$ | $200 \ 00$ |
| | viscosa. White Azalea— | 10 20 | 445 00 |
| | 15 to 18 in. Bushy clumps 1 50 | 13 50 | 115 00 |
| | $\frac{1\frac{1}{2}}{2}$ ft. Bushy clumps | 18 50 | 150 00 |
| | | $\frac{22}{15}$ 50 | 175 00 |
| | Yodogama. 15 to 18 in | 15 00 | |
| | 24 in 2 50 | $20 \ 00$ | |

94

DECIDUOUS SHRUBS

| ' 1 | Each | 10 |) | 1 | 00 |
|---|-----------------|---------------|---|-----------------|----------|
| ABELIA rupestris. 1 ft\$ | 50 | \$4 | 50 | | |
| ACANTHOPANAX spinosa (Aralia pentaphylla)- | | | | | |
| 2½ to 3 ft | $\frac{25}{35}$ | $\frac{2}{2}$ | 00 | \$20 | 00 |
| 4 to 5 ft. | 30 | Ð | 00 | وشر | 00 |
| ÆSCULUS parviflora; syn., Pavia macrostachya— | 1 00 | 8 | 50 | 60 | 00 |
| 2½ ft | 1 25 | 10 | 00 | 85 | 00 |
| 3 ft+ | 2 00 | 17 | 50 | 150 | 00 |
| ALTHEA. See Hibiscus. | | | | | |
| AMELANCHIER Botryapium. 2 to 2½ ft | 35 | 3 | 00 | 25 | 00 |
| AMORPHA canescens. 2 to $2\frac{1}{2}$ ft | 35 | 2 | 50 | 15 | 00 |
| fruticosa. 4½ to 5 ft | 35 | 3 | 00 | 20 | 00 |
| AMYGDALUS (Almond). See Prunus. | | | | | |
| BACCHARIS halimifolia. Groundsel Shrub- | | | | | |
| 3 to $3\frac{1}{2}$ ft | 50 | 3 | 50 | 25 | 00 |
| BENZOIN odoriferum. Spice Bush. 2 to 2½ ft | 35 | | 00 | | 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{50}{75}$ | | $\frac{00}{00}$ | | 00 |
| | 1 00 | | 50 | | 00 |
| BERBERIS (Barberry). Dulcis. 1 ft | 50 | 4 | 00 | 35 | 00 |
| ilicifolia. Holly-leaved. 2 to $2\frac{1}{2}$ ft | 35 | 3 | | | 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 50 | 4 | 00 | 35 | 00 |
| | 75 | 6 | | | 00 |
| Thunbergii. 12 to 15 in | $\frac{25}{35}$ | | $\begin{array}{c} 75 \\ 50 \end{array}$ | 12 | 50 00 |
| 15 to 18 in | 50 | $\frac{2}{3}$ | | $\frac{10}{20}$ | |
| 2 ft.: broad and very heavy | 60 | 4 | | | 00 |
| $\frac{2_1}{3}$ ft.; broad and very heavy 3 to $\frac{3_1}{3}$ ft.; broad and very heavy. | 75 1 00 | | $\frac{00}{00}$ | 50 75 | 00 |
| vulgaris. Common Barberry— | 1 00 | | 00 | •• | 00 |
| 2 to $2\frac{1}{2}$ ft | 50 | 3 | | | 00 |
| $\frac{2_1}{2_2}$ to $\frac{3_2}{2_1}$ ft | 60 | | 00 | | 00 |
| 3 to $3\frac{1}{2}$ ft | 75 | 6 | | 99 | 00 |
| vulgaris, var. Amurensis. 2 to 2½ ft | 75 | | | 17 | 50 |
| vulgaris, var. purpurea. $2\frac{1}{2}$ to 3 ft 3 to $3\frac{1}{2}$ ft | $\frac{35}{50}$ | | $\frac{00}{50}$ | | 00 |
| $3\frac{1}{2}$ to 4 ft | 60 | 4 | 00 | 30 | 00 |
| 4 to 5 ft | 75 | 6 | 00 | 35 | 00 |
| CALLICARPA purpurea. Beauty Fruit— | | | 00 | 4.0 | |
| 3 to 4 ft | 75 | 6 | 00 | 40 | 00 |
| CALYCANTHUS floridus. Allspice, or Sweet Shrub- | 50 | 4 | 00 | 20 | 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{50}{75}$ | $\frac{4}{6}$ | | $\frac{30}{35}$ | |
| | • | | | | ,,, |
| CARAGANA arborescens. Siberian Pea— 4 to 5 ft | 75 | 6 | 00 | 40 | 00 |
| | | | | | |

| Eac | | 10 | 100 |
|---|------------|---|---|
| CEANOTHUS Americanus. Jersey Tea. 1½ ft\$0 2 | 25 \$ | 2 00 | \$15 00 |
| CEPHALANTHUS occidentalis— $2\frac{1}{2}$ to 3 ft | 35 | 2 50 | 20 00 |
| | 50 | $\frac{2}{3} \frac{30}{00}$ | $\frac{20}{25} \frac{00}{00}$ |
| 4 to 5 ft 7 | 75. | 4 00 | 30 00 |
| CERCIS. See, also, Deciduous Trees. | | | |
| Japonica. Japan Judas— 2 to 2½ ft. | 50 | 4 00 | 35 00 |
| $\overline{2}_{\frac{1}{2}}$ to $\overline{3}^{2}$ ft | | $\vec{6}$ $\vec{0}\vec{0}$ | 50 00 |
| CHIONANTHUS Virginica. White Fringe- | | | |
| | | $egin{array}{ccc} 4&50 & -7&00 \end{array}$ | 50 00 |
| | | 8 50 | 60 00 |
| 5 to 6 ft 1 2 | | 0.00 | 75 00 |
| | | 5 00 | |
| | 35 50 | $\frac{2}{3} \frac{50}{50}$ | $\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$ |
| | | $\frac{5}{5} \frac{50}{00}$ | 35 00 |
| COLUTEA arborescens. Bladder Senna— | | | |
| 2 to $2\frac{1}{2}$ ft \vdots | | 3 00 | 20 00 |
| 0 00 0 20 11111111111111111111111111111 | | 4 00 | 25 00 |
| Sheet I start a promise of the start of the | 35 | 3 00 | $25 \ 00$ |
| CORCHORUS Japonicus. Single Globe Flower- | 50 | | |
| | 75 | | |
| Japonicus, fl. pl. (Double Kerria)— | -0 | | |
| 2 to $2\frac{1}{2}$ ft | 50 | | |
| Leaves). 2 ft | 50 | | |
| CORNUS. See, also, Trees. | | | |
| alba. Siberian Red-twigged Dogwood— | 25 | 2 00 | |
| $2\frac{1}{2}$ to 3 ft.: very heavy | 35 | $\vec{3}$ $\vec{0}\vec{0}$ | 20 00 |
| 3 to $3\frac{1}{2}$ ft.; very heavy | | 4 00 | $\frac{25}{30} \frac{00}{00}$ |
| $3\frac{1}{2}$ to 4 ft.; very heavy | | $\frac{6}{7} \frac{00}{50}$ | 50 00 |
| alba; syn., Siberica, yar, aurea variegata— | | • 00 | |
| 2 to $2\frac{1}{2}$ ft | 50 | | |
| alba, var. elegantissima. Golden-leaved— | 50 | 4 00 | |
| $2\frac{1}{2}$ to 3° ft | | $\vec{6} \cdot \vec{00} =$ | |
| alternifolia. 4 to 5 ft | | 4 00 | |
| | 75 . | $\frac{5}{6} \frac{00}{00}$ | |
| 6 to 7 ft | 00 | 0.00 | |
| 2 to $2\frac{1}{2}$ ft | | 8 50 | |
| $3\frac{1}{2}$ to 4 ft | 50 1 | 2 50 | |
| | 50 | 6 00 | 35 00 |
| | 75 00 : | 7 50 | 50 00 |
| | 50 | 5 | |

PRICE LIST FOR FALL OF 1912

| | Each | 10 | 100 |
|--|--|-----------------------------|---|
| CORNUS paniculata. 3 to 3½ ft | .\$0 50 | \$4 00 | \$35 00 |
| 4 to 5 ft | . 7.0 | 5 00 7 50 | 45 00 60 00 |
| 5 to 6 ft | . 1 00 | 1 50 | 00 00 |
| sanguinea. European Osier Dogwood— | . 25 | | |
| $\begin{array}{c} 2 \text{ to } 2\frac{1}{2} \text{ ft. Heavy} \dots \\ 4 \text{ to } 5 \text{ ft. Heavy} \dots \end{array}$ | $\frac{20}{50}$ | 4 00 | 30.00 |
| 4 to 5 ft. Heavy 5 to 6 ft. Heavy | | 5 00 | 35 00 |
| sericea. Silky Dogwood. 2 to 2½ ft | | 3 00 | 900 |
| 3\frac{1}{2} \to 4 ft | | 4 00 | |
| 4 to 5 ft | | 6.00 | 35 00 |
| 6 to 7 ft | | 7 50 | 40 00 |
| stolonifera. Native Red Osier- | | | |
| 2½ to 3 ft | . 35 | 3.00 | |
| 3 to $3\frac{1}{2}$ ft | . 50 | 4 00 | 25/00 |
| $3\frac{1}{2}$ to 4 ft | | 5.00 | 30 00 |
| 4 to 5 ft | | $\frac{6}{9}$ | $\frac{35}{100}$ |
| 6 to 7 ft | . 1 00 | 7 50 | 40 00 |
| stolonifera, var. aurea. Golden-barked- | 0~ | 9.00 | 90.00 |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 35 | 3 00 | $\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$ |
| $\frac{2\frac{1}{2}}{10}$ to 3 it | $\frac{50}{2}$ | 3 50 | 25 00 35 00 |
| $\frac{3}{21}$ to $\frac{31}{4}$ ft | $\begin{array}{ccc} \cdot & 75 \\ \cdot & 100 \end{array}$ | $\frac{5}{6} \frac{00}{00}$ | 50 00 |
| 3½ to 4 ft | 1 00 | 0 00 | 50 00 |
| CORYLUS Americana. American Hazel— 18 to 24 in | 50 | | |
| Avellana, var. laciniata. Cut-leaved Hazel | 50 | | |
| 2 to $2\frac{1}{2}$ ft | | 4 00 | |
| maxima, var. purpurea. Purple Hazel- | | 1 00 | |
| $2\frac{1}{2}$ to 3 ft | 35 | 3.00 | |
| 3^2 to $3\frac{1}{2}$ ft | | 4 50 | 30 00 |
| 4 to 5 ft | | 6 00 | 40 00 |
| $5\frac{1}{2}$ to 6 ft | 1 00 | | |
| COTONEASTER Frigida. 1½ to 2 ft | | 3 00 | 25 00 |
| CRATÆGUS. See Trees. | 00 | 0 00 | -0 00 |
| | =0 | 0.00 | |
| CYDONIA Japonica. Japan Quince. 1½ ft | | 3 00 | |
| DESMODIUM penduliflorum. See Lespedeza Siebol | di. | | |
| DEUTZIA candidissima (Double White). 23 to 3 f | t. 35 | 3 00 | 20 00 |
| $3\frac{1}{2}$ to 4 ft | 50 | 4 00 | 30 00 |
| 4 to 5 ft | | 6 00 | 40 00 |
| 5 to 6 ft | 1 00 | | |
| crenata. 2½ to 3 ft | 35 | 3 00 | |
| crenata, var. Pride of Rochester— | =0 | 0.70 | |
| 3 to 4 ft | | 3 50 | 10.00 |
| 4 to 5 ft. | 75 | 5 00 | 40 00 |
| crenata, var rosea plena (Double Pink) | | 3 00 | 25 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | 5 00 | 25 00 |
| crenata, var. Waterer. 2 to 3 ft | | 3 00 | 20.00 |
| 3 to 4 ft | 50 | 4 00 | $\frac{20}{25} \frac{00}{00}$ |
| 6 to 7 ft | | 6 00 | 50 00 |
| crenata, var. Wellsi. 4 to 5 ft | 50 | 3 00 | 25 00 |
| 5 to 6 ft | 75 | 5 00 | 35 00 |
| gracilis. Dwarf Deutzia- | | .,,,,,,,, | - 55 50 |
| 1 ft | 50 | 3 00 | 20 00 |
| 1½ ft | | 4 00 | $\frac{1}{25}$ 00 |
| gracilis, var. carminea. 1½ ft | 50 | 4 00 | 25 00 |
| 2 ft | 75 | 5 00 | 30 00 |
| | | | |

| | _ | | |
|--|-----------------|--|---|
| DEUTZIA gracilia way recon 10 to 24 to 0 | Each | 10 | 100 |
| DEUTZIA gracilis, var. rosea. 18 to 24 in\$ | | \$6 00 | \$35 00 |
| Lemoinei. 2 to $2\frac{1}{2}$ ft; very heavy 3 to $3\frac{1}{2}$ ft.; heavy | 35 50 | - 3 00 4 00 | $\frac{20}{30} \frac{00}{00}$ |
| $3\frac{1}{2}$ to 4 ft | 75 | 5 00 | 35 00 |
| 4 to 5 ft | 1 00 | 7 50 | 40 00 |
| Lemoinei, var. compacta. 2 to $2\frac{1}{2}$ ft | 35 | 3 00 | 20 00 |
| 3 to $3\frac{1}{2}$ ft | 50 | 4 00 | -25 00 |
| parviflora. $2\frac{1}{2}$ to 3 ft | 50 | 3 50 | |
| scabra, 2 to 3 ft | 35 | 3 00 | 20 00 |
| 3 to 4 ft | 50 | 4 00 | 25 00 |
| 5 to 6 ft | 75 | 6 00 | |
| DIERVILLA (Weigela) florida, var. amabilis— | | | |
| 3 to 4 ft | 50 | 3.50 | |
| florida; syn., rosea. 3 to 4 ft | =50 | 4 00 | 25 00 |
| 4 to 5 ft. | 75 | 5 00 | |
| florida, var. candida. 2 to 3 ft | 35 | $\frac{3}{4} \frac{00}{00}$ | |
| 3 to 4 ft | 50 | 4 00 | |
| 2 to 3 ft | 50 | 4 00 | |
| 2 to 3 ft. 3 to 4 ft. | 75 | 6 00 | |
| florida, var. Sieboldi alba. 4 to 5 ft | 75 | 0 00 | |
| floribunda Lavallei. 3 to 4 ft | 35 | 3 00 | 25 00 |
| 5 to 6 ft | 50 | 4 00 | |
| Japonica (syn., hortensis), var. flori- | | | |
| bunda. 2 to 3 ft | 50 | 4 00 | |
| Japonica, var. Eva Rathke. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \bigstar$. | 35 | 3 00 | 20 00 |
| $2\frac{1}{2}$ to 3 ft | 50 | 3 50 | 25 00 |
| 3 to 4 ft | 75 | 5 00 | 30 00 |
| Japonica, var. nivea. White. 2 to 3 ft. | 50 | 4 00 | |
| 3 to 4 ft | 75 | 5 00 | |
| Japonica, var. rubra. 2 to 3 ft | 35 | 3 00 | 20 00 |
| 3 to 4 ft | 50 | 4 00 | 25 00 |
| Grænewegeni. 3 to 4 ft | 50 | 4 00 | 30 00 |
| 4 to 5 ft | 75 | 6 00 | |
| Grænewegeni, var. Mad. Contourier. | | | |
| (Hybrid). 3 to 4 ft | 35 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| 4 to 5 ft | 50 | | 00.00 |
| Grænewegeni, var. Steltzneri. 2 to 3 ft. | $\frac{35}{60}$ | $\frac{3}{5} \frac{00}{00}$ | $\frac{20}{30} \frac{00}{00}$ |
| 3 to 4 ft 5 to 6 ft | 75 | 9 00 | 50 00 |
| Grænewegeni, var. Van Houttei— | .0 | | |
| 24 to 3 ft | 35 | 3 00 | |
| $2\frac{1}{2}$ to 3 ft. 3 to 4 ft. 3 | 50 | 4 00 | |
| 5 to 6 ft | 75 | 6 00 | |
| Verschaffelti. 2½ to 3 ft | 35 | . 3 00 | 20 00 |
| 3 to 4 ft | 50 | 4 00 | 25 00 |
| 4 to 5 ft | 75 | 6 00 | 30 00 |
| sessilifolia. $2\frac{1}{2}$ to 3 ft | 25 | 2 00 | 22. |
| 3 to $3\frac{1}{2}$ ft | 50 | 3 50 | $\frac{25}{25} \frac{00}{00}$ |
| 4 to 5 ft | 75 | 5 00 | 35 00 |
| trifida. $1\frac{1}{2}$ to 2 ft | 35 35 | $\frac{2}{3} \frac{00}{00}$ | $\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 50 50 | 4 00 | 20 00 |
| ₩2 to 9 It | -00 | 1 00 | |

| TRICE DIST TOR TREE OF 1912 | | |
|---|-------------------------------|--------------|
| Each | 10 | 100 |
| | | 100 |
| ELÆAGNUS angustifolia. Oleaster. 4 to 5 ft\$0 50 | \$4 00 | |
| 5 to 6 ft 75 | 6 00 | |
| 5 to 6 ft | | |
| ter. 4 to 5 ft. Bushy 75 | 5 00 | \$35.00 |
| 5 to 6 ft Bushy 1 00 | 8 50 | 50 00 |
| | | 60 00 |
| 6 to 7 ft 1 25 | 10 00 | 00 00 |
| narvifolia 6 to 7 ft 1 00 | 7 50 | |
| EUONYMUS alatus. Cork-barked. 2½ to 3 ft. + 1 50 3 to 3½ ft. + 2 00 | 13 50 | |
| 3 to 3½ ft | 18 50 | |
| 3½ to ½ ft | $\frac{22}{27} \frac{50}{50}$ | |
| | 97 50 | |
| | 21 00 | |
| 5 to 6 ft | 32/50 | |
| One of the most ornamental of | | |
| flowering and fruiting shrubs. | | |
| Americana. Strawberry Bush- | | |
| | 3 00 | 20.00 |
| | 3 50 | 25 00 |
| 4 to 5 ft 50 | | 20 00 |
| Europæus. Spindle Tree. 5 to 6 ft 50 | 3 50 | |
| Europæus. Spindle Tree. 5 to 6 ft 50 EXOCHORDA grandiflora. Pearl Bush. 2 to 3 ft 50 | 3 50 | |
| 4 to 5 ft | 4 00 | |
| 4 to 5 ft | $12 \ 50$ | |
| FORSYTHIA (Golden Bell) Fortunei. 3 to 4 ft 35 | 3 00 | |
| | | |
| $\frac{4}{5}$ to 5 ft.; very heavy 50 | 3 50 | 00.00 |
| 5 to 6 ft.; very heavy 75 | 4 00 | 30 00 |
| 6 to 7 ft.; very heavy | 5 - 00 | -35/00 |
| Fortunei, var. aurea variegata. 4 to 5 ft. 75 | 6 00 | 50.00 |
| intermedia. 2 to 3 ft | | 15.00 |
| | $\frac{2}{3} \frac{00}{00}$ | 20 00 |
| | | |
| 4 to 5 ft <u>50</u> | 4 50 | 30 00 |
| 5 to 6 ft | 6 00 | $35 \ 00$ |
| suspensa. 2 to 3 ft | 2 00 | -15 00 |
| 3 to 4 ft 50 | 4 00 | |
| 4 to 5 ft | 6 00 | |
| 5 to 7 ft.; very heavy 1 00 | 7 50 | |
| of to 1 II.; very neavy 1 00 | | 15 00 |
| viridissima. 2 to 3 ft | 2 00 | 15 00 |
| 3 to 4 ft.; very heavy; extra 35 | 3 00 | 25 00 |
| 4 to 5 ft.; very heavy; extra 50 | 4 00 | 30 00 |
| 5 to 6 ft.; very heavy; extra 75 | 6 00 | 50 00 |
| HALESIA tetraptera. 5 to 6 ft | 6 00 | |
| | 0.00 | |
| HAMAMELIS Japonica. Japanese Witch Hazel- | | 20.00 |
| $\frac{2}{2}$ to $\frac{21}{2}$ ft | 6 50 | $50 \ 00$ |
| 25 to 3 ft 1 00 | 8 50 | |
| Virginiana, Witch Hazel, 4 to 5 ft. 50 | 4 00 | |
| 5 to 6 ft.; heavy | 6 00 | 50 00 |
| 6 to 7 ft.: heavy | 7 50 | 60 00 |
| | 1 -90 | 00 00 |
| HIBISCUS Syriacus. Althea; Rose of Sharon- | - ^- | 07.00 |
| atropurpurea plena. 5 to 6 ft 75 | 5 00 | 35 00 |
| Boule de Feu. 5 to 6 ft | 5 00 | |
| cœrulea plena. 5 to 6 ft | 5 00 | |
| Comte de Flandre. 4 to 5 ft 50 | 4 00 | 25 00 |
| 5 to 6 ft | 5 00 | 35 00 |
| grandiflora superba. 4 to 5 ft 50 | 4 00 | 30 00 |
| grandiflora superba. 4 to 5 ft 50 | | |
| Jeanne d'Arc. 3 to 4 ft | 4 00 | 25 00 |
| 4 to 5 ft 75 | 5 - 00 | 40 00 |
| 5_to 6 ft 1 00 | 6.00 | 50 00 |
| Lady Stanley. 4 to 5 ft | 4 00 | 30 00 |
| 5 to 6 ft | 6 00 | 35 00 |
| 0 00 0 10, 1111111111111111111111111111 | 0.00 | 0., 50 |

| | Ea | .eh | . 1 | 0 | 1 | 00 |
|--|-----|---|---------------|-----------------|-----------------|------|
| HIBISCUS purpureus folis argenta marginata— | | | | | | |
| 4 to 5 ft | | | - \$3 | | | 00 |
| 5 to 6 ft | | 50 50 | | 00 | | 00 |
| totusalbus. 3 to 3½ ft | • | 75 | | 00 | | 00 |
| violacea (semi-plena). 5 to 6 ft | | 75 | | 00 | | 00 |
| HIPPOPHAE rhamnoides. See Buckthorn. | | * | ~ | | 2.17 | ,,,, |
| $2\frac{1}{2}$ to 3 ft | | 50 | . 2 | 50 | 20 | 00 |
| HYDRANGEA arborescens. 2 to 2½ ft | | 35 | 3 | 00 | | |
| $2\frac{1}{2}$ to 3 ft | | 50 | 3 | 50 | 25 | 00 |
| arborescens, var. grandiflora— | | | | | | |
| 3 to 4 ft | • | 50 | .4 | 50 | - 35 | 00 |
| Hortensis, var. Imperatrice Eugenie— | | 75 | | | | |
| $1\frac{1}{2}$ ft.; 4-in. pot | • | 75 | | | | |
| Hortensis, var. Japonica. 1 ft | : | 75 | | | | |
| paniculata. 2 to $2\frac{1}{2}$ ft | | 35 | | 00 | 25 | 00 |
| 4 to 5 ft | | 50 | | 00 | | |
| paniculata grandiflora. 3 to $3\frac{1}{2}$ ft | | 50 | | 00 | | 00 |
| $3\frac{1}{2}$ to 4 ft | . 1 | $\begin{array}{c} 75 \\ 00 \end{array}$ | $\frac{6}{7}$ | | | 00 |
| $4\frac{1}{2}$ to 5 ft.; extra heavy | . î | 50 | 12 | 50 | | 00 |
| quercifolia. Oak-leaved— | | - | | - | | |
| 2 to $2\frac{1}{2}$ ft | | 75 | | 00 | | |
| $\bar{3}$ to $\bar{3}\frac{1}{2}$ ft | . 1 | 00 | 7. | 50 | | |
| HYPERICUM aureum. $2\frac{1}{2}$ to 3 ft | | 35 | | 00 | | 00 |
| 3 to 4 ft | • | 50 | 4 | 00 | . 25 | -00 |
| calcinum. Aaron's Beard. 1 ft hircinum. 1½ to 2 ft | • | 50 50 | 3 | 50 | 20 | 00 |
| Moserianum hybridum. Gold-Flower— | | 90 | | ()() | 1 | 00 |
| 15 to 18 in | " | 50 | 2 | 50 | 20 | 00 |
| patulum. 12 to 15 in | | 35 | | | | |
| prolificum. 15 to 18 in | | 50 | | | | |
| ILEX Sieboldi. Red-fruited. $2\frac{1}{2}$ to 3 ft | . 1 | 50 | | 50 | | |
| Sieholdi. White-fruited. 2 to $2\frac{1}{2}$ ft | . 1 | 50 25 | | 50 | | |
| verticillata. Winter Berry. $1\frac{1}{2}$ to 2 ft | • | 25 35 | 2 2 | 00 | . 95 | 00 |
| $2\frac{1}{2}$ to $3\frac{2}{2}$ ft | • | 50 | | 00 | 35 | |
| ITEA Virginica. 1½ to 2 ft | | 35 | 3 | | ~ 20 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | 50 | 3 | 50 | $\tilde{2}_{5}$ | |
| JASMINUM nudiflorum. Yellow Jasmine— | | | | | | |
| $1\frac{1}{2}$ ft | | 50 | 3 | 50 | 25 | 00 |
| KERRIA. See Corchorus. | | | | | | |
| LESPEDEZA bicolor. 4 to 5 ft | | 35 | 2 | $\frac{50}{50}$ | | |
| 5 to 6 ft | | 50 | 3 | 50 | | |
| Sieboldi; syn., Desmodium Japonicum- | - | 35 | | | | |
| Heavy clumps | | 50 50 | | | | |
| LIGUSTRUM Amurense. Amoor Privet. 2 to $2\frac{1}{2}$ ft. | • | 35 | 9 | 00 | 15 | 00 |
| Ligosimon Amurense. Amoor Privet. 2 to $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to 3 ft. $2\frac{1}{2}$ | | | | 00 | | 00 |
| ciliatum. Sold by many for Ibota- | • | -00 | 1 | 90 | | ,,,, |
| 3 to $3\frac{1}{2}$ ft. Broad and heavy | | -50 | . 3 | 50 | | 00 |
| $3\frac{1}{2}$ to 4 ft. Broad and heavy | | 60 | | 00 | | 00 |
| 4 to 5 ft. Broad and heavy 5 to 6 ft. Broad and heavy | | $\frac{75}{00}$ | 5 | 00 50 | | 00 |
| o to o it, broad and heavy | . 1 | 00 | • | 90 | 90 | 00 |

| | | Each | 10 | 100 |
|---------------|---|-----------|-----------------------------|-------------------------------|
| LIGUSTRUM Ibo | ota. The true upright form- | | | |
| 210001110111 | 2 to $2\frac{1}{2}$ ft | $80 \ 25$ | \$2 00 | \$10 00 |
| | $2\frac{1}{2}$ to 3° ft | 35 | 3 00 | 12 50 |
| | 3 to $3\frac{1}{2}$ ft | 50 | 3 50 | 15 00 |
| | 4 to 5 ft.; heavy | 60 | 4 00 | 20 00 |
| | 5 to 6 ft | 75 | 6.00 | 35 00 |
| | 6 to 7 ft | 1 00 | 8 50 | 60 00 |
| - Iho | ota, var. Regelianum. Regel's- | | | |
| | | 35 | 3 00 | 20.00 |
| 97 | $1\frac{1}{2}$ to 2 ft.; heavy | - 50 | 3 50 | -25 00 |
| | 3 to 4 ft | 75 | 5 00 | 30 00 |
| | 4 to 5 ft | 1 00 | 7 50 | 35 00 |
| mc | edia. 2½ to 3 ft | 50 | 3 50 | 20 00 |
| | alifolium. Califorina Privet— | •90 | 5 50 | 20 00 |
| OV | 2 to 2½ ft.; bushy 1000, \$35 | 25 | 1.00 | 5 00 |
| | $\frac{2}{2\frac{1}{2}}$ to $\frac{2}{3}$ ft.; bushy $\frac{1000}{1000}$, \$50 | 35 | 1 50 | 7 50 |
| | $\frac{23}{3}$ to $\frac{31}{5}$ ft.; bushy $\frac{1000}{1000}$, \$60 | 50 | $\frac{1}{2} \frac{50}{50}$ | 10 00 |
| | | 60 | $\frac{2}{4} \frac{50}{00}$ | 15 00 |
| | | | $\frac{4}{5} \frac{00}{00}$ | $\frac{15}{25} \frac{00}{00}$ |
| 2. | 7 4 to 5 ft.; bushy | 75 | 5 00 | 20 00 |
| | 5 to 6 ft.; bushy | | | |
| OV | alifolium. var. aureum. Golden Privet- | | 0.00 | |
| | $2\frac{1}{2}$ to 3 ft | 75 | 6 00 | |
| | Grand stock. Transplanted | | | |
| | Privet, extra heavy. Will give | | | |
| | immediate hedge. | | | |
| Si | nensis. Chinese Privet. $2\frac{1}{2}$ to 3 ft | 50 | 3 50 | |
| | $3\frac{1}{2}$ to 4 ft | 75 | 4 .00 | |
| vu! | garis. Common Privet. 2 to 3 ft | 35 | $\frac{2}{2} 50$ | 15 00 |
| | 3 to 4 ft | 50 | 3 00 | 25 00 |
| | 4 to 5 ft | 75 | 4 00 | 30 00 |
| LONICERA frag | rantissima. Chinese Fragrant Bush | | | |
| | Honeysuckle. 2 to 3 ft | 25 | $2 \ 25$ | 20.00 |
| | 3 to 4 ft | 35 | $^{+3} 25^{+}$ | $\sim 30^{\circ}00^{\circ}$ |
| | 4 to 5 ft.; heavy | 50 | 4 50 | 40.00 |
| | 5 to 6 ft.; heavy | 75 | 6 00 | 50 00 |
| | | | | |



A Portion of the Propagating Grounds at Andorra.

| 42 ANDORRA NURSERIES | | | |
|--|----------------|--------------|-------------------------------|
| E | ach | 10 | 100 |
| LONICERA Morrowi. Japanese Bush Honeysuckle- | | 40 00 | 00× 00 |
| 3 to 4 ft\$0 | | \$3.00 | \$25 00 |
| 4 to 5 ft | 75 | 5 00 | 35 00 |
| 5 to 6 ft 1 | | 6.00 | 40 00 |
| Ruprechtiana. 2 to 3 ft | 35 | 3.00 | 20.00 |
| 3 to 4 ft | 50 | 3.50 | 25/00 |
| 4 to 5 ft | 75 | 5 00 | 35 00 |
| Standishi. Standish's Honeysuckle- | | | |
| 2 to $2\frac{1}{2}$ ft | 75 | 6.00 | |
| Tatarica. Mixed sorts. $3\frac{1}{2}$ to 4 ft | 35 | 2 50 | |
| 5 to 6 ft | 50 | 3 00 | 25 00 |
| 5 to 6 ft. 6 to 8 ft.; heavy | 75 | 5 00 | 30 00 |
| Tatarica (rubra). 3 to 4 ft | 50 | 3 50 | 30 00 |
| 4 to 5 ft | 75 | 5 00 | 35 00 |
| 4 to 5 ft | 35 | 3 00 | 9.5 00 |
| 3 to 4 ft | 50 | 3 50 | |
| 1 to 5 ft + heavy | 75 | 6 00 | 40 00 |
| 4 to 5 ft.; heavy | 1 00 | 7 50 | 50 00 |
| Teterios was ballo albido 0 to 0 th | | | $\frac{30}{25} \frac{00}{00}$ |
| Tatarica, var. bella albida. 2 to 3 ft | 35 | 3 00 | 25 00 |
| 3 to 4 ft | 50 | 4 00 | |
| 4 to 5 ft | 75 | 5 00 | |
| 5 to 6 ft | 1 00 | 7 50 | 97 00 |
| latarica, var. gracilis. 2 to 3 ft | $\frac{35}{2}$ | 3 00 | $25 \ 00$ |
| 3 to 4 ft | 75 | 6 00 | |
| _ 5 to 6 ft | | 7 50 | 00.00 |
| Tatarica, var. Chrysanthera. 4 to 5 ft | 50 | 3 50 | 30 00 |
| 5 to 6 ft | 75 | 5 00 | 40 00 |
| Tatarica, yar. splendens. 2 to 3 ft | 35 | 3 00 | 20 00 |
| 4 to 5 ft | 50 | 4 00 | 35 00 |
| | 1-00- | 7 50 | $50 \ 00$ |
| LYCIUM Chinense. Matrimony Vine. 2 to $2\frac{1}{2}$ ft | 35 | 2.50 | 15 00 |
| MYRICA cerifera. Wax Myrtle. 1\frac{1}{2} to 2 ft | 50 | 4 00 | 35 00 |
| 2 to $2\frac{1}{2}$ ft | 75 | 6.00 | 40 00 |
| PAVIA parvillora. See Alsculus, under Shrubs. | | | |
| PHILADELPHUS coronarius. Mock Orange— | | | |
| 2 to 3 ft | 35 | 3 00 | 15 00 |
| 3 to 4 ft | 50 | 4 00 | 25 00 |
| 5 to 6 ft | 75 | 6 00 | 35 00 |
| coronarius, var. aureus. Golden | | | |
| Mock Orange. $1\frac{1}{2}$ to 2 ft. | 50 | 4 00 | |
| coronarius, var. Avalanche- | | | |
| 3 to 4 ft | 75 | 6 00 | |
| coronarius, var. primulæ florus—. | | | |
| $2\frac{1}{2}$ to 3 ft | 50 | 4 00 | |
| grandiflorus. 3 to 4 ft | 35 | 3 00 | 25 - 00 |
| 4 to 5 ft | 50 | 4 00 | 30 00 |
| 5 to 6 ft | 75 | 5 00 | 35 - 00 |
| 6 to 8 ft | 1 00 | 7 50 | |
| Lemoinei. (Hybrid.) 3 to 4 ft | 50 | 4 00 | 30 00 |
| Lemoinei. (Hybrid.) 3 to 4 ft Lemoinei, var. erectus. 2 to 3 ft | 35 | 3 00 | 20 00 |
| 3 to 4 ft | 50 | 4 00 | $\frac{25}{2}$ 00 |
| 4 to 5 ft | 75 | 5 00 | 30 00 |
| Mt. Blanc. $1\frac{1}{2}$ to 2 ft | 35 | 3 00 | 20 00 |
| 3 to 4 ft | 75 | 5 00 | $\bar{3}5 00$ |
| Zevheri, var. speciosissimus- | | | |
| Zeyheri, var. speciosissimus— $2\frac{1}{2}$ to 3 ft 3 to 4 ft | 35 | 3.00 | 20 00 |
| 3 to 4 ft | 50 | 4 00 | 25 00 |
| 5 to 6 ft | 75 | 6 00 | 35 00 |
| 0 10 0 11 | .0 | 0.00 | -55 |

PRICE LIST FOR FALL OF 1912

| TRICE DIOT TON THEE | | 4.0 | 100 |
|--|-----------------|--|--|
| | Each | 10 | 100 |
| POTENTILLA fruticosa. Shrubby ('inquefoil— 2 to $2\frac{1}{2}$ ft | .\$0.35 | \$3.00 | \$20 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | . 50 | 3 50 | 25 00 |
| 3½ to 4 ft | | 4 00 | 30 00 |
| PRUNUS amygdalus communis. Flowering Almond- | | | |
| 1 to 2 ft | . 75 | 5 00 | |
| amvodalus communis, var. rosea— | | F 00 | |
| $1\frac{1}{2}$ to 2 ft | . 75 | 5 00 | |
| PYRUS arbutifolia. Chokeberry. 3 to 4 ft | 50 | 3 50 | 95 00 |
| arbutifolia, var. brilliantissima. 2 to 3 ft. | $\frac{50}{75}$ | 3 50 5 00 | $\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$ |
| 3 to 4 ft | . 75 . 35 | 3 00 | 20 00 |
| $\frac{1}{3\frac{1}{2}}$ to 4 ft | 50 | 3 50 | $\overline{25}$ $\overline{00}$ |
| | | 3 00 | |
| RHAMNUS cathartica. Buckthorn. 3 to 4 ft | =0 | 3 50 | |
| 6 to 8 ft | | 5 00 | 40 00 |
| RHODOTYPUS kerrioides. White Kerria— | | | |
| 2½ to 3 ft | 35 | 3 00 | 20 00 |
| $\overline{3}_{\overline{2}}^{\overline{4}}$ to $\underline{4}$ ft | . 50 | 4 00 | $25 \ 00$ |
| 4 to 5 ft. Very heavy | . 75 | 6 00 | |
| RHUS aromatica. Fragrant Sumac. 1½ to 2 ft | $\frac{25}{25}$ | 2 00 | 15 00 |
| $2\frac{1}{2}$ to 3 ft | | $\frac{4}{5} \frac{00}{00}$ | $\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$ |
| 3 to 3½ ft | . † 75 . 35 | 3 00 | $\frac{30}{25} \frac{00}{00}$ |
| copallina. Shining Sumac. 2 to 3 ft 3 to 4 ft | $\frac{50}{50}$ | 4 00 | 30 00 |
| 4 to 5 ft | | $\hat{6} = \hat{0}\hat{0}$ | 40 00 |
| 6 to 7 ft | . 1 00 | 8 50 | |
| Cotinus. Mist, or Smoke Tree. 3 to 4 ft | . 35 | 3 00 | 20.00 |
| 4 to 5 ft | . 50 . 75 | 4 00 | 30 00 |
| 5 to 6 ft | | | |
| Cotinus, var. atropurpurea. Purple Mist- | . 1 00 | | |
| 2 to 3 ft | . 50 | 4 00 | |
| 3 to 4 ft | . 75 | 6 00 | |
| 4 to 5 ft | | | |
| RIBES aureum. Golden Currant. 3 to 4 | . 50 | 3 50 | 25 00 |
| Gordonianum. 3 to $3\frac{1}{2}$ ft | | 3 00 | 20 00 |
| ROBINIA hispida. Rose Acacia. 2 to $2\frac{1}{2}$ ft | | 2 50 | 20 00 |
| RUBUS Canadensis. 2 to 3 ft | | $\begin{array}{cccc} 2 & 00 \\ 2 & 00 \end{array}$ | |
| odoratus. 2 to 3 ft | | 3 00 | 20 00 |
| SAMBUCUS Canadensis. 2 to 3 ft | | 6 00 | 20 00 |
| 5 to 6 ft | | 7 50 | |
| nigra, var. aurea. Golden Elder- | | | |
| 2 to 3 ft | . 35 | 3 00 | 20 00 |
| 3 to 4 ft. Very heavy | . 50 | $\frac{4}{5} \frac{00}{00}$ | $\begin{array}{cccc} 25 & 00 \\ 40 & 00 \end{array}$ |
| 5 to 6 ft. Very heavy | | 5 00 | 40 00 |
| 2 to $2\frac{1}{2}$ ft | | | |
| 3 to 4 ft | | | |
| racemosa. Red-fruited— | | | |
| $\begin{array}{c} 2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots \dots \dots \dots \\ 3 \text{ to } 4 \text{ ft.} \dots \dots \dots \dots \dots \dots \end{array}$ | | 6.00 | 35 00 |
| 3 to 4 ft | 4 00 | 8 50 | 50 00 |
| 1 to 0 1t | | | 00 00 |

| | | Cach | 10 | 100 |
|--|---|---|--|---|
| SPIRÆA arguta. 2 to 3 ft | · • · • • • • • • • • • • • • • • • • • | $\frac{0.35}{50}$ | \$2 50 3 50 | \$20 00 |
| | | | | |
| Billardii. 3 to 4 ft | | 35 50 | $\frac{3}{3} \frac{00}{50}$ | 25 00 |
| | | | | 200 |
| | | 35 50 | $\frac{3}{4} \frac{00}{00}$ | |
| | | 75 | 6 00 | |
| Bumalda, var. Anthony | Waterer 11 to 9 ft | 35 | 2 50 | |
| | tvy | 50 50 | 4 00 | |
| $oldsymbol{ar{2}}_{2}^{1}$ to $oldsymbol{ar{3}}^{2}$ ft. Hea | vy | 75 | $\hat{5}$ $\hat{00}$ | |
| callosa. Fortune's Sp | oirea. 2 to 3 ft | 35 | 3 00 | 20 00 |
| callosa, var. alba. 2 | to 3 ft | 35 | 3 00 | 20 00 |
| Hyb. Margarite. 3 to | 31 ft | 35 | 3.00 | 25 00 |
| $3\frac{1}{2}$ to 4 ft | ***************** | 50 | 4 00 | 30 00 |
| Japonica, var. Fortune | | 50 | 3 50 | |
| Lindleyana. 3 to 4 ft | | 50 | 4 00 | $25 \ 00$ |
| | | 35 | 3 00 | |
| | | 50 | 4 00 | 25/00 |
| 6 to 7 ft. Heav | ř | 75 | 6 00 | 40 00 |
| | • | 1 00 | 8 50 | 75 00 |
| opulifolia, var. aurea. | | n= | 2.00 | 20.00 |
| | | 35 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{20}{25} \frac{00}{00}$ |
| 6 to 7 ft. Heavy | · · · · · · · · · · · · · · · · · · · | 75 | 6 00 | 40 00 |
| prunifolia flore pleno. | | | | |
| 4 to 5 ft | | 50 | 3 00 | 25 00 |
| | | 35 | 3 00 | 20 00 |
| | • | $\frac{50}{75}$ | $\frac{4}{6} \frac{00}{00}$ | $\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$ |
| | • | | | |
| | · · · · · · · · · · · · · · · · · · · | 35 | 2.50 | 20 00 |
| Sorbifolia. $2\frac{1}{2}$ to 3 ft | | 50 | 3 50 | 20 00 |
| Thunbergii. Thunberg | 's Spirea— | 0~ | 9 00 | 20 00 |
| $1\frac{1}{2}$ to 2 ft $2\frac{1}{2}$ to 3 ft. Ver | y heavy | 35 50 | $\begin{array}{ccc} 3 & 00 \\ 3 & 50 \end{array}$ | 20 00 |
| | y heavy | 75 | 4 00 | |
| Van Houttei. 2½ to 3 | ft | 35 | | |
| $\frac{3}{2}$ to $3\frac{1}{2}$ ft | FINE | 50 | 4 00 | 05.00 |
| 4 to 5 ft | FINE | $1 \begin{array}{c} 75 \\ 1 \end{array}$ | $\begin{array}{ccc} 5 & 00 \\ 8 & 50 \end{array}$ | $\frac{35}{50} \frac{00}{00}$ |
| 6 to 7 ft | | 1 50 | $\frac{3}{12} \frac{50}{50}$ | 75 00 |
| STAPHYLEA Bumalda. 3 to 31 | | 50 | 4 00 | |
| STEPHANANDRA flexuosa. 2 t | o $2\frac{1}{2}$ ft | 35 | 3 00 | 20 00 |
| $2rac{1}{2}$ to 3 : | ft. Heavy | 50 | 4 00 | 25 00 |
| | ft. Heavy | 75 | 6 00 | 40 00 |
| STYRAX Japonica. 4 to 5 ft | | $\begin{array}{c} 75 \\ 1 & 00 \end{array}$ | $\frac{6}{7} \frac{00}{50}$ | 50 00 |
| J 10 0 11, | | . 00 | . 50 | 00 00 |

| SYMPHORICARPUS racemosus. Snowberry- Each | 10 | 100 |
|--|-----------------------------|-------------------------------|
| 2 to 2½ ft\$0 35 | \$2 50 | \$20.00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 00 | 4,20 00 |
| vulgaris. Coral Berry— | */ (/// | |
| 2 to 3 ft 35 | 3.00 | 12 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 4 00 | 15 00 |
| $3\frac{1}{2}$ to 4 ft. Heavy 75 | 6 00 | 20 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 7 00 | $\frac{25}{25} \frac{00}{00}$ |
| | 1 00 | |
| SYRINGA Chinensis; syn. Rothomagensis. Rouen | 9.70 | 95 00 |
| Lilae. 2 to $2\frac{1}{2}$ ft 50 | 3 50 | $\frac{25}{2} \frac{00}{00}$ |
| 4 to 5 ft | 5 00 | 35/00 |
| Japonica. 6 to 7 ft | 12 50 | |
| Josikæa. 2 to $2\frac{1}{2}$ ft | $\frac{4}{2} \frac{00}{00}$ | |
| 3 to 4 ft | 7 50 | |
| Josikæa, var. H. Zabel. 3 to 4 ft 1 50 | | |
| Persica. 3 to 4 ft | | |
| Persica, var. alba. 4 to 5 ft | 6 00 | 30 00 |
| villosa. 3 to 3½ ft | 4 00 | |
| 4 to 5 ft. Specimens 1 00 | 7 50 | |
| villosa, var. Emodi. 2 to 2\frac{1}{2} ft | 4 00 | 30 00 |
| villosa, var. Emodi. 2 to $2\frac{1}{2}$ ft | 3 00 | $\frac{25}{25} \frac{00}{00}$ |
| $\frac{3}{3}$ to $\frac{3}{2}$ ft | 4 00 | $\frac{1}{35} \frac{1}{00}$ |
| 4 to 5 ft 75 | 6 00 | 40 00 |
| 5 to 6 ft | 0 00 | 10 00 |
| vulgaris alba. 2 to $2\frac{1}{2}$ ft | 4 00 | 35 00 |
| $3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \dots$ | 6 00 | 40 00 |
| 4 to 6° ft | 0 00 | 40 00 |
| | | |
| vulgaris, named varieties— | | |
| alba grandiflora (Single, white)— | 0.00 | |
| 3 to 4 ft | 6 00 | |
| Charles X. Single, reddish purple— | 0.70 | 20.00 |
| $\frac{2}{2}$ to $\frac{21}{2}$ ft | $\frac{3}{3} \frac{50}{90}$ | 30 00 |
| $\frac{3}{4}$ to $\frac{3}{2}$ ft | 6 00 | |
| 4 to $4\frac{1}{2}$ ft | 10 00 | |
| La Tour d'Auvergne. Double, violet- | 10 50 | |
| purple. 4 to 5 ft 1 50 | 12 50 | |
| Mad. Lemoine. Double, White- | F F0 | |
| 3 to 4 ft | 7 50 | |
| Marie LeGraye. Single, white- | 0.00 | |
| $\frac{2^{\frac{1}{2}}}{2^{\frac{1}{2}}}$ to 3 ft | $\frac{6}{9} \frac{90}{20}$ | |
| 3^{-} to $3\frac{1}{2}$ ft | 8 50 | |
| $4 	ext{ to } 4\frac{1}{2} 	ext{ ft.} 	ext{ 1 50}$ | 12 50 | |
| Marc Micheli. Double, lilac-blue— | 40 50 | |
| 4 to 5 ft 1 50 | 12 50 | |
| Michael Buchner. Double, pale lilac- | | |
| 3 to 4 ft 1 00 | 8 50 | |
| _ 4 to 5 ft 1.50 | $12 \ 50$ | |
| President Carnot. Double, light lilac- | | |
| 4 to 5 ft 1 50 | | |
| President Grevy. Double, blue- | | |
| 3 to 4 ft 1 00 | 7.50 | |
| President Loubet. Double, reddish | | |
| carmine. 3 to 4 ft 1 00 | 7 50 | |
| Rubra de Marley. Single, reddish purple— | | |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 50$ | 4 00 | 30 00 |
| 4 to $4\frac{1}{2}$ ft | 7 50 | |
| 5 to 6 ft 2 50 | | |
| | | |

| Each | 10 | 100 |
|--|---|--|
| SYRINGA Souvenir de Ludwig Spæth. Single red— | | |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | | |
| 4^2 to $4\frac{1}{2}$ ft 1 00 | | |
| Verschaffelti. Single Dark Red. 4 to 5 ft. 1 00 | 1 | |
| TAMARIX Africana; syn., parviflora— | | |
| 4 to 5 ft 50 | \$4 00 | |
| 5 to 6 ft 75 | 5 00 | |
| Gallica. 2 to 3 ft | 3 00 | \$20 00 |
| 3 to 4 ft 50 | 4 00 | 25 00 |
| Gallica, var. Indica. 4 to 5 ft | 5 00 | 35 00 |
| Japonica plumosa. 3 to 4 ft 50 | 4 00 | 25 00 |
| VACCINIUM corymbosum. Swamp Huckleberry- | | |
| $\frac{1}{2}$ to 2 ft | | 30 00 |
| 2^2 to $2\frac{1}{2}$ ft | | 40 00 |
| VIBURNUM acerifolium. $1\frac{1}{2}$ to 2 ft | | $\frac{25}{20} \frac{00}{00}$ |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.} \qquad \qquad 50$ | | 30 00 |
| cassanoides. White Rod. 2 to $2\frac{1}{2}$ ft. 35 to $3\frac{1}{2}$ ft. Very heavy 75 | | $25 \ 00$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | |
| 6 to 7^2 ft. Very heavy 2 00 | | |
| dentatum. Arrow-wood. $3\frac{1}{2}$ to 4 ft 75 | 6.00 | 30 00 |
| 4 to 5 ft.: heavy | 8 50 | 40 00 |
| 5 to 6 ft.; heavy | | 60 00 |
| 6 to 7 ft.; heavy 1 50 | 12 50 | 80 00 |
| dilatatum. Japan Bush Cranberry— | 9.00 | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | |
| Lantana. Wayfaring Tree— | • | |
| $3\frac{1}{2}$ to 4 ft.; heavy | 4 00 | |
| 4 to 5 ft.; heavy 75 | | |
| 5 to 6 ft.; very heavy 1 00 | 8 50 | |
| Lentago. Sheep-berry. 2 to 3 ft 50 | | 30 00 |
| 4 to 5 ft | | 40 00 |
| 5 to 6 ft | | |
| molle. 3 to 4 ft | | |
| 4 to 5 ft | | |
| 5 to 6 ft 1 00 | | 75 00 |
| 6 to 7 ft 1 50 | 12 50 | 100 00 |
| Opulus. High Cranberry Bush- | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | 30 00 |
| | | 35 00 50 00 |
| 4 to 5 ft. Fine | | 75 00 |
| 6 to 7 ft | | 90 00 |
| Opulus, var. sterile. Guelder Rose- | | |
| 3 to $3\frac{1}{2}$ ft | | |
| 4 to 5 ft | | 40 00 |
| 5 to 6 ft 1 00 | 7 50 | 50 00 |
| plicatum. Japanese Snowball— | 4.00 | 25 00 |
| 2 to 3 ft | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 0 (0 1 10 11111111111111111111111111111 | 9 00 | 40 00 |

| Each 10 |) | 100 |
|---|--|---|
| VIBURNUM plicatum, var. tomentosum. Single Japan | | |
| Snowball. 2½ to 3 ft\$0 35 \$3 | 00 | \$25 00 |
| | 00 | 35 00 |
| 4 to 5 ft; extra fine 75 5 | 00 | 45 00 |
| 5 to 6 ft. Specimens. Fine 1 00 7 | 50 | |
| 5 to 6 ft. Specimens. Fine 1 00 7 7 to 8 ft. Specimens. Fine 2 50 20 | | 150 00 |
| A beautiful shrub, deserving | ,,, | 200 00 |
| extensive planting. | | |
| prunifolium. Black Haw— | | |
| $2\frac{1}{2}$ to 3 ft | | |
| 3½ to 4 ft | | |
| 4° to 6° ft | | |
| | 50 | 65 00 |
| 5 to 6 ft | | 100 00 |
| VITEX Agnus-castus. Chaste Tree. 3 to 4 ft 50 3 | | 20 00 |
| | 00 | 20 00 |
| | | 20 00 |
| XANTHOCERAS sorbifolia. 3 to 4 ft | 00 50 | |
| | •90 | |
| XANTHORRHIZA apiifolia. Shrub Yellow Root— 5 to 6 in. In clumps 25 2 | 00 | 10.00 |
| 5 to 6 in. In clumps 25 $\frac{2}{2}$ 6 to 8 in. In clumps 35 $\frac{2}{2}$ | $\frac{00}{75}$ | $\frac{10}{10} \frac{00}{50}$ |
| 6 to 8 in. In clumps 35 2 | 50 | $\frac{12}{15} \frac{50}{00}$ |
| 10 to 12 in. In clumps 50 3 12 to 18 in. In clumps 75 5 | 09 | $\frac{10}{20} \frac{00}{00}$ |
| 12 to 18 in. In clumps 75 5 | 09 | 20 00 |
| REEDS and GRASSES | | |
| | | |
| | ooh | 10 |
| | ach | 10 \$3.50 |
| ARUNDO Donax. Clumps\$6 | 50 | \$3.50 |
| ARUNDO Donax. Clumps | 50 50 | \$3 50 3 50 |
| ARUNDO Donax. Clumps | 50 50 25 | \$3 50 3 50 1 50 |
| ARUNDO Donax. Clumps | 50 50 | \$3 50 3 50 |
| ARUNDO Donax. Clumps | 50 50 25 50 | \$3 50 3 50 1 50 3 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps | 50 50 25 50 50 | \$3 50 3 50 1 50 3 50 3 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps | 50 50 25 50 50 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass | 50 50 25 50 50 25 50 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps | 50 50 25 50 50 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia | 50 50 25 50 50 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 1 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass | 50 50 25 50 50 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 1 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P. | 50 50 25 50 25 50 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P | 50 50 25 50 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 1 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P | 50 50 25 50 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 1 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. | 50 50 25 50 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 1 50 NTS |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P. ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. | 250 255 50 255 25 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 1 50 NTS |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 3-year, field-grown: heavy | 250 255 50 255 25 25 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 1 50 NTS |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 3-year, field-grown; heavy. quinquefolia, var. Engelmanni. 5-in. pots; heavy. | 25 50 25 50 25 25 25 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 3 50 3 50 3 50 3 50 3 50 3 50 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 3-year, field-grown; heavy quinquefolia, var. Engelmanni. 5-in. pots; heavy. 3-year, field-grown; heavy | 250 255 50 255 25 25 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 1 50 NTS |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 3-year, field-grown; heavy quinquefolia, var. Engelmanni. 5-in. pots; heavy. 3-year, field-grown; heavy tricuspidata; syn., Veitchi. Japan or Boston | 50 50 25 50 25 25 25 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 3 50 2 00 3 00 2 00 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 3-year, field-grown; heavy quinquefolia, var. Engelmanni. 5-in. pots; heavy. 3-year, field-grown; heavy tricuspidata; syn., Veitchi. Japan or Boston | 25 50 50 25 50 50 25 25 25 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 3 50 2 00 2 00 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 3-year, field-grown; heavy quinquefolia, var. Engelmanni. 5-in. pots; heavy. 3-year, field-grown; heavy tricuspidata; syn., Veitchi. Japan or Boston | 25 50 50 25 50 25 25 25 25 25 25 25 25 25 25 25 35 25 35 25 35 25 35 25 35 25 35 35 36 36 36 37 37 37 37 37 37 37 37 37 37 37 37 37 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 1 50 1 50 1 50 2 00 3 50 3 50 4 50 5 50 6 50 6 7 7 8 3 50 8 5 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 3-year, field-grown; heavy quinquefolia, var. Engelmanni. 5-in. pots; heavy. 3-year, field-grown; heavy. tricuspidata; syn. Veitchi. Japan or Boston Lvy; 5-in. pots; heavy. 2-year, field-grown; heavy. per 100, \$15. ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in. pots. | 25 50 50 25 50 50 25 25 25 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 3 50 2 00 2 00 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 3-year, field-grown; heavy quinquefolia, var. Engelmanni. 5-in. pots; heavy. 3-year, field-grown; heavy. tricuspidata; syn. Veitchi. Japan or Boston Lvy; 5-in. pots; heavy. 2-year, field-grown; heavy. per 100, \$15. ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in. pots. | 25 50 50 25 50 50 25 25 25 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 NTS \$3 50 2 00 2 00 2 00 6 00 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 3-year, field-grown; heavy quinquefolia, var. Engelmanni. 5-in. pots; heavy. 3-year, field-grown; heavy tricuspidata; syn. Veitchi. Japan or Boston Ivy: 5-in. pots; heavy. 2-year, field-grown; heavy. per 100, \$15. ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in. pots. 6-in. pots BIGNONIA grandiflora. 13 to 2 ft.; field-grown. | 25 50 25 50 50 25 25 25 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 1 50 NTS 10 \$3 50 3 50 6 00 2 00 6 00 2 00 2 00 |
| ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca PHALARIS arundinacea, var. variegata. Ribbon Grass. UNIOLA latifolia VINES, CLIMBING and TRAILING P ACTINIDIA polygama. 6-in. pots. AKEBIA quinata. From 4-in. pots. AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 3-year, field-grown; heavy. quinquefolia, var. Engelmanni. 5-in. pots; heavy. 1-year, field-grown; heavy. 2-year, field-grown; heavy. | 25 50 50 25 50 50 25 25 25 25 25 25 25 25 25 25 25 25 25 | \$3 50 3 50 1 50 3 50 3 50 1 50 1 50 1 50 NTS \$3 50 3 50 2 00 2 00 2 00 6 00 |

| | T . | |
|---|-------------------|---|
| CELASTRUS scandens. False Bitter-sweet- | Each | . 10 |
| 2 to 3 ftper 100, \$20. | .80 50 | \$3.50 |
| 3 to 5 ft.; heavy; field-grown | . 75 | 5 00 |
| CLEMATIS coccinea 4-in pots | 35 | 3 00 |
| Flammula. Sweet Clematis. 5-in. pots | . 1 00 | 7.50 |
| Large-flowering varieties.—Fairy Queen, Gen | ١, | |
| Henryi, Jackmani, Jackmani var. alba | ι, | |
| Jeanne d'Arc, Duchess of Edinburgh, Kei | | |
| mesina, Lady Neville, Lilacina floribunda Madame Van Houtte, Miss Bateman, Presi | i- | |
| dent | . 50 | 4 00 |
| paniculata. 2-year; heavyper 100, \$15. | | 2 50 |
| 5-in. pots; fine | . 50 50 | 3 50 4 00 |
| | . 50 | 7 00 |
| DCLICHOS See Pucraria. | 9- | 4 === |
| EUONYMUS radicans. 1 ft.; field-grownper 100, \$15. | . 25 | 1 75 2 50 |
| 1½ to 2 ft.; field-grownper 100, \$20. radicans, var. variegata. 1 ft.; field-grown | | $\begin{array}{c} 2 & 50 \\ 2 & 00 \end{array}$ |
| radicans, var. Carrieri (large leaf)— | | |
| $1\frac{1}{2}$ to 2 ftper 100, \$35. | . 50 | 4 00 |
| HEDERA Helix. English Ivy. 4-in. potsper 100, \$20. | . 35 | 3 00 |
| LATHYRUS latifolius. Everlasting Pea | . 35 | 2 50 |
| LONICERA Japonica. Honeysuckle. 4-in. pots. per 100, \$20. | . 35 | 2 50 |
| 3-year; field-grown | . 35 | 3 00 |
| Japonica, var. brachypoda; syn., flexuosa. Field | 1- . 35 | 3 00 |
| grown; 4-in. pots per 100, \$20. Japonica, var. aurea reticulata. 4-in. pots | | 3 00 |
| Japonica, var. Chinensis. Purplish green foliage- | | 0 00 |
| 4-in. pots | . 35 | 3 00 |
| Heavy, field-grown | . 35 | - 3 00° - 3 00° |
| Japonica, var. Halleana. 4-in. potsper 100, \$20. 3-year old, field-grownper 100, \$15. | | $\begin{array}{c} 3 & 00 \\ 2 & 00 \end{array}$ |
| sempervirens, var. fuchsicides. Scarlet Trumpet- | | 2 00 |
| 6-in pots | | 4.00 |
| PERIPLOCA Græca. Silk Vine. Field-grown | | 3 00 |
| 6-in. pots | . 50 | 4 00 |
| PUERARIA Thunbergiana. Kudzu Vine | . 1 00 | 7 50 |
| VITIS æstivalis. Summer Grape | . 50 | 3 50 |
| heterophylla, var. variegata | 50 | 3 50 |
| Labrusca. Fox Grape | | 3 50 |
| riparia. Frost Grape | . 50 | 9 90 |
| WISTARIA Chinensis. Chinese Wistaria— 2 to 3 ft.; in large pots | . 1 50 | 12 50 |
| 3 to 4 ft.; field-grown | 2.00 | 15 00 |
| Chinensis (Standards), 4 to 5 ft | 3-50 | 30 00 |
| Chinensis, yar. alba. Field-grown. 4 to 6 ft | $\frac{250}{500}$ | $\frac{22}{30} \frac{50}{00}$ |
| 6 to 7 ft | 3 50 to 2 50 | 50 00 |
| 5 to 7 ft | 1. 250 | 22 50 |
| magnifica. 5 to 6 ft.: field-grown\$1.50 | to 2 50 | |
| multipua. 3 to 4 ft.: field-grown | 1.50 | .12 50 |
| 4 to 6 ft.; field-grown\$1.50 multijuga, var. alba. Field-grown. 3 to 4 ft | to 3 50 1 00 | |
| 4 to 6 ft | to 3 50 | - |
| Ι (0 0 11 | | |

FRUIT DEPARTMENT

| FRUIT DEFARTMENT | | |
|---|---------------|--|
| | Each | 19 |
| APPLES, Summer-Early Harvest, Golden Sweet, Red Astra- | | |
| chan, Summer Rambo, Sweet Bough, Benoin, | | |
| Yellow Transparent. | | |
| Autumn-Fall Pippin, Gravenstein, Maiden's Blush, | | |
| Smokehouse, Wealthy. | | |
| Winter—Baldwin, Belle-fleur, Fallawater, King of | | |
| Tompkins County, Northern Spy, Rhode Island | | |
| Greening, Styman's Winesap, York Imperial. | | |
| 5 to 7 ft.; \(\frac{3}{4}\) to 1 in. cal | \$1 00 | \$6 00 |
| Crab—Hyslop, Large Red Siberian, Large Yelow | | |
| 5 to 7 ft.; 3 to 1 in. cal. Crab—Hyslop, Large Red Siberian, Large Yelow Siberian, Transcendent. 5 to 7 ft. | 1 00 | 6 00 |
| CHERRIES, Sour (Dukes and Morellos)—Early Richmond, | | |
| CHERRIES, Sour (Dukes and Morellos)—Early Richmond, Empress Eugenie, May Duke, Late Duke, Montmorency. 5 to 6 ft | | |
| Montmorency. 5 to 6 ft | 1 50 | 10 00 |
| Large Sweet (Hearts and Bigarreaus)—Black | | |
| Tartarian. Governor Wood, Napoleon Bi- garreau, Schmidt's Bigarreau, Windsor. | | |
| garreau, Schmidt's Bigarreau, Windsor. | | |
| 5 to 6 ft | 1 50 | 10 00 |
| NUTS, American Sweet Chestnut. See under Deciduous Trees. | | |
| Spanish Chestnut. See under Deciduous Trees. Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft | | |
| Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft | 1 50 | 12 50 |
| Japan Chestnut, 3 to 4 ft. | 1 00 | |
| Walnut, Black. See Juglans nigra, under Deciduous Trees. | | |
| PEACHES—Belle of Georgia, Fitzgerald, Fox's Seedling, | | |
| Crawford's Late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the | | |
| Morris White, Oldmixon Free, Stump the | | |
| World, Susquehanna, Troth's Early, Wheat- | | |
| land. 5 to 6 ftper 100, \$30 | 50 | 3 50 |
| PEARS, Summer —Bartlett, Clapp's Favorite, Doyenne d'Ete. | | |
| Autumn and Winter—Beurre d'Anjou, Buffum, | | |
| Duchesse a'Angouleme, Howell, Kieffer's Hybrid, | | |
| Lawrence, Rutter, Seckel, Sheldon, Worden- | | |
| Seckel. 5 to 6 ft. | 1 50 | 10 00 |
| A few varieties, 6 to 8 ft | $2^{\circ}00$ | 15 00 |
| PLUMS, Japanese—Abundance, Burbank, Chabot, Satsuma. | | |
| 5 to 6 ft European—Giant Prune, Imperial Gage, Lombard. | 1 00 | 7 50 |
| European—Giant Prune, Imperial Gage, Lombard. | | |
| QUINCES—Champion, Orange. 3 to 4 ft | 75 | 6 00 |
| | | |
| SMALL FRUITS | | |
| | | |
| | Each | 10 |
| BLACKBERRIES-Eldorado Erie Kittatinny Rathbun Sny- | Liucii | 10 |
| BLACKBERRIES—Eldorado, Erie, Kittatinny, Rathbun, Snyder, Wilson Juniorper 100, \$3 CURRANTS, Red-Cherry, Fay's Prolific; White—White | | \$0 50 |
| CURRANTS. RedCherry. Fav's Prolific: White-White | | φυ ου |
| Grape: Black—Lee's Prolific | 80 25 | 2 00 |
| GOOSEBERRIES, Red—Houghton, Industry; Green—Down- | | _ 00 |
| ing, Smith's Improved | 25 | 2 00 |
| GRAPES, Black-Concord, Moore's Early, Worden Red- | | |
| GRAPES, Black—Concord, Moore's Early, Worden; Red— Brighton, Catawba, Delaware; White—Green | | |
| Mountain, Niagara, Pocklington. 2-year | 25 | 2 00 |
| A few varieties, extra heavy | 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| RASPBERRIES, Black—Gregg; Red—Cuthbert, Columbian Ruby; Yellow—Golden Queen, per | | |
| Ruby: Yellow — Golden Queen, per | | |
| 100, \$3 | | 50 |
| 2001 40 | | |

STRAWBERRIES, Early—Bederwood, Marshall; Medium—Bubach, Glen Mary, Sharpless, Late—Brandywine, Gandy, Runners, per 100, \$2: per 1,000, \$7.50. Potted plants, per 100, \$3 to \$4.

10

ESCULENT ROOTS

ROSES

| ROSES | |
|---|----------------------|
| N. B.—Potted unless noted. Special prices per hundred. | |
| AUSTRIAN BRIERS—Harrison's Yellow and Persian Yellow. \$0 40 SWEETBRIER—Rosa rubignosa | 10 \$3 50 3 50 |
| Brenda, Flora McIvor, Lady Penzance, Lord Penzance, Meg Merrilies, Minna 50 BUSH—Blanda, Carolina, canina, lucida, lucida var, alba, mul- | 4 50 |
| tiflora, nitida, rubrifolia, field-grown | 3 00 |
| CLIMBING—Baltimore Belle, The Dawson, Dorothy Perkins, Lady Gay, Prairie Queen | 3 50 3 00 |
| Ramblers—Crimson, White, Pink and Yellow, The Dawson (carmine) | 3 50 |
| Betty, ruddy gold; Captain Christy, flesh; Caroline Testout, rose; Countess of Caledon, carmine; Duchesse of Albany, deep pink; Gladys Harkness, salmon-pink; Gruss an Teplitz, crimson; Kaiserine Auguste Victoria, primrose; Killarney, pink; La France, rose; Madame Ravary, yellow; | |
| Souvenir du President Carnot, flesh-rose; Viscountess Folkestone, creamy pink. + 50 EVERBLOOMING, Miscellaneous—Clothilde Soupert (Polyantha), rosy white; etoile de Lyon (Tea), yellow; Francisca Kruger (Tea), yellow- | 4 50 |
| peach; Francis Dubreuil (Tea), crimson; Harry Kirk, deep sulphur yellow; Maman Cochet (Tea), rosy white; Souvenir de la Malmaison (Bourbon), flesh; White Ma- man Cochet (Tea), white | 4 50 |
| Karl Druschki, white; General Jacqueminot, scarlet; Lady Helen Stewart, crimson-scarlet; Louis Van Houtte, red-crimson; Magna Charta, rose; Madame Gabriel Luizet, silvery pink; Margaret Dickson, white; Mrs. R. G. Sharman-Crawford, rose-pink; Mrs. John Laing, pink; Paul Neyron, deep rose; Prince Camille de Rohan, deep crimson; | 4.00 |
| Ulrich Brunner, cherry crimson | 4 00 |
| son; Zenobia, rose | 4 00 |

| PRICE LIST FOR FALL OF 19 | 112 | | 91 |
|--|-----------------|-----------------------------|----------------|
| RUGOSA ROSES | | | |
| Ea | .ch | 10 | 100 |
| ROSA rugosa. 2 to 2½ ft\$0 | 35 | \$3 00 | \$20 00 |
| $2\frac{1}{2}$ to 3 ft | 50 | 4 00 | 35 00 |
| 3 to 3½ ft | 75 | 6 00 | 50 00 |
| 2½ to 3½ ft. rugosa, var. alba. 2 to 2½ ft. 2½ to 3 ft. | 50 | 4 00 | 25 00 |
| 2½ to 3 It | 75 | 6 00 | 50 00 |
| rugosa hybrids atropurpurea—Atropurpurea, Blanc Double de Coubert, Conrad F. | | | |
| Meyer, Madame Georges Bruant, Madam | | | |
| Charles Worth, Mrs. A. Waterer. Pot- | | | |
| grown | 50 | 4 00 | |
| | | | |
| WICHURAIANA ROSES | | | |
| ROSA Wichuraiana. The Trailing Rose. 2 to 3 ft. \$0 2 to 3 ft. In 4-in. pots | $\frac{25}{35}$ | \$2 00 | @O~ 00 |
| 2 to 3 ft. In 4-in. pots | 35 | 3 00 | \$25 00 |
| hybrids—Evergreen Gem, Gardenia, Manda's | | | |
| Triumph, Pink Roamer, South Orange | 50 | 3 50 | |
| Perfection, Universal Favorite. In pots. SINGLE ROSES, Dickson's Hybrids—New Irish | 90 | 9 90 | |
| SINGLE ROSES, Dickson's Hybrids—New Irish Beauty, Irish Glory, Irish | | | |
| Modesty, Irish Bright- | | | |
| ness | 75 | 6 00 | |
| | | | |
| HARDY HERBACEOUS I | Ή. | ANTS | |
| IN INCO I TILLINGITOLOGO I | | | |
| Ea | ch | 10 | 100 |
| ACHILLEA filipendulina (Noble Yarrow). July. | | 04 05 | 010 00 |
| Golden Yellow. 2 ft\$0 millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft | 15 | \$1 25 | \$10 00 |
| millefolium roseum (Rosy Milfoil). | 15 | 1 25 | |
| ntarmica (The Pearl) All summer | 19 | 1 20 | |
| ptarmica (The Pearl). All summer. White. 2 ft tomentosum (Woolly Yarrow). June. | 15 | 1 25 | 10 00 |
| tomentosum (Woolly Yarrow). June. | | | 10 00 |
| Yellow. 1 ft | 25 | 2 00 | |
| ACONITUM Fischeri (Monkshood). September and | | | |
| October. Blue. 3 ft | 35 | 2 50 | 15 00 |
| Lycoctonum (Wolf's Bane). June to | 0= | 0 50 | |
| September. Yellow. 3 ft ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft AJUGA Genevensis. May. Bright Blue. 6 in | 35 | 2 50 | |
| Sontember Rose 2 ft | 35 | 2 50 | |
| AIIIGA Genevensis May Bright Blue 6 in | $\frac{35}{25}$ | $\frac{1}{1} \frac{50}{50}$ | 12 50 |
| reptans rubra (Bugle). May. Purplish | 20 | 1 00 | 12 00 |
| blue. 6 in. | 25 | 1 50 | 12 50 |
| blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft | | | |
| colors. 4 to 6 ft | 25 | 1 50 | 12 50 |
| rosea, var. Allegheny Fringed | 25 | 1 50 | 12 50 |
| rosea, var. Allegheny Fringed ALYSSUM rostratum, June and July. Golden Yellow. 1 ft | 05 | 0.50 | |
| low. 1 it. | 35 | 2 50 | |
| and June Vollow 1 ft. | 25 | 1 50 | 12 50 |
| ANCHUSA Italica, var. Dropmore. New (Alkanet). May and June. Blue. 3 to 4 ft | 20 | 1 30 | 12 00 |
| May and June. Blue. 3 to 4 ft. | 35 | 2 50 | |
| ANEMONE (Windflower) Japonica. September Red. | 00 | = 00 | |
| 2 to 3 ft | 25 | 1 50 | 12 50 |
| 2 to 3 ft. Japonioa, var. alba. Fall. White. 2 to 3 ft. | 25 | 1 50 | 12 50 |
| Japonica, var. Queen Charlotte. Fall. | | | |
| Rose. 2 to 3 ft | 25 | 2 00 | 15 00 |
| Japonica, var. Queen Charlotte. Fall. Rose, 2 to 3 ft. Japonica, var. Lady Ardilaun. Fall. White. 2 to 3 ft. | - | 0.00 | 48 00 |
| White, 2 to 3 ft | 25 | 2 00 | 15 00 |
| , and a co o co, | 200 | 2 00 | 20 00 |



Partial view of Herbaceous Plantations

| ANEMONE Japonica, var. Whirlwind. Fall. Pure | Each | 10 | 100 |
|--|-----------------|----------------------|---------|
| white 2 to 3 ft\$ | 0 25 | \$2 00 | \$15 00 |
| Pennsylvanicum. June and July. White. 1 to 2 ft. | $\overline{25}$ | 1 50 | 12 50 |
| Pulsatilla (Pasque Flower). May. Violet-pur- | | | |
| ple. 9 in | 25 | 1 50 | 12 50 |
| sylvestris. May. Pure white. 1 to $1\frac{1}{2}$ ft | 25 | 1 50 | 12 50 |
| ANTHEMIS tinctoria (Chamomile). June to Sep- | ~~ | 4 50 | 40.00 |
| tember. Golden Yellow. 2 ft | 25 | 1 50 | 10 00 |
| AQUILEGIA baicalense. May to July. Blue and | 25 | 1 50 | 12 50 |
| white. 18 in | 23 | 1 90 | 14 50 |
| Canadensis. (Common Columbine). May to July. Scarlet and Yellow. 1 to 2 ft | 25 | 1 50 | 10 00 |
| Chrysantha. May to August, Golden Yellow. | 20 | 1 50 | 10 00 |
| 3 ft | 25 | 2 00 | 12 50 |
| cærulea (Rocky Mountain Columbine). May | | | |
| to July. Blue. 18 in | 25 | 2 00 | 12 50 |
| flabellata, var. nana alba. April to June. | | | |
| White. 1 ft | 25 | 2 00 | |
| nivea grandiflora. April to June. White. | 0- | 0.00 | 10 50 |
| 9 to 9 ft | 25 | 2 00 | 12 50 |
| vulgaris fl. pl. May to July. White to blue. | 25 | 2 00 | 12 50 |
| 1表 fo 2 ft | 20 | 2 00 | 12 00 |
| truncata. May and June. Scarlet, yellow- | 25 | 2 00 | 12 50 |
| tipped. 2 ft | 20 | 2 00 | 12 00 |
| White, 4 in | 25 | 1 50 | 10 00 |
| alpina fl. pl. Double., | $\overline{35}$ | $\bar{2} \ \bar{50}$ | |
| ARENARIA montana, var. grandiflora (Sandwort). | | | |
| May and June. White. 6 in | 25 | 1 50 | 12 50 |
| | | | |

lilac. 4 ft.....

Light blue. 18 in.....

CALIMERIS incisa (Starwort). July to September.

25

25

1 50

1 50

10 00

10 00

| CALLIRHOË involucrata (Poppy Mallow). All summer. Rosy crimson. 1 ft |
|--|
| CAMPANULA Carpatica (Carpathian Harebell). June to September. Blue. 9 in |
| 9 in |
| Mærheimi. May to July. White. 2 to 2½ ft. 35 |
| Blue. 18 in |
| persicifolia alba. June and July. White. 18 in pyramidalis (Chimney Bellflower). August and September. Blue. 2 ft |
| CENTAUREA montana (Perennial Cornflower). June and July. Dark purple. 1½ ft 25 1 50 CERASTIUM tomentosum. June and July. White. 6 in |
| June and July. Dark purple. 1½ ft 25 1 50 CERASTIUM tomentosum. June and July. White. 6 in |
| CERASTIUM tomentosum. June and July. White. 6 in |
| CERATOSTIGMA plumbaginoides (Plumbago). October and November. Blue. 6 in |
| CHELONE Lyoni (Turtlehead). August and September. Rose-purple. 2 ft |
| obliqua, var. alba (Shell-flower). August and September. White. 2 ft |
| September. White. 2 ft |
| (Shasta Daisies), Alaska, California, Westralia. All summer. White 2 ft |
| maximum, var. Triumph (Moonpenny Daisy). July to October White 2 ft 25 1 50 12 50 |
| |
| Nipponicum. September and October. White. |
| 2 ft |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| CHRYSOGONUM Virginianum (Golden Joint), June. Yellow, 1 ft |
| CHRYSOPSIS villosa (Golden Aster). September. |
| Yellow. 2 ft |
| White, $2\frac{1}{2}$ ft |
| White. 2 to 3 ft |
| CINERARIA. See Artemisia. |
| CLEMATIS crispa (Leather-flower). June to September. Lavender. 3 to 4 ft |
| Davidiana. August and September. Blue. Fragrant. 3 ft |
| Fragrant. 3 ft |
| CONOCLINIUM coelestinum (Mist-flower). Septem- |
| CONVALLARIA majalis (Lily-of-the-Valley). May |
| and June. White. 6 to 9 in |
| Golden yellow. 2 ft |
| ber. Pink. 1 to 2 ft |

| DELPHINIUM Chinense (Larkspur), July to September. Blue. 14 ft | | Cach | 10 | 100 |
|--|---|-----------------|-----------------------------|----------|
| elatum (Bee Larkspur). June to August. Blue. 4 ft | DELPHINIUM Chinense (Larkspur). July to Sep- | 95 | \$1.50 | \$10.00 |
| elatum (Bee Larkspur). June to August. Blue. 4 ft | Chinense, var. album. July to September. White. | | | 1 |
| A ft. | elatum (Bee Larkspur). June to August. Blue. | | 1 50 | 10 00 |
| Deep blue. 4 ft | 4 ft | 2.5 | 1 50 | 10 00 |
| Mixed colors, 1 th ft. | Deep blue. 4 ft | 25 | 1 50 | 10 00 |
| Plumarius (Hardy Pinks), May and June. 1 ft. 25 2 00 15 00 | DIANTHUS barbatus (Sweet William), May to July. | 0- | 1 -0 | 10.00 |
| Plumarius (Hardy Pinks), May and June. 1 ft. 25 2 00 15 00 | deltaides (Maiden Pink) June Pink 4 in | 25 | | |
| Plumarius (Hardy Pinks), May and June. 1 ft. 25 2 00 15 00 | latifolius. June. Red. 1 ft | 25 | 1 50 | 10.00 |
| Delicata. Rose, with fringed petals. Laura Wilmer. White, with maroon center. Her Majesty. White. Mrs. Sinkins. White. Stanislaus. Violet-rose, with crimson center. Pink. 1 ft | plumarius (Hardy Pinks). May and June. 1 ft. | 25 | 2 00 | 15 00 |
| DICENTRA eximia (Seal-flower) June to August Pink 1 ft 1 ft 1 ft 1 ft 1 ft 25 2 ft 50 10 ft 25 2 ft | VARIETIES: Delicata. Rose with fringed netals | | | |
| DICENTRA eximia (Seal-flower) June to August Pink 1 ft 1 ft 1 ft 1 ft 1 ft 25 2 ft 50 10 ft 25 2 ft | Laura Wilmer. White, with maroon center. | | | |
| DICENTRA eximia (Seal-flower) June to August Pink 1 ft 1 ft 1 ft 1 ft 1 ft 25 2 ft 50 10 ft 25 2 ft | Her Majesty. White. | | | |
| DICENTRA eximia (Seal-flower) June to August. Pink 1 ft 1 ft 1 ft 25 2 00 12 50 | Stanislaus. Violet-rose, with crimson center. | | | |
| Pink | DICENTRA eximia (Seal-flower). June to August. | | | |
| DICTAMNUS fraxinella (Gas Plant) June Purple 3 ft | Pink. 1 ft | 25 | 1 50 | 10 00 |
| Dictamnus fraxinella (Gas Plant). June. Purple. 3 ft. 35 | Pink. 2 to 3 ft | 25 | 2 00 | 12.50 |
| 3 ft | DICTAMNUS fraxinella (Gas Plant). June, Purple. | | | |
| DIGITALIS ambigua (Foxglove). July and August. Pale yellow. 3 ft | 3 ft | | 2 50 | |
| Pale yellow. 3 ft. 25 2 00 15 00 purpurea (Common Foxglove). June and July. Mixed colors. 4 to 5 ft. 25 1 50 10 00 purpurea, var. gloxiniæflora. June and July. Mixed colors. 4 to 5 ft. 25 1 50 10 00 DRONICUM Austriacum. April and May. Yellow. 2 ft. 35 2 50 15 00 plantagineum, var. excelsum. April to June. Yellow. 2 ft. 35 2 50 15 00 ECHINACEA purpurea (Purple Cone-flower). July to September. Rosy purple. 3 ft. 25 2 00 15 00 ERIGERON speciosus (Fleabane). June to August. Violet-blue. 1½ to 2 ft. 25 2 00 15 00 ERYNGIUM amethystinum (Sea Holly). July to September. Amethyst-blue. 2 ft. 25 2 00 15 00 EUPATORIUM ageratoides (White Snakeroot). September and October. White. 3 ft. 25 1 50 12 50 EUPHORBIA corollata (Spurge). July to September. White. 1½ ft. 25 1 50 12 50 FeVERFEW, Little Gem. June to October. White. 15 in. 25 1 50 12 50 ovata. July to August. Deep blue. 1½ to 2 ft. 25 1 50 12 50 subcordata, var. grandiflora. September. White. Fragrant. 2 ft. 25 2 00 15 00 1 | fraxinella, var. alba. June. White. 3 ft | 35 | 2 50 | 15 00 |
| Mixed colors. 4 to 5 ft | Pale vellow 3 ft | 25 | 2.00 | 15.00 |
| Mixed colors. 4 to 5 ft | Durburea (Common Foxglove). June and July. | | | 2.7 (70) |
| Mixed colors. 4 to 5 ft. | Mixed colors. 4 to 5 ft | 25 | 1 50 | 10 00 |
| DORONICUM Austriacum. April and May. Yellow. 2 ft | Mixed colors. 4 to 5 ft | 25 | 1 50 | 10 00 |
| Plantagineum, var. excelsum. April to June. Yellow. 2 ft. 35 2 50 15 00 | DORONICUM Austriacum. April and May. Yellow. | | | |
| Yellow, 2 ft. 35 2 50 15 00 ECHINACEA purpurea (Purple Cone-flower), July to September, Rosy purple, 3 ft. 25 2 00 15 00 ERIGERON speciosus (Fleabane), June to August, Violet-blue, 1½ to 2 ft. 25 2 00 15 00 ERYNGIUM amethystinum (Sea Holly), July to September, Amethyst-blue, 2 ft. 35 2 50 EUPATORIUM ageratoides (White Snakeroot), September and October, White, 3 ft. 25 1 50 12 50 EUPHORBIA corollata (Spurge), July to September, White, 1½ ft. 25 1 50 12 50 FEVERFEW, Little Gem. June to October. White. 25 1 50 10 00 FUNKIA Fortunei (Day Lily), July to August, Blue, 1½ to 2 ft. 25 1 50 12 50 Ovata, July to August, Deep blue, 1½ to 2 ft. 25 1 50 12 50 Funkia Fortunei (Day Lily), July to August, Blue, 1½ to 2 ft. 25 1 50 12 50 Funkia, July to August, Deep blue, 1½ to 2 ft. 25 1 50 12 50 EVERFEREN, Little Gem. July to August, Blue, 1½ to 2 ft. 25 1 50 12 50 EVERFEREN, Little Gem. July to August, Blue, 1½ to 2 ft. | 2 ft | 35 | 2 50 | 15 00 |
| September Rosy purple Cone-flower July to | Yellow. 2 ft. | 35 | 2 50 | 15 00 |
| ERIGERON speciosus (Fleabane). June to August. Violet-blue. 1½ to 2 ft | ECHINACEA purpurea (Purple Cone-flower). July to | | | |
| Violet-blue, 1½ to 2 ft | | 25 | 2 00 | 15 00 |
| ERYNGIUM amethystinum (Sea Holly). July to September, Amethyst-blue. 2 ft | Violet-blue, 1\frac{1}{2} to 2 ft | 25 | 2 00 | 15.00 |
| September, Amethyst-blue, 2 ft | ERYNGIUM amethystinum (Sea Holly). July to | | | |
| tember and October. White, 3 ft | September, Amethyst-blue, 2 ft | 35 | 2 50 | |
| ccelestinum. Fall. Light blue. 2 ft. 25 1 50 EUPHORBIA corollata (Spurge). July to September. White. 1½ ft. 25 1 50 ber. White. 1½ ft. 25 1 50 12 50 FEVERFEW, Little Gem. June to October. White. 15 in. 25 1 50 10 00 FUNKIA Fortunei (Day Lily). July to August, Blue. 1½ to 2 ft. 25 1 50 12 50 ovata. July to August. Deep blue. 1½ to 2 ft. 25 1 50 12 50 subcordata, var. grandiflora. September. White. Fragrant. 2 ft. 25 2 00 15 00 undulata, var. media picta variegata. July and | | 25 | 1.50 | 12 50 |
| ber. White, 1½ ff | cœlestinum. Fall, Light blue. 2 ft | $\overline{25}$ | $\frac{1}{1} \frac{50}{50}$ | 12 90 |
| FEVERFEW, Little Gem. June to October. White. 25 1 50 10 00 FUNKIA Fortunei (Day Lily). July to August. Blue. 25 1 50 10 00 1½ to 2 ft | EUPHORBIA corollata (Spurge). July to Septem- | ~~ | 4 40 | 10 50 |
| 15 in | ber. White, 1½ ft | 25 | 1 50 | 12 50 |
| FUNKIA Fortunei (Day Lily), July to August, Blue, 1½ to 2 ft. 25 0vata, July to August, Deep blue, 1½ to 2 ft. 25 1 50 subcordata, var. grandiflora, September, White. 25 2 00 15 00 undulata, var. media picta variegata, July and 25 2 00 15 00 | 15 in June to October. White. | 25 | 1 50 | 10.00 |
| 1½ to 2 ft | FUNKIA Fortunei (Day Lily), July to August, Blue, | | ,, | 417 1717 |
| Fragrant. 2 ft | 1½ to 2 ft | 25 | | |
| Fragrant. 2 ft | ovata, July to August. Deep blue. 1½ to 2 ft. | 25 | 1 50 | 12 50 |
| August. Lilac. 1 ft | Fragrant. 2 ft | 25 | 2 00 | 15 00 |
| August. Dilac. 1 1t | undulata, var. media picta variegata. July and | 25 | 1.50 | 19.50 |
| | August, Lilat. I It | 20 | 1 50 | 12 00 |

| | Each | 10 | 100 |
|--|---|---|--|
| GAILLARDIA grandiflera (Blanket-flower). June to November. Yellow. 1½ ft | 80 25 | \$1 50 | \$10 00 |
| GALEGA officinalis (Goat's Rue). July and August. | | φ1 00 | φ10 00 |
| Blue. 2 ft | 25 | 1 50 | 10 00 |
| 2 ft | 25 | 1 50 | 10 00 |
| GERANIUM sanguineum (Cranesbill). June to Sep- | 05 | 1 50 | |
| tember. Red. 1½ ft | 25 | 1 50 | |
| $1\frac{1}{2}$ ft | 25 | 2 00 | 15 00 |
| 1½ ft. Heldrechi. June. Orange. 18 in. montanum. June and July. Yellow. 18 in | $\frac{25}{25}$ | $\begin{array}{ccc} 2 & 00 \\ 2 & 00 \\ 2 & 00 \end{array}$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| GILLENIA ITHOHATA (BOWMAN'S ROOF). Rose and | 20 | 2 00 | 10 00 |
| white. July. 3 ft | 35 | 2 50 | |
| White. 2 to 3 ft | 25 | 1 50 | 12 50 |
| HELENIUM , pumilum (Sneezewort). July to Octo- | | | 12 00 |
| ber, Yellow. 1½ ft | 25 | 1 50 | 10 00 |
| Yellow. 4 ft | 25 | 1 50 | 10 00 |
| granuicephalum, var. striatum. August to Octo- | 25 | 2 00 | 15 00 |
| ber. Orange, 3 ft | $\frac{25}{25}$ | $\frac{2}{2} \frac{00}{00}$ | 15 00 |
| HELIANTHUS (Perennial Sunflowers) giganteus. August to October. Pale yellow. 6 to 10 ft. | 0= | 4 =0 | 10.00 |
| Maximiliana. September. Deep yellow. 6 to 8 ft. | $\begin{array}{c} 25 \\ 25 \end{array}$ | $\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$ | $\begin{array}{ccc} 10 & 00 \\ 10 & 00 \end{array}$ |
| mollis. September and October. Golden yellow. | | | |
| 4 ft | 25 | 1 50 | 10 00 |
| yellow. 4 It. | 25 | 1 50 | 10 00 |
| orgyalis. September and October. Golden | 25 | 1 50 | 10 00 |
| yellow, 6 ft. rigidus. July to October. Golden yellow, 3 ft. rigidus, yar. Miss Mellish. September and Octo- | $\overline{25}$ | 1 50 | 10 00 |
| rigidus, var. Miss Mellish. September and Octo- | 25 | 1 50 | 10 00 |
| ber. Golden yellow. 6 ftrigidus, var. Wolly Dodd. September. Deep yellow. 3 ft | | | |
| yellow. 3 ft HELIOPSIS Pitcheriana. June to October. Orange- | 25 | 1 50 | 10 00 |
| vellow. 3 ft | 25 | 1 50 | 10 00 |
| HELLEBORUS niger (Christmas Rose). March. | 05 | 9 00 | |
| White. 6 inniger, var. atrorubens. March. Purple. 9 in | 35 35 | $\frac{3}{3} \frac{00}{00}$ | |
| HEMEROCALLIS Dumortieri (Yellow Day Lily). | 0= | | 40 80 |
| June and July. Orange-yellow. 2 ft flava. June. Yellow. 2 ft | $\frac{25}{25}$ | $\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$ | $\begin{array}{c} 12 \ 50 \\ 12 \ 50 \end{array}$ |
| fulva (Tawny Day Lily). July and August, A | | | |
| tawny yellow. $-2\frac{1}{2}$ ft | 25 | 1 50 | 12 50 |
| July and August. Coppery yellow. 2½ ft fulva, var. Thunbergii. August and September. | 25 | 1 50 | 12 50 |
| fulva, var. Thunbergii. August and September. Lemon-yellow. $2\frac{1}{2}$ ft | 25 | 1 50 | 12 50 |
| HEPATICA triloba (Liverleaf). April. White and | | | |
| blue. o in | 25 | 1 25 | 10 00 |
| HEUCHERA sanguinea (Alumroot). June to September. Coral-red. 18 in | 25 | 2 00 | 15 00 |
| sanguinea, var. alba. June to September. White. | | | |
| 18 in | 25 | 2 00 | |



A field of Japanese Iris at Andorra

| INDICONG Williamin Town to Start to D. C. 11 | Each | 10 | 100 |
|--|----------------------|---|-------------------------------|
| HIBISCUS militaris. June to September. Buff-yellow. | 05 | \$2 00 | |
| 18 in | 25 | \$2 00 | |
| Pose 5 ft | 25 | 1 50 | \$10 00 |
| Rose, 5 ft | 20 | 1 50 | \$10 OO |
| tember. White. 5 ft | 25 | 1 50 | 10 00 |
| HOLLYHOCKS. See Althæa rosea. | -0 | 1 00 | 10 00. |
| IBERIS sempervirens (Candytuft). April and May. | | | |
| White 6 in | 25 | 1 50 | 10 00 |
| corifolia. April and May. White. 9 in | $2\tilde{5}$ | 1 50 | 10 00 |
| INULA Britannica (Fleabane). July to September. | | | |
| Light yellow. 2 ft | 25 | 1 50 | 12 50 |
| IRIS. For Special Descriptive Lists, consult Calen- | | | |
| dar of Hardy Perennials. | | | |
| atroviolacea. May. Dark violet. 2 to 2½ ft | 35 | 3 00 | 40 50 |
| cristata. April and May. Light blue. 6 in | 25 | 1 50 | 12 50 |
| Florentina. May. Tinted white. Fragrant. 12 ft | 25 | 2 00 | 40.00 |
| Germanica. May. Named varieties. 1½ to 2½ ft. | 25 | 1 50 | 10 00 |
| lævigata; syn., Kæmpferi (Japanese Iris). June | 0= | 0.00 | 15 00 |
| and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft. | 25 | 2 00 | 15 00 |
| Customer's selection | 35 | $\frac{3}{3} \frac{00}{00}$ | 25 00 |
| Pallida, var. Dalmatica. June. Light blue. 3 ft. | 35 | 5 00 | 25 00 |
| Pallida, var. speciosa. June. Indigo-blue. | 35 | 3 00 | 25 00 |
| 2 to 3 ft | $\frac{35}{25}$ | 2 00 | 15 00 |
| pumila nova. May. Various colors. 8 to 10 in. | $\frac{25}{25}$ | $\frac{1}{1} \frac{50}{50}$ | $\frac{13}{12} \frac{50}{50}$ |
| Sibirica. May and June. Bright blue. 1½ ft. | $\frac{25}{25}$ | $\frac{1}{1} \frac{50}{50}$ | 10 00 |
| Sibirica, var. alba. June. White. 2 ft. Rare. + | $\tilde{3}\tilde{5}$ | 3 00 | $\frac{10}{25} \frac{00}{00}$ |
| Sibirica, var. orientalis. May. Deep blue, 1½ fc. | $\frac{35}{25}$ | 1 50 | 10 00 |
| tectorum. May. Bright lilac. 1 ft | $\tilde{25}$ | $\frac{1}{2} \begin{array}{c} 00 \\ 00 \end{array}$ | 15 00 |
| K7 | | | |

| | Each | 10 | 100 |
|--|-----------------|---|---|
| KNIPHOFIA aloides (Red-hot Poker). August and | 0.55 | e1 E0 | \$12 50 |
| September. Crimson. 3 ft\$ obelisque. July and August. Saffron-yellow. | 0 25 | \$1 50 | \$12 90 |
| 3 to 4 ft | 35 | 2 50 | 15 00 |
| Pfitzerii (Flame Flower). July to October. | 0= | 0 50 | 15 00 |
| Orange-scarlet. 3 to 4 it | 35 | 2 50 | 15 00 |
| LATHYRUS latifolius, var. albus (Hardy White | 25 | 2.00 | |
| Pea). Summer. Climbinglatifolius, var. roseus. Summer. Rose. Climbing. | $\frac{25}{25}$ | $\frac{2}{2} \frac{00}{00}$ | |
| latifolius, var. splendens. Summer. Climbing | $\overline{25}$ | $\begin{array}{ccc} 2 & 00 \\ 2 & 00 \\ 2 & 00 \end{array}$ | 15 00 |
| latifolius, var. Pink Beauty. Summer. Bright | ~~ | | 48.00 |
| pink. Climbing | 25 | 2 00 | 15 00 |
| LAVENDULA spica (Lavender). 15 to 18 in vera (Lavender). 15 to 18 in | $\frac{25}{25}$ | 1 50 1 50 | $\begin{array}{c} 12 & 50 \\ 12 & 50 \end{array}$ |
| HATRIS graminifolia (Blazing Star) August and | 20 | 1 00 | 12 00 |
| September, Rosy purple, 2 ft. pycnostachya (Kansas Gay Feather). September, Rosy purple, 4 to 5 ft. | 25 | 1 50 | 12 50 |
| pycnostachya (Kansas Gay Feather). Septem- | | | |
| ber. Rosy purple. 4 to 5 ft | 25 | 1 50 | 12 50 |
| spicata (Gay Feather). August and Septem ber. Deep purple. 3 to 4 ft | 25 | 1 50 | 12 50 |
| LILIUM Canadense (Meadow Lily). July. Shades of | -0 | 1,00 | 12 00 |
| yellow, 2 to 4 ft | 25 | 1 50 | 12 50 |
| yellow. 2 to 4 ft. Philadelphicum (Wood Lily). July and August. | | | 45 00 |
| Orange-scarlet. 2 to 4 ftspeciosum, var. roseum (Japan Lily). July and | 25 | 2 00 | 15 00 |
| August. Rosy white. 2 to 4 ft | 25 | 2 00 | 15 00 |
| August. Rosy white. 2 to 4 fttigrinum (Tiger Lily). August. Salmon-red. | | | |
| 3 to 4 ft | 25 | 1 50 | 12 50 |
| LINUM Austriacum (Austrian Flax). June to | 05 | 4 55 | |
| August. Bluish purple. 18 in | 25 | 1 75 | |
| Clear blue. 18 in | 25 | 1 75 | |
| LOBELIA cardinalis (Cardinal Flower). August | | | |
| LOBELIA cardinalis (Cardinal Flower). August and September. Scarlet. 2 to 3 ft syphilitica (Blue Lobelia). August and Sep- | 25 | 1 50 | 12 50 |
| | 25 | 1 50 | |
| LYCHNIS Chalcedonica (London Pride). July to | 20 | 1 90 | |
| September, Vermilion, 2 to 3 ft | 25 | 1 50 | 12 50 |
| oproparia (Rose Campion) June and July | | | |
| Crimson, 1½ to 2 ft. coronaria, var. alba. June and July. White. | 25 | 1 25 | 10 00 |
| toronaria, var. aina. June and July. White. | 25 | 1 25 | 10 00 |
| $1\frac{1}{2}$ to 2 ft | $\overline{25}$ | $\hat{1}$ $\hat{50}$ | 20 00 |
| vespertina, var. alba piena (white Campion). | ۵۳ | 1 50 | 10 50 |
| May to September. White. 1 ft viscaria (Catchfly). June and July. Red. 1½ ft. | $\frac{25}{25}$ | $\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$ | $\begin{array}{c} 12 & 50 \\ 12 & 50 \end{array}$ |
| viscaria, var. splendens. (German Catchfly). | 20 | 1 30 | 12 90 |
| June and July. Pink. 15 in | 25 | 1 50 | 12 50 |
| LYSIMACHIA clethroides (Loosestrife). July to | | | |
| September. White. $1\frac{1}{2}$ ft | 25 | 1 25 | 10 00 |
| nummularia (Moneywort). June to August. Yellow. Creeping | 25 | 1.50 | 10 00 |
| LYTHRUM roseum superbum (Rose Loosestrife). | | | 0 |
| July to September. Rose. 3 ft | 25 | 1 50 | 12 50 |
| MERTENSIA pulmonarioides (Virginia Cowslip). | 05 | 4 | 40.00 |
| May and June. Blue. 2 ft | 25 | 1 50 | 10 00 |
| | | | |

| PRICE LIST FOR FALL OF 19 | 12 | | 59 |
|---|---|-----------------------------|---|
| | ach | 10 | 100 |
| MUNARDA didyma (Oswego Tea). July and August. Scarlet. 2½ ft | 25 | \$1 50 | \$10 00 |
| didyma, var. Cambridge Scarlet. July and August. Scarlet. 2 ft | 25 | 1 50 | 10 00 |
| Crimson-scarlet, 2 ft | 25 | 1 50 | 10 00 |
| Light blue. 6 to 9 in | 25 | 1 50 | 10 00 |
| NEPETA glecoma, var. variegata (Ground Ivv). | 25 | 1 50 | 10 00 |
| May Purple 6 in | 25 | 1 50 | 10 00 |
| | 25 | 2 00 | 15 00 |
| June. Lemon. 1½ to 2 ft. Frazeri. June. Rich yellow. 1½ ft. | 25 25 | $\frac{1}{2} \frac{50}{00}$ | $\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$ |
| Frazeri. June. Rich yellow. 1½ ft | 25 | 2 00 | 15 00 |
| White. 1st It | 25 | 1 50 | 10 00 |
| OPHIOPOGON Jaburan, var. aureus variegatus (Snake's Beard). September, Blue, 6 in PACHYSANDRA procumbens (Mountain Spurge). | 50 | 3 50 | |
| March to May. White or purple. Spreading, terminalis. May and June. White. 8 in PÆONIA. See our Calendar of Hardy Perennials | $\begin{array}{c} 25 \\ 25 \end{array}$ | 1 50 1 50 | $\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$ |
| for Special List. Chinensis, Double Varieties. Our selection. May | | | |
| and June | 35 50 | 3 00 12 50 | 25 00 |
| and June Chinensis, Heavy Clumps. Our selection. 1 Chinensis, Single Varieties. Our selection | 35 35 | 3 00 3 00 | $\begin{array}{ccc} 25 & 00 \\ 25 & 00 \end{array}$ |
| ferent colors | 00 | 9 00 | |
| Double deep crimson | 50 | 4 00 | 35 00 |
| officinalis, var. rosea plena. Early April. Double; pink | $\frac{00}{50}$ | $\frac{9}{4} \frac{00}{00}$ | |
| tenuifolia, var. plena. Early April. Double; | 50 | 4 00 | |
| triternata. April. Single, Bright red PAPAVER bracteatum. June. Blood-red, 4 ft | 35 | 3 00 | 25 00 |
| PAPAVER bracteatum. June. Blood-red. 4 ft nudicaule (Iceland Poppy). All summer. Many | 25 | 2 00 | 12 50 |
| colors. 1 ft | 25 | 1 50 | 10 00 |
| 181. 4 IT | 25 | 2 00 | 12 50 |
| PARDANTHUS. See Belemcanda, PENTSTEMON barbatus, var. Torreyi Beard Tongue). June to August. Scarlet. | | | |
| Beard Tongue). June to August. Scarlet. 3 to 4 ft grandiflorus. June to August. Purplish blue. | 25 | 1 50 | 10 00 |
| 2 to 2½ ft | 25 | 2 00 | 15 00 |
| 2 to 2½ ft. lævigatus, var. Digitalis. July and August. White. 3 ft. ovatus. July and August. Purplish blue. | 25 | 2 00 | |
| 2 to 3 ft | 25 | 2 00 | |

| | Cach | 10 | 100 |
|--|-----------------|--------------|-------------------------------|
| PHLOX amena. May. Bright pink. 3 to 4 in\$0 | 25 | \$1 50 | \$10 00 |
| Carolina. May and June. Rosy red. 1 ft | 25 | 1 50 | |
| Carolina. May and June. Rosy red. 1 ft divaricata (Wild Sweet William). May and | | | |
| June. Lavender. 1 ft | 25 | 1 50 | 12 50 |
| paniculata; syn., decussata (Perennial Phlox). | | | |
| See the Calendar of Hardy Perennials for | | | |
| Special List. All colors | 25 | 2 00 | 15 00 |
| Special List. All colorssubulata (Mountain Pink). May and June. | | | |
| Rose. Creeping White. | 25 | 1 50 | 10 00 |
| subulata, var. alba. May and June. White. | | | |
| Creepingsubulata, var. atropurpurea. May and June. | 25 | 1 50 | 10 00 |
| subulata, var. atropurpurea. May and June. | | | |
| Purple. Creeping | 25 | 1 50 | 40.00 |
| Purple, Creeping | 25 | 1 50 | 12 50 |
| subulata, var. Nelsoni. May and June. Pure | 0~ | 4 | 40.00 |
| white. Creepingsubulata, var. Model. May and June. Rosy | 25 | 1 50 | 10 00 |
| subulata, var. Model. May and June. Rosy | 0- | 4 | 40.00 |
| white. Creeping | 25 | 1 50 | 10 00 |
| PHYSOSTEGIA Virginiana (False Dragonhead). August. Deep rose. 3 ft | | | |
| August. Deep rose. 3 ft | 25 | 1 50 | |
| virginiana, var. aiba. August. white. 5 it | 25 | 1 50 | 10 00 |
| Virginiana, var. speciosa. August. Pink. 3 ft. | 25 | 1 50 | 10 00 |
| PLATYCODON grandiflorum (Balloon-flower). July. | | | |
| Blue, 1½ ft. grandiflorum, var. album. July. White, 1½ ft. grandiflorum, var. Mariesi. June, to October | 25 | 1 50 | |
| grandiflorum, var. album. July. White. 1½ ft. | 25 | 1 50 | |
| grandiflorum, var. Mariesi. June to October. | | | |
| Blue. 1 ft | 25 | 1 50 | 12 50 |
| POLEMONIUM corruleum (Jacob's Ladder). May to | | | |
| July. Deep blue, $1\frac{1}{2}$ ft | 25 | 2 00 | 15 00 |
| July. Deep blue. 1½ ft | | | 20 00 |
| $1\frac{1}{2}$ to 2 ft | 25 | 2 00 | |
| PRIMULA acaulis (Primrose). May. Yellow. | | | |
| 6 to 9 in | 25 | 1 50 | 12 50 |
| canitata (Primrose) Deen lilac 9 in | $\frac{25}{25}$ | 1 50 | $\frac{12}{12} \frac{50}{50}$ |
| capitata (Primrose). Deep lilac. 9 in suaveolens (Cowslip). May. Yellow and | | 1 00 | 12 30 |
| orange. 1 ft | 25 | 1 50 | 12 50 |
| veris (Polyanthus). May. Yellow and orange- | | | |
| crimson, 6 to 9 in | 25 | 1 50 | 12 50 |
| crimson. 6 to 9 invulgaris (English Primrose). May. Yellow. | | | |
| 6 to 9 in | 25 | 1 50 | 12 50 |
| PYRETHRUM roseum (Feverfew). June and July. | | | |
| White, pink and red. $1\frac{1}{2}$ to 2 ft | 25 | 1 50 | 10 00 |
| roseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft | 35 | 3 00 | 20 30 |
| RANUNCULUS aconitifolius fl. pl. (Crow's-foot). | -00 | -5 00 | |
| Tune White 11 to 2 ft | 25 | 1 50 | |
| June. White. $1\frac{1}{2}$ to 2 ftacris fl. pl. (Yellow Bachelor's Buttons). | 20 | 7 90 | |
| June Vollow 2 ft | 25 | 1 50 | |
| June. Yellow. 2 ft | | 2 00 | |
| Yellow. 1 ft | 25 | 1 50 | 10 00 |
| ROSMARINUS officinalis (Rosemary). Scented | | | 20 00 |
| | 25 | 1 50 | |
| foliage | 20 | T 90 | |
| RUDBECKIA laciniata, var. Golden Glow. July to | 0" | 1 0- | 10.00 |
| September. Yellow. 8 ft | $\frac{25}{25}$ | 1 25 1 50 | $\frac{10}{10} \frac{00}{00}$ |
| Newmani. August and September, Yellow, 1½ ft. | 25 | 1 90 | 10 00 |
| nitida (Cone-flower). August and September. | 25 | 1 50 | 10 00 |
| Pale yellow, 5 ft | 20 | 1 90 | 10 00 |
| | | | |

| PRICE LIST FOR FALL OF 19 | 12 | • | 61 |
|--|---|--|-------------------------------|
| T T T T T T T T T T T T T T T T T T T | Cach | 10 | 100 |
| SALVIA argentea. June. White, white foliage. 2 ft. 80 Caucasicum. July and August. Reddish purple. | | \$1 50 | \$10 00 |
| 3 ft | 25 | 1 50 | 10 00 |
| Deep blue. 2 to 3 ft | 25 | 1 50 | 10 00 |
| April, 6 in | 25 | 1 50 | 10 00 |
| Deep yellow. 1 ft | 25 | 1 50 | 10 00 |
| Rosy purple, 15 in | 25 | 2 00 | 15 06 |
| ender-blue. June. 15 to 18 in SEDUM acre (Golden Moss). May and June. Yel- | 35 | 2 50 | 15 00 |
| | 25 | 1 25 | 10 00 |
| low. Spreading | $\frac{25}{25}$ | $\begin{array}{c} 1 & 25 \\ 1 & 25 \end{array}$ | 10 00 |
| Phodiala Avenut Light pink 1 ft | $\frac{25}{25}$ | $\frac{1}{1} \frac{25}{25}$ | 10 00 |
| Rhodiola. August. Light pink. 1 ft sexangulare (Stonecrop). June and July. Yel- | 200 | 1 20 | 10 00 |
| | 25 | 1 25 | 10 00 |
| low, 6 inspectabile (Brilliant Stonecrop). September | 20 | 1 20 | 10 00 |
| and October. Rose. 12 to 15 in | 25 | 2 00 | 15 00 |
| October. Purplish crimson. 15 in | 25 | 2 00 | 15 00 |
| telephoides. July and August. Pink. 1 ft | $\frac{25}{25}$ | $\frac{2}{2} \frac{00}{00}$ | 15 00 |
| SENECIO clivorum. Summer. Yellow. 3 ft | 35 | 2 50 | 15 00 |
| pulcher (Groundsel). July to October. Rosy | 99 | 2 30 | 19 00 |
| purple. $1\frac{1}{2}$ to 2 ft | 25 | 1 50 | |
| SILENE Pennsylvanicum (Wild Pink). April and | | 2 00 | |
| May. Rose or white. 9 in | 25 | 1 25 | 10 00 |
| SMILACINA racemosa (False Solomon's Seal). | 20 | | 10 00 |
| SMILACINA racemosa (False Solomon's Seal). April. White. 1½ ft | 25 | 1 50 | |
| CDID (A (Cont's Doord on Mondowscare) commons | 20 | 1 90 | |
| SPIRÆA (Goat's Beard, or Meadowsweet) aruncus. June and July. White. 4 to 5 ft filipendula fl. pl. June and July. White. 2 ft. | 35 | 2 50 | 15 00 |
| filinandula fi ni Tuna and Tuly White 2 ft | 95 | $\begin{array}{ccc} 2 & 50 \\ 1 & 50 \end{array}$ | $\frac{13}{12} \frac{50}{50}$ |
| lobata. July. Pink. 3 to 4 ft | 25 25 25 | $\frac{1}{2} \frac{00}{00}$ | 15 00 |
| palmata. June and July. Deep crimson. 2 ft. | $\tilde{25}$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 15 00 |
| palmata, var. elegans. June and July. White: | | | |
| crimson anthers. 3 ft | $\begin{array}{c} 25 \\ 25 \end{array}$ | $\begin{array}{ccc} 2 & 00 \\ 2 & 00 \end{array}$ | |
| Ulmaria. June and July. White. 3 ft | 25 | 2 00 | |
| palmata, var. elegans. June and July. White; crimson anthers. 3 ft | ~= | 0.00 | |
| grant. o It.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 25 | 2 00 | 2 |
| STACHYS Betonica; syn., Betonica rosea. July and | ~~ | | |
| STACHYS Betonica; syn., Betonica rosea. July and August. Rose. 1 ft | 25 | 1 50 | 12 50 |
| Red. 15 to 18 in | 25 | 1 50 | .10 00 |
| August. Deep blue, 2 ft | 25 | 1 50 | 10 00 |
| ber. Lavender, 1½ ft | 25 | 2 00 | 15 00 |
| TANACETUM globiferum (Tansy), August. Golden | 50 | 3 50 | |
| yellow, 3 ft | 25 | 1 50 | 10 00 |

| THAT IOTPIN A PART OF THE COLUMN TO THE COLU | Each. | 10 | 100 |
|--|----------------------|---|---------|
| THALICTRUM adiantifolium (Meadow Rue). June. Yellow, 18 in | 0 25 | \$1 50 | \$10 00 |
| aquilegifolium (Feathered Columbine). June. White. 2 to 4 ft | 25 | 1 50 | , |
| polyganum (Tall Rue), June, White, 3 to 4 ft. | $\frac{2.5}{25}$ | 1 50 | |
| purpurascens. June to August. Purple. 3 to 4 ft. | 25 | 1 50 | |
| THERMOPSIS Caroliniana. June. Yellow. 3 to | ~ | | |
| 4 ft mollis. May to July, Yellow, 2 to 3 ft | $\frac{25}{25}$ | $\begin{array}{c} 1 & 50 \\ 1 & 50 \end{array}$ | |
| THYMUS montanus, var coccineus (Scarlet Thyme) | | | |
| May. Bright red. 4 invulgaris (Common Thyme). May. Lilac. 1 to | 25 | 1 50 | |
| 2 II | 25 | 1 25 | |
| TRADESCANTIA Virginiana (Spiderwort), June to | 25 | 1 50 | 12 50 |
| October. Purple. 2 ft | | | |
| TRILLIUM erectum (Wake Robin), March and | 25 | 1 50 | 12 50 |
| April. Purple. 9 to 12 in | 25 | 1 50 | |
| grandiflorum (Wood Lily). March and April. White. 9 to 12 in | 25 | 1 50 | |
| TROLLIUS Europæus (Globe-flower). May to August. | | | |
| Yellow. 2 ft | 25 | 1 50 | 12 50 |
| Reddish. 2 ft | 25 | 1 50 | 10 00 |
| omcinalis (Hardy Heliotrope). June and July. | 25 | 1 50 | 10.00 |
| Rose-pink, 2 ft. rubra. June to October. Red. 2 ft | $\tilde{2}\tilde{5}$ | 150 | 10 00 |
| VERBASCUM Olympicum (Mullein). July to September. Yellow. 6 ft | 25 | 1 50 | 12 50 |
| VERNONIA Arkansana (Ironweed). August to Octo- | | | 12 00 |
| ber. Red. 5 ft | $\frac{25}{25}$ | $\begin{array}{cc}2&00\\2&00\end{array}$ | |
| VERONICA longifolia, var. rosea (Speedwell). July | 20 | 2 00 | |
| to October. Rose. 1½ ft | 25 | 1 50 | |
| ber, Deep blue, 1½ to 2 ft. rupestris (Rock Speedwell). June and July. | 25 | 2 00 | 15 00 |
| | 25 | 1 50 | 10 00 |
| spicata. June to September. Bright blue. | 25 | 1 50 | 10.00 |
| 1½ ft. Virginica. August to September. White. 4 ft. | $\frac{25}{25}$ | $\begin{array}{c} 1 & 50 \\ 1 & 50 \end{array}$ | 10 00 |
| VINCA minor (Periwinkle). May. Bright blue. | 25 | 1 50 | 10.00 |
| Spreading | 20 | 1 90 | 10 00 |
| May. Purple and White. 4 in | $\frac{25}{25}$ | $\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$ | 12 50 |
| Mixed | 25 | 1 20 | 10 00 |

A CALENDAR OF PERENNIALS

This booklet, in a revised edition, with monthly lists, and special lists of Phlox, Iris, Peonies and Chrysanthemums, will be found valuable in arranging hardy gardens.

FERNS

| ADIANTUM pedatum (Maidenhair Fern ASPIDIUM acrostichoides (Christmas F | ern), 1 to 2 ft. Moist, shaded positions. |
|--|--|
| mojet soils in shady places | |
| Goldianum, 2 to 4 ft Semi-shade | ni-shaded positions, dry or moist soils. |
| marginale. Evergreen. 1 to 2 ft. | d positions, dry or moist soils. Shaded positions, dry or moist soils. |
| ASPLENIUM Filix-femina (Lady Fern). in moist or dry soils. | 2 to 3 ft. Open or shaded positions, |
| BOTRYCHIUM Virginianum (Moonword moist or dry soils. | e). 6 to 12 in. Shaded positions, |
| DICKSONIA punctilobula (Boulder Ferr forms large plantations, | n). 2 to 3 ft. For open positions; |
| ONOCLEA sensibilis (Sensitive Fern). | 1 to 2 ft. For open planting and wet |
| | to 4 ft. For open positions, dry or |
| OSMUNDA gracilis (Flowering Fern). and moist soils. | 2 to 4 ft. Open or shaded positions, |
| Claytoniana. 2 to 5 ft. For open cinnamomea (Cinnamon Fern). 2 | plantings, dry or moist soils, to 5 ft. For open or shaded positions, |
| in wet soils. WOODSIA obtusa. 6 to 12 in. Shady WOODWARDIA angustifolia (Chain Fer | places, in moist soil. n). 1 ft. Open or shaded positions, |
| in moist soils. The above varieties, 25 cts. each, \$2 pe | r 10 \$15 per 100 |
| The above collection, 15 varieties, \$3. 100 in 5 varieties, our selection, \$12.50. | • |
| | |
| HEDGE 1 | PLANTS |
| We shall be pleased to name spec | PLANTS rial prices for plants in quantity for |
| | rial prices for plants in quantity for |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE | vial prices for plants in quantity for IN TREES SEE PAGE |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE Biota orientalis 4 | ial prices for plants in quantity for IN TREES SEE PAGE Thuya occidentalis |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE | vial prices for plants in quantity for IN TREES SEE PAGE |
| We shall be pleased to name specified purposes. EVERGREE SEE PAGE Biota orientalis 4 Picea excelsa 7 Retinospora plumosa 10 | cial prices for plants in quantity for IN TREES SEE PAGE Thuya occidentalis |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE Biota orientalis 4 Picea excelsa 7 Retinospora plumosa 10 Retinospora plumosa aurea 11 DECIDUOL Carpinus Americana 24 | Thuya occidentalis |
| We shall be pleased to name specified purposes. EVERGREE SEE PAGE Biota orientalis 4 Picea excelsa 7 Retinospora plumosa 10 Retinospora plumosa aurea 11 DECIDUOL | cial prices for plants in quantity for IN TREES Thuya occidentalis |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE Biota orientalis | Thuya occidentalis 13 occidentalis Wareana 14 Tsuga Canadensis 14 US TREES Cratægus Oxyacantha 26 Fagus sylvatica 26 |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE Biota orientalis 4 Picea excelsa 7 Retinospora plumosa 10 Retinospora plumosa aurea 11 DECIDUOU Carpinus Americana 24 Betulus 24 Cratægus Crus-galli 26 EVERGREE Azalea amæna 15 | Thuya occidentalis |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE Biota orientalis 4 Picea excelsa 7 Retinospora plumosa 10 Retinospora plumosa aurea 11 DECIDUOL Carpinus Americana 24 Betulus 24 Cratægus Crus-galli 26 EVERGREE Azalea amæna 15 Buxus sempervirens 15 | Thuya occidentalis 13 occidentalis Wareana 14 Tsuga Canadensis 14 US TREES Cratægus Oxyacantha 26 Fagus sylvatica 26 N SHRUBS Ilex crenata microphylla 17 Mahonia aquifolia 17 |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE Biota orientalis 4 Picea excelsa 7 Retinospora plumosa 10 Retinospora plumosa aurea 11 DECIDUOU Carpinus Americana 24 Betulus 24 Cratægus Crus-galli 26 EVERGREE Azalea amæna 15 Buxus sempervirens 15 sempervirens suffruticosa 16 | Thuya occidentalis 13 occidentalis Wareana 14 Tsuga Canadensis 14 US TREES Cratægus Oxyacantha 26 Fagus sylvatica 26 N SHRUBS Ilex crenata microphylla 17 Mahonia aquifolia 17 Japonica 17 |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE Biota orientalis 4 Picea excelsa 7 Retinospora plumosa 10 Retinospora plumosa aurea 11 DECIDUOU Carpinus Americana 24 Betulus 24 Cratægus Crus-galli 26 EVERGREE Azalea amæna 15 Buxus sempervirens 15 sempervirens suffruticosa 16 DECIDUOU | Thuya occidentalis 13 occidentalis Wareana 14 Tsuga Canadensis 14 US TREES Cratægus Oxyacantha 26 Fagus sylvatica 26 N SHRUBS Ilex crenata microphylla 17 Mahonia aquifolia 17 Japonica 17 S SHRUBS |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE Biota orientalis . 4 Picea excelsa . 7 Retinospora plumosa . 10 Retinospora plumosa aurea . 11 DECIDUOU Carpinus Americana . 24 Betulus . 24 Cratægus Crus-galli . 26 EVERGREE Azalea amæna . 15 Buxus sempervirens . 15 sempervirens suffruticosa . 16 DECIDUOU Acanthopanax spinosa . 33 Berberis Thunbergi and vulgaris . 35 | Thuya occidentalis 13 occidentalis 14 Tsuga Canadensis 14 US TREES Cratægus Oxyacantha 26 Fagus sylvatica 26 V SHRUBS Ilex crenata microphylla 17 Mahonia aquifolia 17 Japonica 17 SHRUBS Hippophae rhamnoides 40 Ligustrum Ibota, Regelianum. |
| We shall be pleased to name spechedging purposes. EVERGREE SEE PAGE Biota orientalis 4 Picea excelsa 7 Retinospora plumosa 10 Retinospora plumosa aurea 11 DECIDUOU Carpinus Americana 24 Betulus 24 Cratægus Crus-galli 26 EVERGREE Azalea amæna 15 Buxus sempervirens 15 sempervirens suffruticosa 16 DECIDUOU Acanthopanax spinosa 33 | Thuya occidentalis 13 occidentalis Wareana 14 Tsuga Canadensis 14 US TREES Cratægus Oxyacantha 26 Fagus sylvatica 26 N SHRUBS Ilex crenata microphylla 17 Mahonia aquifolia 17 Japonica 17 S SHRUBS Hippophae rhamnoides 40 |

OUR CATALOGS

THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-to-date in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints on planting, pruning and caring for them. It is illustrated and fully indexed.

- PRICE-LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each season's growth, frequent revisions of the PRICE-LIST are necessary, to keep customers thor-
- revisions of the PRICE-LIST are necessary, to keep customers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the current season's PRICE-LIST.
- MORE SPECIALTIES, a booklet of 32 pages, describing and illustrating a large number of very choice things for the country home. A great help in deciding upon just the right thing to plant.
- **BEAUTIFUL LAWNS, BOOKLET No. 27.** This little pamphlet treats of Lawn. Fertilizing, and its eight pages should be carefully read by all interested in having a good lawn.
- BOXWOOD, BOOKLET No. 28. For formal gardens and in connection with architectural effects, BOXWOOD is now absolutely necessary. This book let shows the different forms we offer.
- HINTS FOR SUCCESSFUL PLANTING, BOOKLET No. 30. Does not aim to cover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can secure the best results.
- A CALENDAR OF HARDY PERENNIALS, BOOKLET No. 33-26, with special lists of Iris, Phlox. Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the caliper or diameter of the trunk is taken above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in. (caliper).

DEPARTMENTS

| | LIMI | TATELL | - | |
|---------------------------------------|------------------------------|-------------|-------------------------------------|--------------|
| | PAGE | | | PAGI |
| Fortilizers | 2 | Vines and C | limbing Plants | 4' |
| Fertilizers General Instructions and | Torms 3 | Ernit and S | Small Ernits | 49. 50 |
| Evergreen Trees | 4 | Rosen and k | man Praise | 50 |
| Evergreen Shrubs | 15 | Herbaceous | Plants | 5 |
| Decidnong Troop | 91 | Ferns | riants | 6: |
| Deciduous Trees | 35 | Hodge Dlan | ts | 6 |
| Deciduous Shrubs Reeds and Grasses | 47 | Cataloga | | 6 |
| Reeds and Grasses | | Catalogs | | |
| | INID | EV | | |
| | IND | LA | | |
| PAGE | 1 | PAGE | I should be a | PAGE |
| | D. L. D. | | 0.3 | |
| Aaron's Beard40 | Baby's Breat | nn | Cedar Cedrela | |
| Abelia | Baccharis | | Cedreia | 24 |
| Abies | Bambusa | | Cedrus Celastrus | |
| Acanthus51 | Baptisia | | Celtis | 40 |
| Acanthopanax35 | Barberry Basswood | | Celtis | 20 |
| Acer23 | Basswood | 32-33 | Centaurea | |
| Achillea51 | Beard Tongu | | Cephalanthus | |
| Aconitum51 | Bear's Breech | | Cephalotaxus Cerastium | |
| Actinidia | Beauty-fruit | | Cerastium | |
| Adam's Needle20 | Beech | | Cerasus | 20 |
| Adiantum | Belemcanda . | | Ceratostigma | |
| Atsculus23, 35. | Bell-flower | | Cerciaiphyllum . | 0- 20 |
| Ailanthus23 | Bellis | | Ceratostigma Cercidiphyllum | 25, 30 |
| Ajuga51 | Benzoin | | спашачарине | |
| Akebia | Berberis Se | 66 | Chamomile | |
| Alder24 | Betula | e Stachys. | Chaste Tree | 41 |
| Allspice, or Sweet Shrub35 | | | Chelone | |
| Alnus23 | Bignonia Balloon-flower | | Cherries | 48 |
| Althora (goo plan Hi | Biota | | Cherry | 94 40 |
| Althæa (see, also, Hibiscus)35, 51 | Birch | 94 | Chestnut Chinese Angelica | Tuon 24 |
| Alum Root56 | Bittorewoot | 47 | Chinese Arborrit | m 5 |
| Alyssum51 | Bittersweet . Black Alder | | Chinese Arboryit Chinese Cork Tr | 20 |
| Amelanchier23, 35 | Blackberries | 40 | Chionanthus | 36 |
| Amorpha35 | Black Haw | 47 | Chokeberry | 43 |
| Ampelopsis47 | Black Haw . Black Walnut | 27 | Christmas Rose | 56 |
| Amygdalus. See Prunus. | Bladder Senn | a 36 | Chrysanthemum | 54 |
| Anchusa | Blanket-Flowe | er55 | Chrysogonum | |
| Anchusa | Blazing Star | | Chrysopis | 54 |
| Oxydendrum)15, 24 Anemone51, 52 | Bleeding Hea | rt55 | Cimicifuga | 54 |
| Anemone | Blue Spirea. | 35 | Cineraria. See | Arte- |
| Anthemis | Bocconia | | misia. | OF THE PARTY |
| Apples49 | Boltonia | 53 | Cinquefoil | 42 |
| Aquilegia | Botrychium . | 63 | Cladrastris | 25 |
| Arabis | Box | 15-16 | Clematis | 48, 54 |
| Aralia24 | Bridal Wreat | h44 | Clethra | 36 |
| Arborvitæ4, 5, 13 | Broussonetia | | Columbine | 52, 62 |
| Arenaria52 | Buckthorn | 43 | Colutea | 36 |
| Aristolochia | Butterfly Wee | d53 | Comptonia | 36 |
| Armeria53 | Buttonwood . | 30 | Cone-flower | 55, 60 |
| Aronia. See Pyrus. | Buxus | 15-16 | Conoclinium | $\dots 54$ |
| Arrow-wood46 | Calimeris | 53 | Convallaria | 54 |
| Artemesia53 | Callicarpa | | Coral Berry | 44 |
| Arundo | Callirhoe | | Corchorus | 36 |
| Asclepias | Calycanthus | | | |
| Ash | Campanula | | Cornus25 | 36, 37 |
| Asparagus50 | Candytuft | 57 | Coronilla | 54 |
| Aspidium63 | Caragana | | Corylus Cotoneaster | 37 |
| Asplenium63 Aster53 | Cardinal-flowe | 86 | Cotoneaster | 16, 37 |
| | | | Crab Apples | 30 |
| Astilbe | Carya Castanea | 24 | Cranberry Bush Cratægus1 | 46 |
| Aubretia53 | Catalpa | | Cratagus17 | , 25, 26 |
| Azalea | Ceanothus | 20 | Cryptomeria Cucumber Tree . | 5 |
| | ceanothus |) | Cucumber Tree . | 28 |

ANDORRA NURSERIES

| LAGE | PAGE | PAG |
|---|---|--|
| Cupressus12 | Ginkgo32 | Kentucky Coffee Tree. 2 |
| Current 49 | Gleditschie 27 | |
| Cydonia | Gleditschia 27 Globe-flower 36 Goat's Beard 61 | Kerria. See Corchorus.4 |
| Cuppegg 0 19 29 | Coat's Based | Kniphofia5 |
| Cypress | Goat's Beard | Kœlreuteria |
| Cytisu20, 51 | Gold-nower40 | Kudzu Vine4 |
| 11918V | Gold-flower | Larch |
| Day Lily | Golden Chain | Larix2 |
| Daphne | Golden Tuft51 | Larkspur 5 |
| Deciduous Shrubs35 | Golden Tuft 51 Glyptostrobus. See Tax- | Larkspur |
| Deciduous Trees21, 33 | odium. | Laurel1 |
| Delphinium55 | | Laurendule |
| Dogmodium Soo Log | Gooseberries49 | Lavandula5 |
| Desmodium. See Lespedeza | Grapes49 | Lavender5 |
| | Groundsel Shrub35, 61 | Lavender-cotton6 |
| Deutzia37, 38 | Guelder Rose46 | Lespedeza4 |
| Dianthus55 | Gymnocladus | Leucothæ1 |
| Dicentra | Gypsophila | Liatris5 |
| Dicksonia63 | Halesia39 | Ligustrum40-4 |
| Dictamnus55 | Hamamelis39 | Lilac4 |
| Diervilla38 | Hardy Roses50-51 | Lilium |
| | Hardy Roses 30-31 | Lile of the wall as |
| Digitalis55 | Hawthorn26 Hazel37-39 | Lily-of-the-valley5 Linden32-5 |
| Diospyros20 | Hazel37-39 | Linden32-5 |
| Diospyros 26 Dogwood 25, 36-37 Dolichos. See Pueraria. | Hedera48 | Linum |
| Dolichos. See Pueraria. | Hedge Plants63 | Liquidambar2 |
| Doronicum55 | Helenium56 | Liriodendron2 |
| Dutchman's Pipe47 | Helianthus56 | Liver Leaf |
| Echinacea55 | Heliopsis56 | Lobelia |
| Elæagnus39 | | Lobelia 5. Locust 27, 3. London Pride 5. Lonicera 41, 42, 4. Loosestrife 5. Lychnis 5. |
| | Helleborus56 | Locast Duid. |
| Elder | Hemerocallis, or Day Lily | London Fride |
| Elm | Lily56 | Lonicera41, 42, 4 |
| Elymus47 | Hemlock14 | Loosestriie |
| English Primrose60 | Hepatica56 | Lychnis |
| English Ivy | Herbaceous Plants. 51-62 | |
| Erianthus | Heuchera56 | Lysimachia5 |
| Erigeron | Hibiscus39, 40, 57 | Lythrum58 |
| Eryngium55 | High Cranberry Bush. 46 | Maclura28 |
| Esculent Roots50 | Hippophae40 | Magnolia |
| Enlate 100ts | Holling | Mahania |
| Eulalia | Holly | Mahonia |
| Euonymus17, 39, 48 | Hollyhocks (see, also, | Maidenhair Tree3: |
| Eupatorium55 | Althæa)51 | Maple21-23 |
| Euphorbia55 | Honey Locust27 | Matrimony Vine 4 Meadow Rue 6 Meadow Sweet 6 |
| Evening Primrose59 | Honeysuckle41, 48 | Meadow Rue61 |
| Evergreen Shrubs15-20 | Hop Tree | Meadow Sweet61 |
| Evergreen Shrubs15-20 Evergreen Thorn17 Evergreen Trees4-15 | Hornbeam24 | Mertensia |
| Evergreen Trees 4-15 | Horse-chestnut23 | Mint-flower 54 |
| Everlasting Pea48 | Hydnongog | Mist or Smoke Tree 45 |
| | Hydrangea40 | Most Open a |
| Exochorda39 | Hypericum40 | Mock Orange42 |
| Fagus | Iberis | Monarda59 |
| Ferns | 11ex | Moneywort |
| Festuca | Inula57 | Monkshood51 |
| Feverfew | Iris | Morns 96 |
| Fir 4 | Iron Weed 62 | Mountain Ash 32 Mourning Bride 61 Mulberry 24, 29 Myosotis 59 |
| Flame-flower58 | Itea 40 | Mourning Bride 61 |
| Flowering Almond 43 | Itea | Mulberry 24 20 |
| Flowering Almond43 Flowering Crab30 | Japan on Poster Ing 77 | Myosotic 50 |
| Forget me not | Japan, or Boston Ivy.27 | Munico 40 |
| Forget-me-not59 | Japan Cypress 9 | Myrica |
| Forsythia39 | Japan Judas36 | Negundo. See Acer Ne- |
| Foxgloves55 | Japan Quince 37 | gundo. |
| Fox Grape | Japanese Maples23 Japanese Snowball46 | Nepeta59 |
| Fraxinus | Japanese Snowball 46 | Nettle Tree 25 |
| Fruit49 | | Nettle Tree |
| Funkia55 | Jasminum 40 | Nyacca |
| Gaillardia56 | Jorsey Ton | Nyassa |
| | Judge Tree | CEnothers |
| Galega56 | Judas Tree25 | Œnothera59 |
| Gas Plant55 | Jugians27 | Old Man |
| Geranium56 | Juneberry23 | Old Woman53 |
| Geum | Jasmine 40 Jasminum 40 Jersey Tea 36 Judas Tree 25 Juglans 27 Juneberry 23 Juniperus 5-6-7 Kelmie 7 | Oleaster39 |
| Gillenia56 | Kalmia | Onoclea63 |
| | | |

| PAGI | PAGE | PAGE |
|---|--|--|
| Ophiopogon59 | Ribbon Grass47 | Sweetbriar50 |
| Oriental Plane 33 Oriental Poppy 55 Osage Orange 22 Osmanthus 17 Osmunda 65 Oswego Tea, or Fragrant Balm 55 | Ribes43 | Sycamore 20 |
| Oriental Poppy59 | Ribes | Symphoricarpus |
| Osage Orange28 | Rock Cress52 | Syringa 45, 46 |
| Osmanthus17 | Rockfoil61 | Tanacetum61 |
| Osmunda63 | Rose Acacia | Tamarix |
| Oswego Tea, or Fra- | Rose Campion58 | Taxodium32 |
| grant Balm59 | Rosemary | Taxus |
| Oxydendium | I HUSE OF BHATOH OF. 40 | Tecoma. See Big.oia. |
| Pæonia59 | Roses50-51 | Thalictrum62 Thermopsis62 |
| Pachysandra59 | Rosmarinus | Thermopsis62 |
| Papaver | Rosy Millon | Thorn25-26 |
| emcanda. | Rubus43 | Thorn Evergreen17 |
| | Rudbeckia60 Rugosa Roses51 | Thrift53 |
| Parrotia | Salisburia32 | Thuya |
| Paulownia29 | Salix32 | Thujopsis12 |
| Pavia. See Asculus. | Salvia | Thymus |
| Peaches | Sambuone 42 | Thujopsis 12 Thujopsis 12 Thymus 62 Tickseed 54 Tiger Lily 58 Tilia 32 33 Tradescentic 62 13 14 15 15 15 15 15 15 15 |
| Pears49 | Sambucus | Tiger Lily58 |
| Ponstomon 50 | Sanguinaria61 | Tilia32-33 |
| Pariplace | Santolina61 | Tradescantia |
| Poriwinkle 69 | Sassafrass32 | Tree of Heaven23 Trillium62 |
| Penstemon 59 | Saxifraga61 | Trolling |
| Persica 29 | Scotch Broom37 | Trumpet Vine |
| Persimmon | Scabiosa61 | Trollius .62 Trumpet Vine .47 Tsuga .14 |
| Persimmon | Sciadopitys11 | Tulin Tree 78 |
| Phellodendron29 | Sea Buckthorn40 | Tulip Tree 28 Ulmus 33 |
| Phellodendron29 Philadelphus42 | Sea Holly55 | Umbrella Tree28 |
| Phillyrea | Sea Lavender61 | Uniola47 |
| Phlox | Senecio | Vaccinium46 |
| Physostegia60 Picea7-8 | Sedum | Valeriana |
| Picea7-8 | Sheepsberry46 | Valerian |
| Pinks60 | Sheepsberry46 Shrub Yellow Root47 | Varnish Tree27 |
| Pinus8-9 | Shrubby Cinquefoil42 | Verbascum |
| Platanus | Silene | Vernonia62 |
| Platycodon60 | Silk Vine48 | Veronica |
| Plumbago | Small Fruits49 | Viburnum |
| Padagaran | Smilacina61 | Vinca |
| Podocarpus 9 Polemonium 60 Populus 30 Poppy 53 59 Potentille 30 | Snakeroot55 | Vines and Climbin |
| Populus | Snowball 46 Snowberry 44 Sophora 32 | Plants |
| Ponny 52 50 | Snowberry44 | V10la62 |
| Potentilla 49 | Sophora32 | Virgilia |
| Potentilla | Sorbus32 | Virginia Creeper47 |
| Primula | Speedwell62 Spice Bush35 | Vitex41 |
| Privet 40-41 | Spice Bush35 | Vitis |
| Prunus. See, also | Spiderwort62 | War Muntle 49 |
| Cerasus30, 43 | Spindle Tree .39 Spiræa .44 53 61 Spruce .7 8 9 Stachys .61 | Wax Myrtle 42 Wayfaring Tree 46 Weigela 38 |
| Pseudotsuga 9 | Spruge 7 8 0 | Woigola 38 |
| Ptelea 30 | Stachys R1 | White Fringe36 |
| Pterostyrax 30 | Staphylea44 | White Rod 46 |
| Pueraria | Statice | White Rod |
| Purple Mist43 | Stephanandra44 | Willow 32 Windflower 51-52 Winola 47 Winter Berry 40 Wistaria 48 Witch Head 20 |
| Pyrethrum | Stokesia | Windflower51-52 |
| Pyrus 30, 43 | Stokes' Aster | Winola |
| Quercus30, 31 | Stokes' Aster 61 Stonecrop 61 | Winter Berry40 |
| Quinces | Strawberries 50 | Wistaria48 |
| Kannnenlug | Strawberry Bush 39 | Witch Hazel39 |
| Raspberries 49 Red Bud, or Judas 25 Reeds and Grasses 47 Retinospora 9-11 | Strawberry Bush 39 Styrax 44 Sumac 31-32, 43 | Witch Hazel |
| Red Bud, or Judas25 | Sumac31-32, 43 | Woodwardia63 Xanthoceras47 |
| Reeds and Grasses47 | | Xanthoceras47 |
| Phompson9-11 | Swamp Huckleberry 46 | Xanthorrhiza 47 |
| | Sweet Fern36 | Yarrow |
| Rhodotypus18-20 | Sweet Gum28 | Yellow Wood25 |
| Rhubarh | Sweet William54, 60 | Yarrow |
| Rhododendron | Sweet Pepper Bush36 | Yucca |
| | Swamp Huckleberry 46 Sweet Fern 36 Sweet Gum 28 Sweet William 54 60 Sweet Pepper Bush 36 Sweet Shrub 35 | |
| | the state of the s | |

Plant for Immediate Effect

Not for Future Generations

<u>Start with large stock</u>—it has taken years of special preparation to grow such Trees and Shrubs as we offer you.

We have done the long waiting—you can secure at once specimens that will give immediate and permanent results.

AS AN EXAMPLE

Note in this Price List, page 21, Norway Maples, 14 to 20 ft. in height with trunks 4 to 10 in. in diameter. Specimen trees with broad tops and a system of fibrous roots that makes transplanting successful—trees that are sure to grow. Such trees simply "make your place."

AN IMPORTANT POINT

These specimen Trees and Shrubs are Andorra-Grown—they are here at our Nurseries where you may inspect them and reserve such as suit your purpose.

ANDORRA-GROWN MEANS QUALITY

QUALITY IN TREES MEANS SUCCESSFUL PLANTING